

W

WHITLAM CHEMICAL AND PLUMB-PRO QUALITY TOOLS

8

TALD

w DRAIN

WEATHERPRO

W WHITLAM

BILLE

PIUMBIPRO

W

INTAD

YSTEM DESCALER

WHITLAM

BLUE LUBE

W NHITLA

OU CEMENT



W

INVERTE ARKING P

DE

CLEAR HEAVY DUTY EMENT

W

WHITLAM

BLACK DRAGON IET BLACK GLOSS GISONITE ASPHALT ENAMEL

3

W.

WER SE

FBC

2

W WHITLAM

II III

WHITLAM AND PLUMB-PRO QUALITY TOOLS

C/

CI CI CI CI

C/

C/

C/

C/

C

C/

C/



The Industry Standard for Over 100 Years













Possession of this price catalog shall not be construed as an offer to sell products listed.

ATEGORY 1	Solvent Cements, Primers, Cleaners 3 - 7
ATEGORY 2	Thread Sealants, Thread Sealant Tape
ATEGORY 3	Putty, Coatings, Oils 10 - 11
ATEGORY 4	Red Devil® Products12
ATEGORY 5	Caulking Guns, Abrasive Cloths, Fitting Brushes, Flux, Grease
ATEGORY 6	Pipe Gasket Lubricants
ATEGORY 7	System Descaler, Descaler Kit, Pump & Hoses for Descaler Kit, Flow-Aide Displays, Trap Primer, Urinal Odor Blocker, Urinal Cleaner, Drain Openers, Drain Cleaners, Hand Cleaners
ATEGORY 8	Flange Bolts, Hex Nuts, Washers, Wax Rings, Wax Rings with Bolt Sets, Gasket and Bolt Kits
ATEGORY 9	Anti-Freeze & Heating Products 20 - 21
ATEGORY 10	Highside Chemicals 22
ATEGORY 11	Screwdrivers, Replacement Bits, Straps 23 - 24
ATEGORY 12	Pick Mattock, Sledge Hammers, Shovels, Spades, Soil Probes, Meter Keys, Valve Wrenches
ATEGORY 13	Channellock [®] Pliers, Pliers, Plumbing Wrenches, Water Heater Element Wrench
ATEGORY 14	Saws, Plastic Pipe Cutters, Internal Pipe Cutters, Pipe Fitting Reamers 29 - 32
ATEGORY 15	Pipe Vent Screens, Inverted Marking Paint, Marking Gun, Marking Wand, Marking Machine, Turf Green Colorant, Leak Tracer Dyes
ATEGORY 16	Cans, Daubers, Swab Applicators, Sprayers, Inspection Mirror, Brushes, Levels, Insulators, Stud Punch, 4 Way Valve Key, Measuring Tape, Yellow Mason Twine, Wire Pulling Twine, PVC Pipe Wrap Tape, Caution Tape
	DISPLAYS
	WHITLAM HISTORY
	INDEX



J.C. Whitlam Manufacturing Headquarters consists of more than 100,000 square feet of offices, plant, warehousing and laboratory facilities in northeastern Ohio. Chemical containment tanks, shown above, allow proper storage and quick retrieval.

SOLVENT CEMENTS, PRIMERS & CLEANERS

CATEGORY 1

PVC SOLVENT CEMENTS

PVC CLEAR REGULAR BODIED LOW VOC CEMENT* A fast set for use through 4" (10.16 cm) diameter Sch. 40 and 1-1/4" (3.17 cm) Sch. 80 PVC pressure pipe and through 6" (15.24 cm) diameter non-pressure pipe. Meets ASTM D2564. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
PRL4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
PRL8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
PRL16	Pint - 73 ml	Dauber Top Can	12	15 lbs 6.8 kg
PRL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
PRL1	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg

PVC CLEAR MEDIUM BODIED LOW VOC CEMENT* A medium set for use through 6" (15.24 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 8" (20.32 cm) diameter non-pressure pipe. Meets ASTM D2564. Made in the U.S.A.

PL4	1/4 Pint – 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
PL8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
PL16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
PL32	Quart95 L	Dauber Top Can	12	29 lbs 13.2 kg
PL1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

PVC CLEAR HEAVY DUTY LOW VOC CEMENT* A medium set for use through 12" (30.48 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 16" (40.64 cm) diameter non-pressure pipe. Recommended as a One-Step solvent weld cement for Drain, Waste and Vent (DWV) pipe and fittings in non-pressure applications in sizes up to 4" (10.16 cm) where acceptable by local code. Meets ASTM D2564. Made in the U.S.A.

HDP4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
HDP8	1/2 Pint - 237 ml	Dauber Top Can	24	16 bs 7.3 kg
HDP16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
HDP32	Quart95 L	Dauber Top Can	12	29 lbs 13.2 kg
HDP1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 ka

PVC BLUE HEAVY DUTY LOW VOC CEMENT*

HDB16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
HDB32	Quart95 L	Dauber Top Can	12	29 lbs 13.2 kg
HDB1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

PVC WHITE HEAVY DUTY LOW VOC CEMENT*

HDW32	Quart95 L	Dauber Top Can	12	29 lbs 13.2 kg
HDW1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

PVC CLEAR HEAVY BODIED LOW VOC CEMENT* A slow set for use through 12" (30.48 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 16" (40.64 cm) diameter non-pressure pipe. Meets ASTM D2564. Made in the U.S.A.

HPL16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
HPL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
HPL1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

PVC GRAY MEDIUM BODIED LOW VOC CEMENT* A medium set for use through 6" (15.24 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 8" (20.32 cm) diameter non-pressure pipe. Meets ASTM D2564. Made in the U.S.A.

GL16	Pint - 473 ml	Dauber Top Can	12	16 lbs 7.3 kg
GL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
GL1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg













.

Clear















Gray

White

Grav

Clear

Blue











SOLVENT CEMENTS, PRIMERS & CLEANERS

PVC SOLVENT CEMENTS

PVC GRAY SCH. 80 HEAVY BODIED LOW VOC CEMENT* A slow set for use through 12" (30.48 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 16" (40.64 cm) diameter non-pressure pipe. Meets ASTM D2564. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
PGL16	Pint - 437 ml	Dauber Top Can	12	16 lbs 7.3 kg
PGL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
PGL1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

PVC WHITE EXTRA HEAVY BODIED LOW VOC CEMENT* A slow set for use through 30" (76.2 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe. Meets ASTM D2564. **Made in the U.S.A.**

XHW32	Quart95 L	Flat Top Can	12	29 lbs 13.2 kg
XHW1	Gallon - 3.785 L	Paint Can w/ Handle	4	37 lbs 16.8 kg
XHW55	55 Gallon - 208 L	Drum	1	498 lbs 225.9 kg

PVC GRAY EXTRA HEAVY BODIED LOW VOC CEMENT* A slow set for use through 30" (76.2 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe. Meets ASTM D2564. **Made in the U.S.A.**

XHG32	Quart95 L	Flat Top Can	12	29 lbs 13.2 kg
XHG1	Gallon - 3.785 L	Paint Can w/ Handle	4	37 lbs 16.8 kg
XHG55	55 Gallon - 208 L	Drum	1	498 lbs 225.9 kg

"WEATHERPROOF" CLEAR MEDIUM BODIED WET/DRY LOW VOC PVC CEMENT* A fast One Step** cement for use on all classes and schedules of PVC pressure pipe (including Sch. 80) through 6" (15.24 cm) diameter and on non-pressure systems through 8" (20.32 cm) diameter. Meets ASTM D2564. Made in the U.S.A.

PCW4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
PCW8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
PCW16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
PCW32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
PCW1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

"WEATHERPROOF" BLUE MEDIUM BODIED WET/DRY LOW VOC PVC CEMENT* A fast One Step** cement for use on all classes and schedules of PVC pressure pipe (including Sch. 80) through 6" (15.24 cm) diameter and on non-pressure systems through 8" (20.32 cm) diameter. Meets ASTM D2564. Made in the U.S.A.

WET4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
WET8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
WET8A	1/2 Pint - 237 ml	Dauber Top Can (Display Box)	12	9 lbs 4.1 kg
WET16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
WET32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
WET1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

"TURF-POOL & REPAIR" AQUA BLUE MEDIUM BODIED LOW VOC PVC CEMENT* A fast set for use through 3" (7.62 cm) diameter on all classes of PVC pressure pipe (except Sch. 80) and 6" (15.24 cm) diameter on non-pressure PVC pipe where pipe pulling is required and conditions are wet and/or quick pressurization is needed. Meets ASTM D2564. Made in the U.S.A.

TP8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
TP16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
TP32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
TP1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

"PRO-GREEN" IRRIGATION, MEDIUM BODIED LOW VOC PVC CEMENT* A fast One Step** cement for use through 3" (7.62 cm) diameter on all classes of PVC pressure pipe (except Sch. 80), and 6" (15.24 cm) diameter on non-pressure PVC pipe where pipe pulling is required and conditions are wet and/or quick pressurization is needed. Meets ASTM D2564. Made in the U.S.A.

IR4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
IR8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
IR8A	1/2 Pint - 237 ml	Dauber Top Can (Display Box)	12	9 lbs 4.1 kg
IR16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
IR32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
IR1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

* D.O.T. Classified Shipping Items. See Page 40. ** Suitable to be used as a One-Step Cement for joining PVC Drain, Waste and Vent (DWV) pipe and fittings in non-pressure applications in sizes up to and including 4 inches where acceptable by local code. Pallet Quantities for Plastic Solvent Cements & Cleaners: 1/4 Pint = 130 Cases, 1/2 Pint = 80 Cases, 1 Pint = 80 Cases, 1 Quart = 56 Cases, 1 Gallon = 27 Cases.

SOLVENT CEMENTS, PRIMERS & CLEANERS

CATEGORY 1

W

PVC SOLVENT CEMENTS

"SHARK-BITE" AQUA BLUE MEDIUM BODIED POOL/SPA LOW PVC VOC CEMENT*A One Step** cement for use through 3" (7.62 cm) diameter on all classes of PVC pressure pipe (except Sch. 80), and 6" (15.24 cm) diameter on non-pressure PVC pipe. Meets ASTM D2564. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
SB4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
SB8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
SB8A	1/2 Pint - 237 ml	Dauber Top Can (Display Box)	12	9 lbs 4.1 kg
SB16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
SB32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
SB1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg





CEMENT

CPVC SOLVENT CEMENTS

CPVC YELLOW MEDIUM BODIED LOW VOC CEMENT* Use through 2" (5.08 cm) diameter CPVC pipe, CTS (copper tube size) and potable water pressure pipe. Medium bodied cement for use on CPVC and FlowGuard Gold® pipe and fittings. Exceeds ASTM F493 and ASTM D2846. Made in the U.S.A.

CPL4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
CPL8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
CPL16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
CPL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg

CPVC ORANGE MEDIUM BODIED LOW VOC CEMENT* Use through 6" (15.24 cm) diameter Sch. 40 CPVC pipe and through 1-1/2" (3.81 cm) diameter Sch. 80 CPVC pipe. Meets ASTM F493 and ASTM D2846. Made in the U.S.A.

CPV4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
CPV8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
CPV16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
CPV32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg

CPVC GRAY HEAVY BODIED LOW VOC CEMENT* Use through 12" (30.48 cm) diameter Sch. 40 CPVC pipe and through 6" (15.24 cm) diameter Sch. 80 CPVC pipe. Meets ASTM F493 and ASTM D2846. Made in the U.S.A.

CPG16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
CPG32	Quart95 L	Dauber Top Can	12	29 lbs 12.2 kg
CPG1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

ALL-PURPOSE SOLVENT CEMENTS

ALL PURPOSE CLEAR REGULAR BODIED LOW VOC CEMENT* Use through 4" (10.16 cm) diameter Sch. 40 & Sch. 80 ABS, PVC and Sch. 40 CPVC pipe. Made in the U.S.A.

APR4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
APR8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
APR16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
APR32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
APR1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

ALL PURPOSE CLEAR, MEDIUM BODIED, HEAVY DUTY LOW VOC CEMENT* Use through 6"

(15.24 cm) diameter Sch. 40 & Sch. 80 ABS, PVC and CPVC Pipe. Made in the U.S.A.

AP4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
AP8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
AP16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
AP32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg



Orange

Grav







W0!!

WHITLAS OR ANY CEMENT









SOLVENT CEMENTS, PRIMERS & CLEANERS

ABS SOLVENT CEMENTS

ABS BLACK MEDIUM BODIED LOW VOC CEMENT* Use through 6" (15.24 cm) diameter ABS pressure and Drain, Waste and Vent (DWV) pipe. Meets ASTM D2235. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
AL4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg
AL8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg
AL16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
AL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg
AL1	Gallon - 3.785 L	Wide Mouth Can w/ Handle	6	56 lbs 25.4 kg

TRANSITION SOLVENT CEMENT

"SWITCH" TRANSITION GREEN MEDIUM BODIED LOW VOC CEMENT* A fast set cement for use through 6" (15.24 cm) diameter for joining ABS pipe or fittings to PVC pipe or fittings. Meets ASTM D3138. Made in the U.S.A.

TC16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg
TC32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg

PRIMERS

Black

Green

Clear

Purple

OC CEMENT

EMEN

W

PURPL

LOW VOC CLEAR PRIMER* For use on all PVC, ABS and CPVC pipe and fittings. Meets ASTM F656. Made in the U.S.A.

0 04 45 11 0.01
op Can 24 15 lbs 6.8 kg
p Can 12 14 lbs 6.4 kg
p Can 12 26 lbs 11.8 kg
andle 6 50 lbs 22.7 kg
pp

LOW VOC PURPLE PRIMER* For use on all PVC, ABS and CPVC pipe and fittings. Dyes plastic purple. Meets ASTM F656. Made in the U.S.A.

PPL4	1/4 Pint - 118 ml	Dauber Top Can	24	9 lbs 4.1 kg
PPL8	1/2 Pint - 237 ml	Dauber Top Can	24	15 lbs 6.8 kg
PPL16	Pint - 473 ml	Dauber Top Can	12	14 lbs 6.4 kg
PPL32	Quart95 L	Dauber Top Can	12	26 lbs 11.8 kg
PPL1	Gallon - 3.785 L	Can w/ Handle	6	50 lbs 22.7 kg



3 YEAR LIMITED WARRANTY

Whitlam Cements, Primers and Cleaners are made with the highest quality materials and meet or exceed their relative ASTM Specifications. All information provided is based on our laboratory testing, independent laboratory test results, and actual field experience. Properly used, Whitlam Cements, Primers and Cleaners will perform in accordance with applicable standards. Whitlam Cements, Primers and Cleaners will maintain a 3 year shelf life from date of manufacture if unopened or unused. Since we are unable to control conditions for with the product is being used, our only obligation will be the replacement of the product. See the Limited and Guaranteed Sale and Return Policy for additional information.

CLEANERS

LOW VOC CLEAR CLEANER* For use on all PVC, ABS and CPVC pipe and fittings. Made in the U.S.A.

C4	1/4 Pint - 118 ml	Dauber Top Can	24	9 lbs 4.1 kg
C8	1/2 Pint - 237 ml	Dauber Top Can	24	15 lbs 6.8 kg
C16	Pint - 473 ml	Dauber Top Can	12	14 lbs 6.4 kg
C32	Quart95 L	Dauber Top Can	12	25 lbs 11.3 kg
C1	Gallon - 3.785 L	Can w/ Handle	6	50 lbs 22.7 kg


Average Joint Cure Schedule For WHITLAM PVC/CPVC Solvent Cements**

Relative Humidity 60% or Less	Cure Ti Sizes ½'	•	Cure Til Sizes 1	me Pipe ½" to 2"	Cure Til Sizes 23	ne Pipe ⁄₂" to 8"	Cure Time Pipe Sizes 10" to 15"	Cure Time Pipe Sizes 15"+
Temperature range during assembly and cure periods	up to 160 psi	160 to 370 psi	up to 160 psi	above 160 to 315 psi	up to 160 psi	above 160 to 315 psi	up to 100 psi	up to 100 psi
60°-100°F	15 min	6 hrs	30 min	12 hrs	1 ½ hrs	24 hrs	48 hrs	72 hrs
40°-60°F	20 min	12 hrs	45 min	24 hrs	4 hrs	48 hrs	96 hrs	6 days
0°-40°F	30 min	48 hrs	1 hr	96 hrs	72 hrs	8 days	8 days	14 days

Note - Joint cure schedule is the necessary time to allow before pressurizing system. In damp or humid weather allow 50% more cure time.

**These figures are estimates based on our laboratory tests; extended cure times are required for chemical applications. Due to many variables in the field, these figures should be used as a general guide only.


Fahrenheit to Celsius Conversion Chart



*D.O.T. Classified Shipping Items. See Page 40. Pallet Quantities for Plastic Solvent Cements, Primers & Cleaners: 1/4 Pint = 130 Cases, 1/2 Pint = 80 Cases, 1 Pint = 80 Cases, 1 Quart = 56 Cases, 1 Gallon = 27 Cases.

SOLVENT, CEMENTS, PRIMERS & CLEANERS

CATEGORY 1




WHITLAM produces a wide range of high strength solvent cements for rigid and flexible plastic pipe fittings.

These products are ideal for use with potable water pressure systems, irrigation, turf, conduit, pool, spa, industrial piping, sewer, drain, waste and vent systems.

SCHEDULE 40 PRESSURE

SCHEDULE 80 PRESSURE



Average Initial Set Schedule For WHITLAM PVC/CPVC Solvent Cements**

Temperature Range	Pipe Sizes ½" to 1 ¼"	Pipe Sizes 1½" to 2"	Pipe Sizes 2½" to 8"	Pipe Sizes 10" to 15"	Pipe Sizes 15"+
60°-100°F	2 minutes	5 minutes	30 minutes	2 hours	4 hours
40°-60°F	5 minutes	10 minutes	2 hours	8 hours	16 hours
0°-40°F	10 minutes	15 minutes	12 hours	24 hours	48 hours

Note - Initial set schedule is the necessary time to allow before the joint can be carefully handled. In damp or humid weather allow 50% more set time.

**These figures are estimates based on our laboratory tests using water; extended set times are required for chemical applications. Due to many variables in the field, these figures should be used as a general guide only.

Average Number of Joints per Quart of WHITLAM Cement and Primer*

Pipe Diameter	1⁄2"	3⁄4"	1"	1½"	2"	3"	4"	6"	8"	10"	12"	15"	18"
Number of Joints	300	200	125	90	60	40	30	10	5	2-3	1-2	3⁄4	1/2

For Primer: Double the number of joints shown for cement. *These figures are estimates based on our laboratory tests. Due to many variables in the field, these figures should be used as a general guide only. Note: 1 joint = 1 socket



THR TYTE air, st Meets

Yellow

Blue

White

6:3	
	Gray
AT CONTROL IN A	













pw-G/dwv/sw



THREAD SEALANTS

TYTE-UNYTE® Non-hardening gray pipe joint compound in paste form. No drip, thixotropic formula. For air, steam, natural gas and water. "Standard of the Industry Since 1900." For use on all metal threads. Meets Federal Specification TT-A-580D. **Made in the U.S.A.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
T2*	2oz056 kg	Tube**	72	10 lbs 4.5 kg
T8	1/2 Pint/1 lb454 kg	Brush Top Can	24	26 lbs 11.8 kg
T8C*	1/2 Pint/1 lb454 kg	Brush Top Can	24	26 lbs 11.8 kg
T16	Pint/2 lbs92 kg	Brush Top Can	12	25 lbs 11.3 kg
T6	6 lbs 2.72 kg	Pail w/ Handle	4	31 lbs 14.1 kg
T50	50 lbs./5 gal 22.68 kg	Pail w/ Handle	1	54 lbs 24.5 kg
T600	600 lbs./55 gal 208 L	55 Gallon Drum	1	640 lbs 290.3 kg

STEEL-UNYTE Pipe joint, thread and hard set sealer, dark gray, semi-paste for use on all metal threaded connections and flanges. Meets Military Specification MIL-S-7916B. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. **Made in the U.S.A.**

	ST4	1/4 Pint - 118 ml	Brush Top Can	24	14 lbs 6.4 kg
	ST8	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg
/	ST8A	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	11 lbs 5.0 kg
	ST16	Pint – 473 ml	Brush Top Can	12	22 lbs 10.0 kg
	ST5	5 Gallon - 18.9 L	Pail w/ Handle	1	65 lbs 29.5 kg
	ST55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg

T-U TYPE 555 Soft-set, yellow thread sealing compound for use on plastic and metal threaded systems carrying air, steam, petroleum, water, gases and many chemicals. Meets Federal Specification TT-S-1732. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. **Made in the U.S.A.**

TU4	1/4 Pint - 118 ml	Brush Top Can	24	14 lbs 6.4 kg
TU8	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg
TU8C*	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg
TU16	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg
TU32	Quart95 L	Brush Top Can	12	41 lbs 18.6 kg
TU5	5 Gallon - 18.9 L	Pail w/ Handle	1	65 lbs 29.5 kg
TU55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg

BLUE MAGIC All purpose, non-seizing, industrial grade pipe thread compound that produces a leakproof seal on all types of metal and plastic threaded connections. Suitable for ABS, PVC, and CPVC threaded connections. Approved for use on Spears FlameGuard® CPVC Systems. Meets Federal Specification TT-S-1732. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. **Made in the U.S.A.**

IG2	2 oz056 kg	Tube**	72	11 lbs 5.0 kg
IG4	1/4 Pint - 118 ml	Brush Top Can	24	15 lbs 6.8 kg
IG8	1/2 Pint - 237 ml	Brush Top Can	24	24 lbs 10.9 kg
IG8A	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg
IG8C*	1/2 Pint - 237 ml	Brush Top Can	24	24 lbs 10.9 kg
IG8CA*	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg
IG16	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg
IG16C*	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg
IG32	Quart95 L	Brush Top Can	12	42 lbs 19.1 kg
IG5	5 Gallon - 18.9 L	Pail w/ Handle	1	65 lbs 29.5 kg
IG55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg

SELECT-UNYTE Soft-set, white all purpose PTFE paste thread sealing compound. For use on plastic and metal threaded systems carrying air, steam, petroleum, water, gases and many chemicals. Meets Federal Specification TT-S-1732. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. **Made in the U.S.A.**

TF2	2 oz056 kg	Tube**	72	11 lbs 5.0 kg
TF4	1/4 Pint - 118 ml	Brush Top Can	24	15 lbs 6.8 kg
TF8	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg
TF8A	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg
TF8C*	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg
TF8CA*	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg
TF16	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg
TF16C*	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg
TF32	Quart95 L	Brush Top Can	12	43 lbs 19.5 kg
TF32C*	Quart95 L	Brush Top Can	12	43 lbs 19.5 kg
TF5	5 Gallon - 18.9 L	Pail w/ Handle	1	66 lbs 29.9 kg
TF55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg

*Bilingual Label: French and English. **Tubes Packed 12 Per Clear Plastic Tub. FlameGuard® is a registered trademark of Spears Manufacturing Company. Pallet Quantities for Thread Sealants: 1/4 Pint = 130 Cases, 1/2 Pint = 80 Cases, 1 Pint = 80 Cases, 1 Quart = 56 Cases, 1 Gallon = 45 Cases

THREAD SEALANTS, THREAD TAPE

THREAD SEALANTS

TALON PTFE THREAD COMPOUND A triple lubricating, all purpose, non-seizing, VOC free, industrial grade thread sealing compound that provides Freedom from Leaks[™] on all types of metal and plastic threaded connections. TALON PTFE THREAD COMPOUND contains graphite, ceramic microspheres, and virgin PTFE for optimal sealing. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
TAL4	1/4 Pint - 118 ml	Brush Top Can	24	15 lbs 6.8 kg
TAL8	1/2 Pint - 237 ml	Brush Top Can	24	24 lbs 10.9 kg
TAL8A	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg
TAL16	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg
TAL32	Quart95 L	Brush Top Can	12	42 lbs 19.1 kg
TAL5	5 Gallon - 18.9 L	Pail w/ Handle	1	65 lbs 29.5 kg
TAL55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg

POWER SEAL PLUS Non-drying, arctic blue PTFE based thread sealing compound. Specially formulated for the Fire Sprinkler Industry for use on all metal threaded connections, FlowGuard Gold®, BlazeMaster®, and Corzan® CPVC pipe and fittings. Meets Federal Specification TT-S-1732. Made in the U.S.A.

P0W32	Quart95 L	Plastic Container w/ Twist Top Lid	12	42 lbs 19.1 kg
POW32B	Quart95 L	Brush Top Can	12	44 lbs 20.0 kg
POW5	5 Gallon - 18.9 L	Pail w/ Handle	1	73 lbs 33.1 kg
P0W55	55 Gallon - 208 L	55 Gallon Drum	1	740 lbs 335.7 kg

ANTI-SEIZE

TALON COPPER ANTI-SEIZE Lubricant and thread sealant. Lead free, non-seizing, copper based conforms to MIL-A-907E Specification. Service Rating to 1800°F (982°C). Made in the U.S.A.

10 oz284 kg	Brush Top Can	24	20 lbs 9.1 kg	
10 oz284 kg	Brush Top Can (Display Box)	12	10 lbs 4.5 kg	
1 lb454 kg	Brush Top Can	12	19 lbs 8.6 kg	Cop
2-1/2 lbs 1.13 kg	Brush Top Can	12	36 lbs 16.3 kg	
50 lbs 22.68 kg	Pail w/ Handle	1	54 lbs 24.5 kg	
500 lbs 226.8 kg	55 Gallon Drum	1	540 lbs 244.9 kg	
	10 oz284 kg 1 lb454 kg 2-1/2 lbs 1.13 kg 50 lbs 22.68 kg	10 oz284 kg Brush Top Can (Display Box) 1 lb454 kg Brush Top Can 2-1/2 lbs 1.13 kg Brush Top Can 50 lbs 22.68 kg Pail w/ Handle	10 oz284 kg Brush Top Can (Display Box) 12 1 lb454 kg Brush Top Can 12 2-1/2 lbs 1.13 kg Brush Top Can 12 50 lbs 22.68 kg Pail w/ Handle 1	10 oz284 kg Brush Top Can (Display Box) 12 10 lbs 4.5 kg 1 lb454 kg Brush Top Can 12 19 lbs 8.6 kg 2-1/2 lbs 1.13 kg Brush Top Can 12 36 lbs 16.3 kg 50 lbs 22.68 kg Pail w/ Handle 1 54 lbs 24.5 kg

TALON NICKEL ANTI-SEIZE Lubricant and thread sealant. Lead free, non-seizing, nickel based exceeds MIL-A-907E Specification. Service Rating to 2600°F (1427°C). Made in the U.S.A.

NI8	8 oz227 kg	Brush Top Can	12	10 lbs 4.5 kg
NI16	1 lb454 kg	Brush Top Can	12	19 lbs 8.6 kg

THREAD SEALANT	C	ON	IP	AT	'IB	IL	TY	' C	HA	R	ſ																												
	Acids, concentrated	Acids, dilute	Air, compressed	Alcohols, all	Aliphatic Solvents	Ammonia, gaseous	Ammonia, liquid	Aromatic Solvents	Caustic, concentrated	Caustic, dilute	Chlorinated Solvents	Cutting Oils (low aromatic)	Diesel Fuel Oil	Ethylene Glycol (anti-freeze)	Fatty Acids, liquid	Gasohol (unleaded 10% alcohol)	Gasoline	Glycerine	Heating Oils	Helium, gaseous	Hydraulic Fluids, water/glycol	Hydraulic Oils	Hydrogen, gaseous	Inert Gases	Jet Fuel (JP3, 4, 5, 6, 8)	Kerosene	Ketones	Liquified Petroleum Gases	Mineral Oils	Natural Gas	Nitrogen, gaseous	Oxygen, gaseous	Petroleum Solvents	Refrigerants	Refrigeration Oil	Soap, liquid	Steam	Vegetable Oils	Water (hot or cold)
TYTE UNYTE		R	R																											R							R		R
STEEL UNYTE		R	R		R	R	R			R		R	R		R		R	R	R	R	R	R	R	R	R	R		R	R	R	R			R	R	R	R	R	R
T-U TYPE 555		R	R		R	R	R			R		R	R				R		R	R		R	R	R	R	R		R	R	R	R		R	R	R	R	R	R	R
BLUE MAGIC		R	R		R	R	R			R		R	R				R		R	R		R	R	R	R	R		R	R	R	R		R	R	R	R	R	R	R
SELECT-UNYTE		R	R		R	R	R			R		R	R				R		R	R		R	R	R	R	R		R	R	R	R		R	R	R	R	R	R	R
TALON PTFE THREAD COMPOUND		R	R		R	R	R			R		R	R				R		R	R		R	R	R	R	R		R	R	R	R		R	R	R	R	R	R	R
POWER SEAL PLUS			R															R																			R		R
TALON COPPER ANTI-SEIZE			R			R	R			R														R						R	R			R		R	R		R
TALON NICKEL ANTI-SEIZE			R			R	R			R														R						R	R			R		R	R		R
PTFE TAPES	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
	R=Re	ecom	meno	ded																																			

Pallet Quantities for Thread Sealants: 1/4 Pint = 130 Cases, 1/2 Pint = 80 Cases, 1 Pint = 80 Cases, 1 Quart = 56 Cases, 1 Gallon = 45 Cases FlowGuard Gold®, BlazeMaster®, and Corzan® are Registered Trademarks of The Lubrizol Corporation.

CATEGORY 2

Gray











Nickel









White

THREAD SEALANT TAPE

TALON PROFESSIONAL HIGH DENSITY GRAY PTFE TAPE 3.5 Mil Thick, 0.8g/cm³ high density, 100% elongation. Excellent for natural and LP gas. Meets MIL-T-27730A. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. Packaged in a point of purchase display box.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
TL1429	1/2" x 1429" - 1.27 cm x 36.3 m	Plastic Spool	45	8 lbs 3.6 kg
TLW1429	3/4" x 1429" - 1.9 cm x 36.3 m	Plastic Spool	27	6 lbs 2.7 kg
TLX1429	1" x 1429" - 1.9 cm x 36.3 m	Plastic Spool	27	6 lbs 2.7 kg

TALON YELLOW GAS LINE PTFE TAPE 3.5 Mil Thick, 0.8g/cm³ high density, 100% elongation. Excellent for natural and LP gas. Meets MIL-T-27730A. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. Packaged in a point of purchase display box.

TGT1429	1/2" x 1429" - 1.27 cm x 36.3 m	Plastic Spool	45	8 lbs 3.6 kg
TGTW1429	3/4" x 1429" - 1.9 cm x 36.3 m	Plastic Spool	27	6 lbs 2.7 kg

TAPE-UNYTE® HIGH DENSITY WHITE PTFE TAPE PTFE pipe joint compound in tape form. Packed on a spool with cover. 3.5 mil thick, 0.9g/cm³ high density. Meets MIL-T-27730A. FDA approved. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. Packaged in a point of purchase display box. **Made in the U.S.A.**

F520	1/4" x 520"63 cm x 13.2 m	Plastic Spool	12	1 lb 0.5 kg
T260	1/2" x 260" - 1.27 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg
T520	1/2" x 520" - 1.27 cm x 13.2 m	Plastic Spool	12	1 lb 0.5 kg
T1296	1/2" x 1296" - 1.27 cm x 32.9 m	Plastic Spool	12	2 lbs 0.9 kg
W260	3/4" x 260" - 1.9 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg
W520	3/4" x 520" - 1.9 cm x 13.2 m	Plastic Spool	12	2 lbs 0.9 kg
X260	1" x 260" - 2.54 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg

YELLOW GAS LINE PTFE TAPE 4 mil thick, 0.9g/cm³ high density. Specifically formulated for use on natural, LP and synthetic gases. UL Approved. Meets or exceeds MIL-T-27730A. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. **Made in the U.S.A.**

GT260	1/2" x 260" - 1.27 cm x 6.6 m	Plastic Spool	144	0 lbo 2 6 kg
01200	1/2 X 200 - 1.27 UII X 0.0 III	Flashic Spuul	144	8 lbs 3.6 kg
GT520	1/2" x 520" - 1.27 cm x 13.2 m	Plastic Spool	144	10 lbs 4.5 kg

STAINLESS STEEL PTFE TAPE Gray PTFE pipe joint compound in tape form. Formulated for use on all stainless steel fittings. Prevents galling, seizing, and corrosion. 4 mil thick, 1.2g/cm³ ultra-high density. Exceeds MIL Spec T-27730A. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. **Made in the U.S.A.**

SST260	1/2" x 260" - 1.27 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg
SSTW260	3/4" x 260" - 1.9 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg

QUALITY WHITE MEDIUM DENSITY PTFE TAPE Pipe joint compound in tape form. Packed on a spool with cover. 3.5 mil thick, 0.38g/cm³ density. Meets MIL-T-27730A. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds.

S260	1/2" x 260" - 1.27 cm x 6.6 m	Plastic Spool	100	3 lbs 1.4 kg
S520	1/2" x 520" - 1.27 cm x 13.2 m	Plastic Spool	100	3 lbs 1.4 kg
S1296	1/2" x 1296" - 1.27 cm x 32.9 m	Plastic Spool	50	3 lbs 1.4 kg
SW260	3/4" x 260" - 1.9 cm x 6.6 m	Plastic Spool	70	3 lbs 1.4 kg
SW520	3/4" x 520" - 1.9 cm x 13.2 m	Plastic Spool	70	3 lbs 1.4 kg
SW1296	3/4" x 1296" - 1.9 cm x 32.9 m	Plastic Spool	150	15 lbs 6.8 kg
SX520	1" x 520" - 2.54 cm x 13.2 m	Plastic Spool	50	3 lbs 1.4 kg

CATEGORY 3







PUTTY

TALON SUPER SOFT STAINLESS PLUMBER'S PUTTY Never hardens. Cream color. Meets Federal Specifications TT-P-1536A. Made in the U.S.A.

•				
MT1	14 oz397 kg	Plastic Tub	24	25 lbs 11.3 kg
MT3	3 lbs 1.38 kg	Plastic Tub	6	19 lbs 8.6 kg
MT5	5 lbs 2.26 kg	Plastic Tub	6	32 lbs 14.5 kg
MT15	15 lbs 6.90 kg	Pail w/ Handle	4	67 lbs 30.4 kg

TALON EPOXY FOR PLASTIC A hand-mixable, fast-setting epoxy putty that forms a durable bond to most major plastic types. After mixing it forms a polymer compound that can be molded, wrapped around, or used to build up and repair just about anything made from rigid or semi-flexible plastic. Packaged in a point of purchase display box. Meets ASTM D-4236. **Made in the U.S.A.**

EPP4	4 oz 113.4 kg 7" (18 cm) Long Sticks	Plastic Tube (2 Display Cartons)	24	11 lbs 5.0 kg
		(2 Display Gartons)		

TALON EPOXY FOR STEEL A hand-mixable, steel-reinforced, non-rusting fast-setting epoxy putty that quickly repairs or rebuilds anything made of steel. After mixing it forms a polymer compound that can be molded, wrapped around, build up, patch and repair steel components. Packaged in a point of purchase display box. **Made in the U.S.A.**

|--|

COATINGS & OILS

REPAIR CEMENTS & COATINGS

BLACK FLASH Flashing cement compound. All weather. Never hardens. Meets Federal Specifications SS-C-153. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
BFC	1/10 gal37 L	Cartridge	12	11 lbs 5.0 kg
BF32	Quart95 L	Can	12	33 lbs 15.0 kg
BF1	Gallon - 3.785 L	Can w/ Handle	4	40 lbs 18.1 kg

"BLACK DRAGON" BLACK GILSONITE ASPHALT PAINT A quick drying, high gloss asphalt enamel paint. Provides excellent corrosion protection for all types of metal surfaces including pipe. Offers one coat coverage with full resistance to water, acids, alkalis, electrolysis, and natural elements. Made in the U.S.A.

BD1	Gallon - 3.785 L	Can w/ Handle	4	32 lbs 14.5 kg
BD5	5 Gallon - 18.9 L	Pail w/ Handle	1	41 lbs 18.6 kg
BD55	55 Gallon - 208 L	Drum	1	550 lbs 249.5 kg

"BLACK SEAL" ACRYLIC CONCRETE SEALER AND DAMP-PROOF COATING A single component waterborne coating ideal for seamless waterproofing applications above or below-grade. Its quick drying damp-proof coating with high solids is ideal for most all concrete structures. Excellent for interior and exterior use to create a damp-proof coating. Suitable as a top coat on properly primed metals. Made in the U.S.A.

BSB1	Gallon - 3.785 L	Can w/ Handle	4	32 lbs 14.5 kg
BSB5	5 Gallon - 18.9 L	Pail w/ Handle	1	49 lbs 22.5 kg
BSB55	55 Gallon - 208 L	Drum	1	542 lbs 247.5 kg

TALON DIRECT TO METAL (DTM) ENAMEL A premium, industrial grade, alkyd enamel specially formulated for use on all types of metal surfaces. Its special rust-inhibiting formula creates an armor coating against the elements. **TALON DTM ENAMEL** coatings resist mild solvents, oils, mild chemicals and salt water. **Made in the U.S.A.**

DTMBLU1	Gallon - 3.785 L	Can w/ Handle	2	20 lbs 9.1 kg
DTMGRN1	Gallon - 3.785 L	Can w/ Handle	2	20 lbs 9.1 kg
DTMGRY1	Gallon - 3.785 L	Can w/ Handle	2	20 lbs 9.1 kg
DTMORG1	Gallon - 3.785 L	Can w/ Handle	2	20 lbs 9.1 kg
DTMPUR1	Gallon - 3.785 L	Can w/ Handle	2	20 lbs 9.1 kg
DTMRED1	Gallon - 3.785 L	Can w/ Handle	2	20 lbs 9.1 kg
DTMWHT1	Gallon - 3.785 L	Can w/ Handle	2	20 lbs 9.1 kg
DTMYEL1	Gallon - 3.785 L	Can w/ Handle	2	20 lbs 9.1 kg

TALON RED OXIDE METAL PRIMER A premium, industrial grade, alkyd enamel specially formulated for use on all types of metal surfaces. Its special rust-inhibiting formula creates an armor coating against the elements. **Made in the U.S.A.**

R01	Gallon - 3.785 L	Boxed	2	19 lbs 8.6 kg
R05	5 Gallon - 18.9 L	Boxed	2	57 lbs 25.85 kg

CUTTING OILS

TALON LIGHT OIL Super-supreme sulphur base cutting and threading oil for use with all pipe threading machinery. **Made in the U.S.A.**

WL32	Quart95 L	Plastic Jug w/ Spout	12	27 lbs 12.2 kg
WL1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	48 lbs 21.8 kg
WL5	5 Gallon - 18.9 L	Pail w/ Handle	1	39 lbs 17.7 kg
WL55	55 Gallon - 208 L	55 Gallon Drum	1	454 lbs 205.9 kg

TALON DARK OIL Super-supreme sulphur base cutting and threading oil for use with all pipe threading machinery. **Made in the U.S.A.**

WD32	Quart95 L	Plastic Jug w/ Spout	12	27 lbs 12.2 kg
WD1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	48 lbs 21.8 kg
WD5	5 Gallon - 18.9 L	Pail w/ Handle	1	39 lbs 17.7 kg
WD55	55 Gallon - 208 L	55 Gallon Drum	1	454 lbs 205.9 kg

CATEGORY 3









Black





Red Oxide











NSF





RED DEVIL® KITCHEN & BATH with STAIN BLOCK™

RED DEVIL® KITCHEN & BATH has a high gloss finish and is specially formulated to resist the toughest stains: red wine/grape juice, coffee, mustard, ketchup, soy sauce, etc. This advanced sealant can be painted with latex and oil-based paints, and cleans up with water. Cured bead is mold and mildew resistant.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
0755 (white)	5.5 fl. oz 163 ml	Plastic Tube	12	5 lbs 1.9 kg
0750 (white)	10.1 fl. oz 300 ml	Cartridge	12	10 lbs 3.7 kg
0765 (clear)	5.5 fl. oz 163 ml	Plastic Tube	12	5 lbs 1.9 kg
075522 (biscuit)	5.5 fl. oz 163 ml	Plastic Tube	12	5 lbs 1.9 kg

RED DEVIL® LIFETIME® ULTRA 230 PREMIUM ACRYLIC LATEX SEALANT

LIFETIME® ULTRA 230 is a high performance, multi-purpose sealant formulated to last for the lifetime of the users home. This unique formulation provides the maximum level of durability on a variety of substrates indoors or outdoors. It offers excellent paintability and includes HomeShield[™] Antimicrobial Protection to ensure against the worst types of mold and mildew. Formulated for use on windows & door frames, siding, trim, baseboards, subfloors, countertops, sinks, bathtubs, vents, concrete & metal.

0770 (white) 10.1 fl. oz. - 300 ml Cartridge 12 12 lbs. - 4.5 kg

RED DEVIL® KITCHEN & BATH 100% LOW ODOR SILICONE SEALANT

KITCHEN & BATH 100% LOW-ODOR SILICONE SEALANT is an advanced, low-odor formula that provides long-lasting flexibility and excellent adhesion to ensure a protective barrier against moisture and mildew. It provides a water-tight seal around kitchen and bath fixtures and cures to an ultra smooth, satin finish. Interior use. Solvent clean up.

Plastic Tube

0883 (white) 2.8 fl. oz. - 83 ml

3 lbs. - 1.1 kg

RD PRO® INDUSTRIAL GRADE 100% RTV SILICONE SEALANT

RD PRO® INDUSTRIAL GRADE 100% RTV SILICONE SEALANT is a high performance sealing and glazing compound that is ideal for use in most OEM and maintenance applications. Forms a strong, durable and weather-resistant seal and provides excellent adhesion to most non-porous surfaces. 50 year warranty. Solvent clean up. NSF listed.

08160l (white)	10.1 fl. oz 300 ml	Cartridge	12	10 lbs 3.7 kg
08260I (clear)	10.1 fl. oz 300 ml	Cartridge	12	10 lbs 3.7 kg
08166l (black)	10.1 fl. oz 300 ml	Cartridge	12	10 lbs 3.7 kg

Meets or exceeds the requirements of TT-S-00230C, TT-S-001543A, C.G.S.B. 19C9-9, Din 18540 Part 2, Mil. Spec 46106A, CEBTP 432.65 140-2, ASTM C920. USDA authorized for use in federally inspected meat and poultry plants.

RD PRO® 100% HEAT RESISTANT RTV SILICONE SEALANT

RD PRO® 100% HEAT RESISTANT RTV SILICONE is formulated with iron oxide to resist extreme heat exposure. Withstands temperatures up to 600°F and can be used on industrial ovens, heating elements, boilers, and more. 50 year warranty. Solvent clean up.

080901 (red) 10.1 fl. oz. - 300 ml Cartridge 12 9 lbs. - 3.4 kg Meets or exceeds the requirements of TT-S-00230C, TT-S-001543A, C.G.S.B. 19C9-9, Din 18540 Part 2, Mil. Spec 46106A, CEBTP 432.65 140-2, ASTM C920. USDA authorized for use in federally inspected meat and poultry plants.

RED DEVIL® FOAM & FILL® LARGE GAPS & CRACKS

FOAM & FILL® LARGE GAPS & CRACKS is a triple expanding polyurethane sealant that is quick and easy to use. It expands to fill large holes, cracks, gaps and voids around windows, doors, pipes, outlets, vents and foundations. This insulating foam forms an airtight, water-proof bond and seals out drafts, moisture and pests. Cured foam can be sanded, painted or stained. Indoor/outdoor.

0909 12 fl. oz. - 340 g Aerosol Can 12 12 lbs. - 4.5 kg

RED DEVIL® FOAM & FILL® FIRE BLOCK POLYURETHANE FOAM

FOAM & FILL® FIRE BLOCK is a ready to use polyurethane expanding foam for filling, insulating and sealing gaps, cracks and openings in buildings' interior and exterior. It inhibits the passage of fire through residential utility penetrations and is excellent in sealing against gas, smoke and energy loss.

0915	12 fl. oz 340 g	Aerosol Can	12	12 lbs 4.5 kg



This page replaces the DAP Products listed in WHITLAM'S 89L Products Catalog Dated October, 2021.

CAULKING GUNS, ABRASIVE CLOTHS & FITTING BRUSHES

CAULKING GUNS

STANDARD RATCHET CAULKING GUN This standard ratchet type caulking gun is recommended for medium and light consistency caulks, sealants and adhesives. The sturdy steel construction will ensure long lasting use.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#48	Standard	Boxed	6	7 lbs 3.2 kg

PROFESSIONAL RATCHET CAULKING GUN Superior smooth rod frame caulkers are uniquely designed for professionals to develop a powerful thrust ratio, making the extrusion of stiff caulks and sealants easy and comfortable. Gun features three extra built-in tool functions: seal puncture tool, spout cutter and ladder hook. **Made in the U.S.A.**

#56	Standard	Boxed	6	9 lbs 4.1 kg

ABRASIVE CLOTHS

BROWN SAND CLOTH 120J waterproof, brown abrasive cloth for cleaning copper pipe.

JA05	1-1/2" x 5 yd - 3.81 cm x 4.54 m	Boxed	50	15 lbs 6.8 kg
JA05A	1-1/2" x 5 yd - 3.81 cm x 4.54 m	Boxed	24	8 lbs 3.6 kg
JA010	1-1/2" x 10 yd - 3.81 cm x 9.08 m	Boxed	50	26 lbs 11.8 kg
JA010A	1-1/2" x 10 yd - 3.81 cm x 9.08 m	Boxed	24	13 lbs 5.9 kg
JA025	1-1/2" x 25 yd - 3.81 cm x 22.7 m	Boxed	20	26 lbs 11.8 kg
JA025A	1-1/2" x 25 yd - 3.81 cm x 22.7 m	Boxed	12	15 lbs 6.8 kg

BLUE SAND CLOTH 120J waterproof, blue abrasive cloth for cleaning copper pipe. 100% jean cloth backing.

WP5	1-1/2" x 5 yd - 3.81 cm x 4.54 m	Boxed	50	14 lbs 6.4 kg
WP10	1-1/2" x 10 yd - 3.81 cm x 9.08 m	Boxed	50	24 lbs 10.9 kg
WP10A	1-1/2" x 10 yd - 3.81 cm x 9.08 m	Boxed	24	14 lbs 6.4 kg
WP25	1-1/2" x 25 yd - 3.81 cm x 22.7 m	Boxed	20	22 lbs 10.0 kg
WP25A	1-1/2" x 25 yd - 3.81 cm x 22.7 m	Boxed	12	16 lbs 7.3 kg

OPEN MESH CLOTH Nylon open mesh abrasive cloth for cleaning copper pipe.

Waterproof an	d reusable.
---------------	-------------

0M5	1-1/2" x 5 yd - 3.81 cm x 4.54 m	Boxed	50	14 lbs 6.4 kg
OM5A	1-1/2" x 5 yd - 3.81 cm x 4.54 m	Boxed	24	7 lbs 3.2 kg
OM10	1-1/2" x 10 yd - 3.81 cm x 9.08 m	Boxed	50	23 lbs 10.4 kg
OM10A	1-1/2" x 10 yd - 3.81 cm x 9.08 m	Boxed	24	11 lbs 5.0 kg
0M25	1-1/2" x 25 yd - 3.81 cm x 22.7 m	Boxed	20	21 lbs 9.5 kg
0M25A	1-1/2" x 25 yd - 3.81 cm x 22.7 m	Boxed	12	14 lbs 6.4 kg

FITTING BRUSHES

WIRE HANDLE PLUMBING COPPER FITTING BRUSHES High carbon steel, reusable copper cleaning brushes with wire handle. Nominal I.D. sizes. Made in the U.S.A.

CF18	1/8" ID32 cm ID	Boxed	12	1 lb 0.5 kg
CF25	1/4" ID63 cm ID	Boxed	12	1 lb 0.5 kg
CF38	3/8" ID95 cm ID	Boxed	12	1 lb 0.5 kg
CF5	1/2" ID1.27 cm ID	Boxed	12	1 lb 0.5 kg
CF58	5/8" ID - 1.58 cm ID	Boxed	12	1 lb 0.5 kg
CF75	3/4" ID - 1.91 cm ID	Boxed	12	1 lb 0.5 kg
CF1	1" ID - 2.54 cm ID	Boxed	12	1 lb 0.5 kg
CF125	1-1/4" ID - 3.18 cm ID	Boxed	6	1 lb 0.5 kg
CF15	1-1/2" ID - 3.81 cm ID	Boxed	6	1 lb 0.5 kg
CF2	2" ID - 5.08 cm ID	Boxed	6	1 lb 0.5 kg
CF250	2-1/2" ID - 6.35 cm ID	Boxed	6	1 lb 0.5 kg

SOLID HANDLE PLUMBING COPPER FITTING BRUSHES High carbon steel, reusable copper cleaning brushes with solid plastic handle. Cleans fast! Nominal I.D. sizes. **Made in the U.S.A.**

CP18	1/8" ID32 cm ID	Boxed	12	1 lb 0.5 kg
CP25	1/4" ID63 cm ID	Boxed	12	1 lb 0.5 kg
CP38	3/8" ID95 cm ID	Boxed	12	1 lb 0.5 kg
CP5	1/2" ID1.27 cm ID	Boxed	12	1 lb 0.5 kg
CP58	5/8" ID - 1.58 cm ID	Boxed	12	1 lb 0.5 kg
CP75	3/4" ID - 1.91 cm ID	Boxed	12	1 lb 0.5 kg
CP1	1" ID - 2.54 cm ID	Boxed	12	1 lb 0.5 kg
CP125	1-1/4" ID - 3.18 cm ID	Boxed	6	1 lb 0.5 kg
CP15	1-1/2" ID - 3.81 cm ID	Boxed	6	1 lb 0.5 kg
CP2	2" ID - 5.08 cm ID	Boxed	6	1 lb 0.5 kg

CATEGORY 5















White

Ambe

White

Green

Golden Brown





IIIR

TALON WATER SOLUBLE PASTE FLUX Specially formulated, creamy, white, water flushable paste flux that holds its shape and will not slump until heated above 122°F (50°C). Suitable for use on all types of tin solder and their alloys. Meets ASTM B-813. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
TWF2	2 oz 57 g	Plastic Jar	36	8 lbs 3.6 kg
TWF4	4 oz 113.4 g	Plastic Jar	24	9 lbs 4.1 kg
TWF8BT	8 oz 226.8 g	Plastic Jar w/ Brush	24	17 lbs 7.7 kg
TWF1	1 lb 454 g	Plastic Jar	24	31 lbs 14.1 kg

E-Z TURN FAUCET & VALVE HEAT PROOF GREASE Waterproof, high temperature up to 350°F (176°C) for lubricating valve stems of faucets, valves, ballcocks, plungers, packings and washers. Prevents sticking and rust. Made in the U.S.A.

HPG2	2 oz 56.7 g	Plastic Container	24	5 lbs 2.3 kg
HPG2C*	2 oz 56.7 g	Plastic Container	24	5 lbs 2.3 kg

MULTI-PURPOSE SILICONE GREASE Moisture resistant, non-curing paste. Wide temperature range from -70°F (57°C) to 400°F (204°C). Excellent for lubricating valve stems of faucets, valves, ballcocks, plungers, packings, washers, food equipment, hydrants, backflows, and O-rings. Also recommended for waterproofing electrical and mechanical devices. Made from Food Grade Silicone. Meets: FDA-CFR-21-178.3570 and SAE-AS-8660. Made in the U.S.A.

SG2	2 oz 56.7 g	Plastic Container	24	5 lbs 2.3 kg

CATEGORY ĥ

NSF

NSF

PIPE GASKET LUBRICANTS

FLUX & GREASE

BLUE LUBE POLYMER-BASED PIPE GASKET LUBE A water-soluble lubricant for all metal or plastic gasketed pipe including Victaulic** type fittings. Works on wet or dry surfaces. Safe for potable water systems. Odorless and cleans up easily. Nontoxic, noncorrosive, nonflammable. Made in the U.S.A.

GLP4	1/4 Pint - 118 ml	Plastic Jar	24	8 lbs 3.6 kg
GLP16	Pint - 473 ml	Plastic Container	24	30 lbs 13.6 kg
GLP32	Quart95 L	Plastic Container	12	28 lbs 12.7 kg
GLP1	Gallon - 3.785 L	Pail w/ Handle	4	37 lbs 16.8 kg
GLP5	5 Gallon - 18.9 L	Pail w/ Handle	1	45 lbs 20.4 kg
GLP55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg

PIPE SLIME PIPE GASKET LUBE An emulsified polymer based lubricant that is specially formulated to prevent turbidity, taste, and/or odor problems in new water main installations. Great for use with mechanical couplings. All weather formula is excellent for low-temperature applications. Temperature range use: 0°F (-18°C) to 150°F (66°C). Made in the U.S.A.

SLIME4	1/4 Pint - 118 ml	Plastic Jar	24	8 lbs 3.6 kg
SLIME16	Pint - 473 ml	Plastic Container	24	30 lbs 13.6 kg
SLIME32	Quart95 L	Plastic Container w/ Twist Top Lid	12	28 lbs 12.7 kg
SLIME1	Gallon - 3.785 L	Pail w/ Handle	4	37 lbs 16.8 kg
SLIME5	5 Gallon - 18.9 L	Pail w/ Handle	1	45 lbs 20.4 kg
SLIME55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg

QUICK SLIP PLUS VEGETABLE OIL-BASED PIPE JOINT LUBRICANT A paste lubricant for all metal or plastic gasketed pipe including Victaulic** type fittings. Works on wet or dry surfaces. Safe for potable water systems. Nontoxic, noncorrosive, nonflammable. Made in the U.S.A.

Q\$32	Quart95 L	Plastic Container w/ Twist Top Lid	12	30 lbs 13.6 kg
QS1	Gallon - 3.785 L	Pail w/ Handle	4	34 lbs 15.4 kg
QS5	5 Gallon - 18.9 L	Pail w/ Handle	1	46 lbs 20.9 kg
QS55	55 Gallon - 208 L	55 Gallon Drum	1	480 lbs 217.7 kg

W E



*Bilingual Label: French and English. **Trademark of Victaulic Company. Pallet Quantities for Blue Lube Paste: 1 Pint = 40 Cases, 1 Quart = 40 Cases,

1 Gallon = 45 Cases, 5 Gallon = 32 Pails. Pallet Quantities for Pipe Slime and Quick Slip Plus: 1 Pint = 40 Cases, 1 Quart = 40 Cases, 1 Gallon = 45 Cases, 5 Gallon = 32 Pails

SYSTEM DESCALER, LIQUID TRAP PRIMER, WATERLESS URINAL TRAP SEALANT

SYSTEM DESCALER

FLOW-AIDE SYSTEM DESCALER Quickly dissolves water scale, lime, rust and other water formed deposits, restoring efficiency to most appliances. Noncorrosive, nontoxic, fully biodegradable, safe to handle, Zero VOC. Certified to NSF/ANSI 60 for use as a cleaner in potable water systems. **Made in the U.S.A.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
FLOW32	Quart95 L	Plastic Jug w/ Spout	12	30 lbs 13.6 kg
FLOW32C*	Quart95 L	Plastic Jug w/ Spout	12	30 lbs 13.6 kg
FLOW1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	57 lbs 25.9 kg
FLOW1C*	Gallon - 3.785 L	Plastic Jug w/ Spout	6	57 lbs 25.9 kg
FLOW5	5 Gallon - 18.9 L	Pail w/ Handle	1	48 lbs 21.8 kg
FLOW55	55 Gallon - 208 L	55 Gallon Drum	1	518 lbs 235.0 kg
FL0W275	275 Gallon - 1041 L	Tote	1	2603 lbs 1180.7 kg

FLOW-AIDE SYSTEM DESCALER KIT

Whitlam's complete descaler kit includes: 1 - 3.5 Gallon Bucket, 1 - 725 GPH Pump 2 - Rubber Hoses, 1 - Quart FLOW-AIDE (FLOW32)

	Σ = hubber hoses, r = Q		IDE (IEOWJZ)
FLOW-KIT	3.5 Gallon Bucket	1	13 lbs 5.9 kg
FLOW-DISPLAY ⁺	Contains: 16 each FLOW32, 6 each FLOW-KIT	1	115 lbs 52.2 kg
FLOW-KITC*	3.5 Gallon Bucket	1	13 lbs 5.9 kg
FLOW-DISPLAYC*†	Contains: 16 each FLOW32C*, 6 each FLOW-KITC*	1	115 lbs 52.2 kg

FLOW-AIDE COMMERCIAL GRADE SYSTEM DESCALER KIT

Whitlam's complete descaler kit includes: 1 - 5 Gallon Bucket, 1 - 1150 GPH Pump 2 - Rubber Hoses, 1 - Gallon FLOW-AIDE (FLOW1)

	,		(<i>)</i>
FLOW-COM5	5 Gallon Bucket	1	22 lbs 10.0 kg
FLOW-COMD†	Contains: 12 each FLOW32, 6 each FLOW1, 3 each FLOW-KIT, 2 each FLOW-COM5	1	173 lbs 78.5 kg

REPLACEMENT PUMPS FOR FLOW-AIDE SYSTEM DESCALER KITS Submersible, magnetic drive

utility pump with 15 foot power cord.

#EZ-725	725 GPH	Boxed	1	4 lbs 1.8 kg
#EZ-1150	1150 GPH	Boxed	1	7 lbs 3.2 kg

REPLACEMENT HOSES FOR FLOW-AIDE SYSTEM DESCALER KIT Rubber hoses with brass connectors. **Made in the U.S.A.**

#501	60" - 1.5 m Two Female Ends	Boxed	1	1 lb 0.5 kg

LIQUID DRAIN TRAP PRIMER

TALON LIQUID DRAIN TRAP PRIMER Eliminates drain odors. For use in shower drain traps, outdoor drain traps, basement drains, water heater drains, maintenance areas, floor traps, mop sink traps, residential bathrooms, kitchen sink traps, laundry room traps and in HVAC condensation drain traps. Long lasting and biodegradable. Fresh lavender scent. **Made in the U.S.A.**

TDTP32	Quart95 L	Plastic Jug w/ Spout	12	27 lbs 12.2 kg
TDTP1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	48 lbs 21.8 kg

WATERLESS URINAL TRAP SEALANT

TALON WATERLESS URINAL TRAP SEALANT Eliminates urinal odor problems. Ready-to-use trap liquid sealant for use in waterless urinals. Made in the U.S.A.

TUTS32	Quart95 L	Plastic Jug w/ Spout	12	27 lbs 12.2 kg
TUTS1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	48 lbs 21.8 kg

CATEGORY 7















DRAIN CLEANERS, DRAIN OPENERS & HAND CLEANERS

DRAIN OPENERS & DRAIN CLEANERS

TALON DRAIN OPENER* Non-acid flake drain opener for clearing grease, hair, soap, oils, and other organic matter from drains. Hot water activated. Works in less than 60 seconds. Will not harm chrome, polished brass or plastic. Safe for septic tanks. Made in the U.S.A. For professional use only. Not for retail sale.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
TDC1	1 lb 454 g	Plastic Container**	24	33 lbs 15.0 kg
TDC2	2 lbs 907 g	Plastic Container**	12	32 lbs 14.5 kg

NOW! H₂SO₄ DRAIN PIPE OPENER* A powerful sulfuric acid. This product is ideal for dissolving organic matter, melting heavy grease deposits and opening clogged drains. Made in the U.S.A. Do not use in toilets. For professional use only. Not for retail sale.

NW32	Quart95 L	Plastic Jug w/ Spout**	12	50 lbs 22.7 kg
NW64	1⁄2 Gallon - 1.89 L	Plastic Jug w/ Spout**	6	47 lbs 21.3 kg

QUIK! HCL - RUST, LIME, CONCRETE and SCALE REMOVER* Removes rust, lime, concrete and scale from air conditioning equipment, refrigerator drains, water piping, boilers, water pump condensers, water sealed blowers, etc. Excellent for removing uretic salts in urinals. **Made in the U.S.A. Do not use in toilets. For professional use only. Not for retail sale.**

QK32	Quart95 L	Plastic Jug w/ Spout**	12	34 lbs 15.4 kg
QK1	Gallon - 3.785 L	Plastic Jug w/ Spout**	4	43 lbs 19.5 kg

TALON URINAL CLEANER AND DESCALER* Dissolves and removes uric acid deposits from urinal drains and traps. Designed to keep urinals open and free flowing, eliminating bothersome uric acid odors. **Made in the U.S.A.**

TUBC32	Quart95 L	Plastic Bottle	12	34 lbs 15.4 kg
TUBC1	Gallon - 3.785 L	Plastic Jug	4	43 lbs 19.5 kg

HAND CLEANERS

TALON 9"x12" TOWELS 70 count roll of wiping towels for removal of dirt, paint and adhesives. Works great on removing: plumbing cement, urethane foam, pond dye, poxy, silicone sealant, acrylic spray paint, varnish, rubber cement and latex paint.

TFB80	9" x 12" 22.86 cm x 30.48 cm	Plastic Dispenser	6	15 lbs 6.8 kg
TFB80D†	42-3/4" high 11-1/4" wide 10-3/4" deep	Plastic Dispenser (Display Tower)	20	50 lbs 22.7 kg
	108.6 cm high 28.6 cm wide 27.3 cm deep			

TALON HAND CLEANER Citrus lotion hand cleaner with lanolin and walnut scrubbers. Industrial strength. Removes grease, grime and dirt easily. Made in the U.S.A.

THC4	4 fl. oz 118 ml	Plastic Container	24	8 lbs 3.6 kg
THC16	16 fl. oz 473 ml	Plastic Container (Display Box)	12	16 lbs 7.3 kg
THC1	Gallon - 3.785 L	Plastic Jug w/ Spout	16	58 lbs 26.3 kg
THC1D		Dispenser for THC1 (Pumper)	1	1 lb 0.5 kg

GLUE-WASH PUMICE HAND CLEANER Lanolized hand cleaner. Safely removes PVC, ABS, CPVC, foam, vinyl cements, silicone sealants and paints from skin. **Made in the U.S.A.**

GWP4	4 fl. oz 118 ml	Plastic Container	24	9 lbs 4.1 kg
GWP16	16 fl. oz 473 ml	Plastic Container (Display Box)	12	16 lbs 7.3 kg

FLANGE BOLT SETS

FLANGE BOLTS, HEX NUTS & WASHERS

SOLID BRASS TOILET FLANGE BOLT SETS [POLY BAGGED] Each bag contains 2 each solid brass flange bolts zinc plated open end acorn hex nuts and plated steel round washers.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
FB101	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	5 lbs 2.3 kg
FB102	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	8 lbs 3.6 kg
FB103	1/4" x 3-1/2"6 cm x 8.9 cm	Bagged	50	7 lbs 3.2 kg

SOLID BRASS TOILET FLANGE BOLT SETS [POLY BAGGED] Each bag contains 2 each solid brass flange bolts, 4 each zinc plated open end acorn hex nuts and 4 each plated steel round washers.

FB101-D*	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	7 lbs 3.2 kg
FB102-D*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	10 lbs 4.5 kg
FB103-D*	1/4" x 3-1/2"6 cm x 8.9 cm	Bagged	50	9 lbs 4.1 kg

SOLID BRASS TOILET FLANGE BOLT SETS [POLY BAGGED] Each bag contains 2 each solid brass flange bolts, zinc plated open end acorn hex nuts, plated steel round washers and plastic retainer washers.

FB101-R*	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	7 lbs 3.2 kg
FB102-R*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	10 lbs 4.5 kg
FB103-R*	1/4" x 3-1/2"6 cm x 8.9 cm	Bagged	50	9 lbs 4.1 kg

BRASS PLATED STEEL TOILET FLANGE BOLT SETS [POLY BAGGED] Each bag contains 2 each brass plated steel flange bolts, plated steel open end acorn hex nuts and plated steel round washers.

FB300	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	6 lbs 2.7 kg
FB301	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	7 lbs 3.2 kg

BRASS PLATED STEEL TOILET FLANGE BOLT SETS [POLY BAGGED] Each bag contains 2 each brass plated steel flange bolts, 4 each plated steel open end acorn hex nuts and 4 each plated steel round washers.

FB301-D*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	9 lbs 4.1 kg

BRASS PLATED STEEL TOILET FLANGE BOLT SETS [POLY BAGGED] Each bag contains 2 each brass plated steel flange bolts, plated steel open end acorn hex nuts, plated steel round washers and plastic retainer washers.

FB300-R*	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	8 lbs 3.6 kg
FB301-R*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	9 lbs 4.1 kg

BREAK-A-WAY SOLID BRASS TOILET FLANGE BOLT SETS [POLY BAGGED] Each bag contains 2 each Break-A-Way solid brass flange bolts, zinc plated steel open end acorn hex nuts, plated steel round washers and plated steel oval washers.

BA100	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	6 lbs 2.7 kg
BA101	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	9 lbs 4.1 kg

BREAK-A-WAY SOLID BRASS TOILET FLANGE BOLT SETS [POLY BAGGED] Each bag contains 2 each Break-A-Way solid brass flange bolts, 2 each zinc plated steel open end acorn hex nuts, 4 each plated steel round washers and 4 each plated steel oval washers.

BA101-D*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	11 lbs 5.0 kg

BREAK-A-WAY SOLID BRASS TOILET FLANGE BOLT SETS [POLY BAGGED] Each bag contains 2 each Break-A-Way solid brass flange bolts, zinc plated steel open end acorn hex nuts, plated steel round washers, plated steel oval washers and plastic retainer washers.

BA100-R*	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	8 lbs 3.6 kg
BA101-R*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	11 lbs 5.0 kg

BREAK-A-WAY SOLID BRASS TOILET FLANGE BOLT SETS WITH BRASS CAPTIVE ROUND WASHER

[POLY BAGGED] Each bag contains 2 each solid brass Break-A-Way flange bolts with brass captive round washer, solid brass round washers and 9/16" (1.45 cm) solid brass open end acorn hex nuts. **Made in the U.S.A.**

BA400	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	6 lbs 2.7 kg
BA401	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	9 lbs 4.1 kg

*WITH DOUBLE NUT AND DOUBLE WASHER. ALSO AVAILABLE WITH 2 ROUND PLASTIC RETAINER WASHERS IN PLACE OF DOUBLE NUT AND DOUBLE WASHER, AT NO ADDITIONAL COST. REPLACE "D" WITH "R" WHEN ORDERING SETS WITH RETAINER WASHERS.

CATEGORY 8



































WAX RINGS & WAX RINGS WITH BOLTS

REGULAR WAX RING Full size wax ring. Fits 3" (7.62 cm) and 4" (10.16 cm) drains. Meets U.S. Federal Specification TT-P-1536A. Fits all standard drains.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
S1WR	Regular Wax Ring	Boxed	48	23 lbs 10.4 kg

FLANGED WAX RING Extra long flange is excellent for built-up floors. Fits 3" (7.62 cm) and 4" (10.16 cm) drains. Meets U.S. Federal Specification TT-P-1536A. Fits all standard drains. S1WS Flanged Wax Ring Boxed 24 15 lbs 6.8 kg					
	S1WS	Flanged Wax Ring	Boxed	24	15 lbs 6.8 kg

FLEX-O-SEAL JUMBO REGULAR WAX RING Extra thick wax ring. Jumbo bowl setting wax rings fit 3" (7.62 cm) and 4" (10.16 cm) drains. 40% more wax than regular ring. Saves labor time on installations and makes for a more positive seal.

F0S1RJ	Jumbo Regular Wax Ring	Boxed	24	14 lbs 6.4 kg
				•

FLEX-O-SEAL JUMBO FLANGED WAX RING Extra thick wax with extra long flange. Jumbo bowl setting wax rings fit 3" (7.62 cm) and 4" (10.16 cm) drains. 40% more wax than regular ring. Saves labor time on installations and makes for a more positive seal.

F0S1SJ	Jumbo Flanged Wax Ring	Boxed	24	14 lbs 6.4 kg

FLEX-O-SEAL REGULAR WAX RING WITH BRASS BOLT KIT FOS1RB contains: 1 each S1WR with 1 each FB101 [poly bagged 2 each 1/4" x 2-1/4" solid brass flange bolts, brass plated open end acorn hex nuts and plated steel round washers]. FOS1RB-D contains: 1 each S1WR with 1 each FB101-D [poly bagged 2 each 1/4" x 2-1/4"solid brass flange bolts, 4 each brass plated open end acorn hex nuts and 4 each plated steel round washers].

F0S1RB	Regular with 1/4" x 2-1/4" Bolt Kit	Boxed	48	26 lbs 11.8 kg
FOS1RB-D*	Regular with 1/4" x 2-1/4" Bolt Kit	Boxed	48	29 lbs 13.2 kg
	(Double Nut/Double (Washer)			

FLEX-O-SEAL FLANGED WAX RING WITH BRASS BOLT KIT FOS1SB-D contains: 1 each S1WS with 1 each FB101-D [poly bagged 2 each 1/4" x 2-1/4" solid brass flange bolts, 4 each brass plated open end acorn hex nuts and 4 each plated steel round washers].

FOS1SJB-D*	Jumbo Flanged with ¼" x 3-1/2" Bolt Kit (Double Nut/Double	Boxed	24	20 lbs 9.1 kg
	Washer)			

FLEX-O-SEAL REGULAR WAX RING W/BRASS PLATED DOUBLE NUT/DOUBLE WASHER BOLT KIT

F0S1RP-D contains: 1 each S1WR, 1 each FB300-D [poly bagged 2 each brass plated steel flange bolts, 4 each plated steel open end acorn hex nuts and 4 each plated steel round washers).

FOS1RP-D*	Regular with 1/4" x 2-1/4" Bolt Kit	Boxed	48	31 lbs 14.1 kg
	(Double Nut/Double Washer)			

WAX RINGS & GASKET & BOLT KIT

CATEGORY 8

FLEX-O-SEAL FLANGED WAX RING W/BRASS PLATED DOUBLE NUT/DOUBLE WASHER BOLT KIT Economical prepackaged kits with extra nuts/washers. FOS1SP-D contains: 1 each S1WS with 1 each contains: 1 each FB300-D [poly bagged 2 each brass plated steel flange bolts, 4 each plated steel open end acorn hex nuts and 4 each plated steel round washers].

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
FOS1SP-D*	Flanged with 1/4" x 2-1/4" Bolt Kit (Double Nut/Double Washer)	Boxed	48	18 lbs 8.2 kg

FLEX-O-SEAL REGULAR WAX RING WITH URETHANE Full size wax ring. This is a urethane gasket made of tough, flexible urethane foam, which is completely impregnated with wax.

F0S1RU	Regular Wax Ring	Boxed	48	29 lbs 13.2 kg

FLEX-O-SEAL FLANGED WAX RING WITH URETHANE Extra long flange is excellent for built-up floors. This is a urethane gasket made of tough, flexible urethane foam, which is completely impregnated with wax. Combined with the plastic flange, it produces the strongest leakproof gasket on the market.

F0S1SU	Flanged Wax Ring with Urethane	Boxed	24	16 lbs 7.3 kg
--------	--------------------------------	-------	----	---------------

FLEX-O-SEAL URINAL GASKET REINFORCED WITH URETHANE Fits 2" outlet. Guaranteed for 10 years.

F0S2U	Urinal Gasket with Urethane	Boxed	12	5 lbs 2.3 kg
-------	-----------------------------	-------	----	--------------

SPONGE RUBBER BOWL GASKET AND BOLT KIT [POLY BAGGED] Each bag contains 1 sponge rubber gasket, 2 each solid brass tank bolts, 4 rubber washers, 4 brass round washers. Tank to bowl gasket fits most close-coupled toilets. TBG10 comes with 2 brass hex nuts and 2 wing nuts, TBG20 comes with 4 brass hex nuts.

TBG10	5/16" x 3"8 cm x 7.6 cm	Boxed	25	8 lbs 3.6 kg
TBG20	5/16" x 3"8 cm x 7.6 cm	Boxed	25	9 lbs 4.1 kg

WAX RING INSTALLATION INSTRUCTIONS

- Set the toilet bowl upside down on a smooth and soft surface. Remove the plastic tray from the wax ring and place it around the discharge opening with the flange pointing away from the bowl. Press the wax ring softly onto the toilet to install.
- 2. Turn the toilet and place it over the floor ensuring that its discharge opening is perfectly aligned with the drain hole in the floor. Twist it gently to ensure seal.
- 3. Set screws to secure the toilet on the floor.





ANTI-FREEZE

FREEZE-FIGHTER ANTI-FREEZE CONCENTRATE Nontoxic, aqua blue color anti-freeze for protecting heating, cooling, pool and potable water systems. Burst protection to -100°F (-73°C). Freeze protection to -60°F (-51°C). Made in the U.S.A.

)	STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
le	FF1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	57 lbs 25.9 kg
le	FF5	5 Gallon - 18.9 L	Pail w/ Handle	1	44 lbs 20.0 kg
	FF55	55 Gallon - 208 L	55 Gallon Drum	1	515 lbs 233.6 kg
	FF275	275 Gallon - 1041 L	275 Gallon Tote	1	2575 lbs 1168 kg

FREEZE-POINT -100 ANTI-FREEZE SOLUTION Nontoxic, blue color anti-freeze for protecting heating, cooling, pool and potable water systems. Burst protection to -100°F (-73°C). Freeze protection to -50°F (-46°C). Made in the U.S.A.

	FP1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	58 lbs 26.3 kg
)	FP5	5 Gallon - 18.9 L	Pail w/ Handle	1	45 lbs 20.4 kg
	FP55	55 Gallon - 208 L	55 Gallon Drum	1	515 lbs 233.6 kg
	FP275	275 Gallon - 1041 L	275 Gallon Tote	1	2575 lbs 1168 kg

FREEZE-FIGHTER RTU-PG 35% ANTI-FREEZE Ready to Use (RTU), nontoxic, propylene glycol (PG) based, blue color anti-freeze for protecting hydronic, heating, cooling, pool and potable water systems. Burst protection to -60°F (-51°C). Freeze protection to -0°F (-18°C). Made in the U.S.A.

	FRTU5	5 Gallon - 18.9 L	Pail w/ Handle	1	44 lbs 20.0 kg
)	FRTU55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg
	FRTU275	275 Gallon - 1041 L	275 Gallon Tote	1	2500 lbs 1134 kg

FREEZE-FIGHTER ANTI-FREEZE SOLUTION Nontoxic, pink color anti-freeze for protecting heating, cooling, pool and potable water systems. Burst protection to -50°F (-46°C). Freeze protection to -15°F (-26°C). Made in the U.S.A.

AF1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	57 lbs 25.9 kg
AF5	5 Gallon - 18.9 L	Pail w/ Handle	1	44 lbs 20.0 kg
AF55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg
AF275	275 Gallon - 1041 L	275 Gallon Tote	1	2500 lbs 1134 kg

SOLAR HI-TEMP HEAT TRANSFER FLUID AND ANTI-FREEZE SOLUTION Nontoxic, blue color glycerin based, Heat Transfer Fluid and Anti-Freeze Solution with special anti-corrosion inhibitors and color indicators, that provides heat transfer up to 356°F (180°C). Burst protection to -50°F (-46°C). Freeze protection to -15°F (-26°C). Recommended for vacuum tube solar collectors. Made in the U.S.A.

	SH5	5 Gallon - 18.9 L	Pail w/ Handle	1	51 lbs 23.1 kg
2	SH55	55 Gallon - 208 L	55 Gallon Drum	1	580 lbs 263.1 kg
	SH275	275 Gallon - 1041 L	275 Gallon Tote	1	2900 lbs 1315 kg

FROST-PROOF PG38 ANTI-FREEZE Nontoxic, red color propylene glycol based anti-freeze for all types of wet fire sprinkler systems, excluding CPVC, that provides burst protection to -50°F (-46°C). FROST-PROOF PG38 is a 38% pre-blend that conforms to NFPA standards to allow for direct replacement of anti-freeze in the system. No dilution is required. Made in the U.S.A.

	FPPG5	5 Gallon - 18.9 L	Pail w/ Handle	1	44 lbs 23.1 kg
2	FPPG55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg
-	FPPG275	275 Gallon - 1041 L	275 Gallon Tote	1	2500 lbs 1134 kg

FROST-PROOF GL48 ANTI-FREEZE Nontoxic, orange color glycerin based anti-freeze for all types of wet fire sprinkler systems, including CPVC, that provides burst protection to -50°F (-46°C). FROST-PROOF GL48 is a 48% pre-blend that conforms to NFPA standards to allow for direct replacement of anti-freeze in the system. No dilution is required. Formulated and approved for BlazeMaster® Made in the U.S.A.

FPGL5	5 Gallon - 18.9 L	Pail w/ Handle	1	44 lbs 23.1 kg
FPGL55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg
FPGL275	275 Gallon - 1041 L	275 Gallon Tote	1	2500 lbs 1134 kg

Pallet Quantities for Anti-Freeze: 1 Gallon = 27 Cases, 5 Gallon = 32 Pails Contact J.C. Whitlam Manufacturing for custom blends and private label opportunities. BlazeMaster® is a licensed trademark of The Lubrizol Corporation.















Aqua Blue

Blue

Blue

Blue

Red

Orange

HEATING PRODUCTS

LEAK DETECTORS, CEMENTS, SEALERS & CLEANERS

BIG BUBBLE GAS LEAK DETECTOR Noncorrosive, nonfreezing, nontoxic fluorescent yellow leak detector for natural gas, refrigeration, nitrogen, air, carbon dioxide and other pressurized gases. Meets ASTM G188-05. **Made in the U.S.A. Not recommended for oxygen systems.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
LD10Z	1 oz - 29.6 ml	Yorker Bottle	36	4 lbs 1.8 kg
LD8	1/2 Pint - 237 ml	Dauber Top Container	24	16 lbs 7.3 kg
LD1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	55 lbs 24.9 kg
LD55	55 Gallon - 208 L	55 Gallon Drum	1	502 lbs 227.7 kg

BIG BUBBLE GAS LEAK DETECTOR / SPECIAL SPRAY FORMULA Noncorrosive, nonfreezing, nontoxic iridescent blue leak detector for natural gas, refrigeration, nitrogen, air, carbon dioxide and other pressurized gases. Temperature range: -10°F (-23°C) to 212°F (100°C). Meets ASTM G188-05. Made in the U.S.A. Not recommended for oxygen systems. See page 34 for sprayers.

LDS	Pint - 473 ml	Container w/ Sprayer	12	16 lbs 7.3 kg	
LDS16	Pint - 473 ml	Plastic Container	12	15 lbs 6.8 kg	
LDS32	Quart95 L	Container w/ Sprayer	12	31 lbs 14.1 kg	E
LDS1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	55 lbs 24.9 kg	
LDS5	5 Gallon - 18.9 L	Pail w/ Handle	1	42 lbs 19.1 kg	
LDS55	55 Gallon - 208 L	55 Gallon Drum	1	502 lbs 227.7 kg	

HEAT-TYTE FURNACE CEMENT Asbestos free, gray, high heat refractory and retort furnace cement. Temperature rating 0°F to 3000°F (-18°C to 1649°C). **Made in the U.S.A.**

HT64	1/2 Gallon - 1.89 L	Plastic Pail w/ Handle	6	44 lbs 20.0 kg
HT1	Gallon - 3.785 L	Plastic Pail w/ Handle	4	60 lbs 27.2 kg

SEAL-TYTE BOILER SEALER Liquid boiler sealer for all steam systems. Fills and seals holes and cracks in steam boilers. Made in the U.S.A. Not for use in boilers containing Anti-Freeze.

STS32	Quart95 L	Plastic Jug w/ Spout	12	40 lbs 18.1 kg	
STS1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	57 lbs 25.9 kg	Blue

BOILER-AIDE 2-N-1 All purpose boiler cleaner and treatment. Cleans all dirty boilers and controls sludge, corrosion, scale and foaming. Made in the U.S.A.

BT32	Quart95 L	Plastic Jug w/ Spout	12	32 lbs 14.5 kg	\bigcap
BT1	Gallon - 3.785 L	Plastic Jug w/ Spout	6	57 lbs 25.9 kg	
BT5	5 Gallon - 18.9 L	Pail w/ Handle	1	44 lbs 20.0 kg	Clear
BT55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg	

SLUDGE-B-GONE** Liquid fuel oil additive. Dissolves sludge and water in all fuel oils. Made in the U.S.A.

SBG32	Quart95 L	Plastic Jug w/ Spout	12	26 lbs 11.8 kg
SBG1	Gallon - 3.785 L	Metal Can w/ Handle	4	52 lbs 23.6 kg







Rlue

Grav

Clea



























CHEMICALS

LEAK LOCK A resin based soft setting brushable paste pipe joint compound resistant to all refrigerants, oils, water and most chemicals, liquids and gases. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
HS10001	1-1/3 oz 39 ml	Plastic Tube	12	2 lbs90 kg
HS10004	4 oz 118 ml	Plastic Bottle w/ Brush Top	12	7 lbs 2.7 kg
HS10016	16 oz 473 ml	Plastic Jar w/ Brush Top	12	19 lbs 8.6 kg
HS10128	Gallon - 3.785 L	Can	1	12 lbs 5.4 kg

LEAK LOCK GOLD WITH TEFLON® A resin based soft setting brushable paste pipe joint compound with Teflon® resistant to all refrigerants, oils, water and most chemicals, liquids and gases. Made in the U.S.A.

HS11001	1-1/3 oz 39 ml	Plastic Tube	12	2 lbs90 kg
HS11004	4 oz 118 ml	Plastic Bottle w/ Brush Top	12	5 lbs 2.3 kg
HS11016	16 oz 473 ml	Plastic Jar w/ Brush Top	12	17 lbs 7.7 kg
HS11128	Gallon - 3.785 L	Can	1	12 lbs 5.4 kg

HEAT SHIELD All-temperature barrier spray prevents heat damage to nearby components during soldering, brazing or welding. Its unique no-drip formula sprays on as a gel and evaporates within 24 to 48 hours without staining. For use on all surfaces including but not limited to: wood, insulation, valves, piping and drywall. Made in the U.S.A.

HS31032	32 oz95 L	Spray Bottle	12	30 lbs 13.6 kg

SUPER FLUSH Biodegradable internal coil cleaner and system flush. Removes gum, soot, moisture, sludge, grease, tar, particles, debris, organic acids, mineral acids, and carbon deposits. Made in the U.S.A.

HS55032	32 oz95 L	Plastic Bottle	12	26 lbs 11.8 kg
HS55128	Gallon - 3.785 L	Plastic Jug	6	53 lbs 24.0 kg

EV COIL MAX Powerful coil cleaner in powder form. Contains high performance corrosion inhibitors to help prevent future corrosion of the metals on both evaporator and condenser coils. Made in the U.S.A.

HS56008	11.25 oz 333 ml	Plastic Jar	12	14 lbs 6.4 kg



HL COIL BRITE High performance coil cleaner in a powder form. Acid based coil cleaner formulated to thoroughly clean the toughest coils using a controlled foaming action. Made in the U.S.A.

HS57014	14 oz 414 ml	Plastic Jar	12	12 lbs 5.4 kg

HD JET FOAMER	Heavy duty alkaline based	d foaming aerosol coil c	leaner. Made	in the U.S.A.
HS59520	20 oz 591 ml	Aerosol Can	12	19 lbs 8.6 kg



FILTER FAN & VENT CLEANER Heavy duty cleaner specifically formulated for the heating, ventilation, air-conditioning and refrigeration industry. Made in the U.S.A.

HS52032	32 oz. – .95 L	Plastic Spray Bottle	12	31 lbs 14.1 kg
HS52128	Gallon – 3.785 L	Plastic Jug Refill	6	55 lbs 24.9 kg

SCREWDRIVERS & REPLACEMENT BITS

SCREWDRIVERS

"6 IN 1" SLOTTED/PHILLIPS" SCREWDRIVER* All the drives of a "4 IN 1" plus: 1/4" (.64 cm) and 5/16" (.79 cm) nut drivers. Reversible bits, Slotted 4-5 and Phillips™ #1 and Slotted 8-10 and Phillips™ #2. Stress relieved blast finished bits. Chrome/nickel plated nut drivers and inner handle receptacle. The Professional Choice.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#4	Slotted Bits 4-5 and 8-10 and Phillips™ #1 and #2	Display Box	12	5 lbs 2.3 kg
#4A	Slotted Bits 4-5 and 8-10 and Phillips™ #1 and #2	Display Box	12**	5 lbs 2.3 kg

**Special order 72 or more "6 IN 1" screwdrivers of the #4A and have your company name imprinted on the handle (up to 30 characters). High visibility handle. Allow 3 weeks for delivery. Guaranteed sale on special imprinted screwdrivers does not apply.

REPLACEMENT BITS FOR #4, #4A.* #41 - Reversible bit, Slotted 4-5 and Phillips[™] #1. #42 – Reversible bit, Slotted 8-10 and Phillips[™] #2.

#41	Slotted Bits 4-5 and Phillips [™] #1	Boxed	10	1 lb 0.5 kg
#42	Slotted Bits 8-10 and Phillips [™] #2	Boxed	10	1 lb 0.5 kg

"6 IN 1" SLOTTED/PHILLIPS™ SCREWDRIVER* All the drives of a "4 IN 1" plus: 1/4" (.64 cm) and 5/16" (.79 cm) nut drivers. Reversible bits, Slotted 4-5 and 8-10, and Phillips™ #1 and #2. Cushion grip. Stress relieved blast finished bits. Chrome / nickel plated nut drivers and inner handle receptacle. **The Professional Choice.**

#5	Slotted Bits 4-5 and 8-10 and Phillips™ #1 and #2	Display Box	12	6 lbs 2.7 kg
#5A	Slotted Bits 4-5 and 8-10 and Phillips™ #1 and #2	Display Box	12**	6 lbs 2.7 kg

**Special order 72 or more "6 IN 1" screwdrivers of the #5A and have your company name imprinted on the black grip (up to 15 characters). (High visibility handle with black grip). Allow 3 weeks for delivery. Guaranteed sale on special imprinted screwdrivers does not apply.

Purchase 72 or more "6 IN 1" screwdrivers and have your company name imprinted on the handle

STOCK CODE #4A



Your choice of color for the handle with up to 30 characters RED, BLACK or NAVY BLUE Handles with White Imprint



*NOTE: Screwdriver bits and inspection mirrors are considered expendable materials and therefore are not covered by the Warranty.

CATEGORY 11









STOCK CODE #5A

White Imprint (up to 15 characters) (available only in yellow)













PLUMB-PRO QUALITY TOOLS STRAPS

BLACK RUBBER UTILITY STRAPS Professional quality EPDM rubber tie-down utility straps with exceptional strength. Squared head and tapered neck reduces strap stress. "S" Hooks are attached to straps. Made from UV resistant EPDM rubber. **Made in the U.S.A.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#US9	9" - 23 cm	Boxed	50	10 lbs 4.5 kg
#US9A	9" - 23 cm	Boxed	12	3 lbs 1.4 kg
#US15	15" - 38 cm	Boxed	50	11 lbs 5.0 kg
#US15A	15" - 38 cm	Boxed	12	4 lbs 1.8 kg
#US20	20" - 51 cm	Boxed	50	12 lbs 5.4 kg
#US20A	20" - 51 cm	Boxed	12	4 lbs 1.8 kg
#US31	31" - 79 cm	Boxed	50	17 lbs 7.7 kg
#US31A	31" - 79 cm	Boxed	12	5 lbs 2.3 kg
#US41	41" - 104 cm	Boxed	50	20 lbs 9.1 kg
#US41A	41" - 104 cm	Boxed	12	5 lbs 2.3 kg

NYLON WEB CAM BUCKLE UNIVERSAL TIE-DOWN STRAP Nylon webbing, non-slip cam buckle strap rated for up to 1200 lbs. (544 kg). Colors may vary. Made in the U.S.A.

#WS10	1" x 10' 2.54 cm x 3.05 m	Boxed (Clamshell)	4	9 lbs 4.1 kg

NYLON WEB RATCHET TYPE UNIVERSAL TIE-DOWN STRAP Yellow nylon webbing, non-slip ratchet type strap rated for up to 3000 lbs. (1361 kg). Colors may vary. **Made in the U.S.A.**

#WS16	1" x 16' 2.54 cm x 4.88 m	Boxed	4	8 lbs 3.6 kg

NYLON WEB RATCHET TYPE UNIVERSAL TIE-DOWN STRAP Yellow 1-3/4" x 25' (4.45 cm x 7.62 m) ratchet type strap rated for up to 5500 lbs. (2495 kg). Excellent for large delivery trucks. Ratchet can be permanently attached to truck. End hook is standard size that fits most truck rails. Colors may vary. Made in the U.S.A.

#WS25	1-3/4" x 25' 4.45 cm x 7.62 m	Boxed	1	6 lbs 2.7 kg

CATEGORY 12





#279	19-1/2" Head, 36" Handle 4.95 cm Head, .91 m Handle	Boxed	1	6 lbs 2.7 kg

SUPER FIBERGLASS HANDLE, FULL SIZE SLEDGE HAMMERS* The toughest, most durable sledge hammer available. Safety grip for easier handling with gloves. Fiberglass handle also reduces fatigue. **Made in the U.S.A.**

#334	8 lbs 3.6 kg	Bundled	1	10 lbs 4.5 kg
#278	10 lbs 4.5 kg	Bundled	1	12 lbs 5.4 kg
#336	12 lbs 5.4 kg	Bundled	1	14 lbs 6.4 kg
#337	16 lbs 7.3 kg	Bundled	1	18 lbs 8.2 kg



PLUMB-PRO QUALITY TOOLS SHOVELS & SPADES

CATEGORY 12

ROUND POINT SUPER SUCVER 48" (1.2 m) FIBERGLASS HANDLE* #2 heavy gauge blade, forward turned step. Used for digging in hard and soft soil. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#283	8-3/4" x 12" Blade, 48" Handle 22.22 cm x 30.48 cm Blade 1.2 m Handle	Bundled	3	17 lbs 7.7 kg

SQUARE POINT SUPER SILOVEL 48" (1.2 m) FIBERGLASS HANDLE* #2 heavy gauge blade, forward turned step. Used for shoveling gravel, dirt and loose material. Made in the U.S.A.

	9-1/2" x 12" Blade, 48" Handle			
#284	24.13 cm x 30.48 cm Blade	Bundled	3	15 lbs 6.8 kg
	1.2 m Handle			

TRENCH SUPER SHOVER 48" (1.2 m) FIBERGLASS HANDLE* Cut down hollow back shovel blades simplify cleaning soil from machine dug trenches. The lift angle of the shovel blade is 32°. Made in the U.S.A.

#318	4" x 12" Blade, 48" Handle 10.16 cm x 30.48 cm Blade,	Bundled	3	12 lbs 5.4 kg
#319	1.2 m Handle 5" x 12" Blade, 48" Handle 12.7 cm x 30.48 cm Blade 1.2 m Handle	Bundled	3	13 lbs 5.9 kg

DRAIN SPADE / SHARP SHOOTER SUPER SUCCES WITH FIBERGLASS HANDLE* Hollow back blade, forward turned step. Used for trenching deep and narrow holes. Made in the U.S.A.

	4-3/4" x 16" Blade, 48" Handle			
#274	12.1 cm x 40.64 cm Blade	Bundled	3	14 lbs 6.4 kg
	1.2 m Handle			

DRAIN SPADE / SHARP SHOOTER SUPER SUPER SUPER WITH FIBERGLASS "D" HANDLE* Hollow back blade, forward turned step. Used for cutting and trenching deep and narrow holes. Made in the U.S.A.

4-3/4" x 16" Blade, 27" Handle #282 12.1 cm x 40.64 cm Blade E .69 m Handle	Bundled	2	9 lbs 4.1 kg
--	---------	---	--------------

ROUND POINT SUPER SUCCES 27" (.69 m) WITH FIBERGLASS "D" HANDLE* #2 heavy gauge blade, forward turned step. Used for digging in hard and soft soil. Made in the U.S.A.

#326	8-3/4" x 12" Blade, 27" Handle 22.22 cm x 30.48 cm Blade .69 m Handle	Bundled	2	9 lbs 4.1 kg
------	---	---------	---	--------------

Plumb-Pro SUPER SUCVEL are manufactured from the finest material available.

- · Comfortable ergonomically designed grip, made of long lasting vinyl.
- Fiberglass tubing consisting of millions of continuous parallel glass fibers in tension over a lightweight core.
- Solid fiberglass reinforcement at the critical stress point (patented).
- Adapter collar guarantees perfect stress bearing contact between handle and blade (patented).
- Super compression bar fills and reinforces the throat of hollow and closed back blades (patented).











PLUMB-PRO QUALITY TOOLS SOIL PROBES, METER KEYS & VALVE WRENCHES

FIBERGLASS SHAFT SOIL PROBES* With fiberglass "T" handle. 1/2" (1.27 cm) diameter shaft has heavy duty zinc metal tip for durability and ease of extraction. Safe, nonconductive probe for locating irrigation, power and water lines. Probes are constructed of solid yellow fiberglass that will not weather, warp or splinter. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#280	48" Shaft - 1.2 m Shaft	Bundled	6	9 lbs 4.1 kg
#285	60" Shaft - 1.5 m Shaft	Bundled	6	10 lbs 4.5 kg

REPLACEMENT ZINC PROBE TIP KIT* Contains replacement tip, epoxy and instructions. Made in the U.S.A.

#395	Boxed	4	1 lb 0.5 kg

MINI METER KEY 20" (50.8 cm) length, 8" (20.32 cm) handle. Made from heavy 3/4" (1.91 cm) round bar stock. Stores compactly in tool box. High visibility yellow. Machined universal socket. NOTE: Fits old and new style meter valves. Made in the U.S.A.

#64	20" Long, 8" Handle 50.8 cm Long 20.32 cm Handle	Bundled	1	4 lbs 1.8 kg
-----	--	---------	---	--------------

SUPER METER KEY 42" (1.07 m) length, 24" (61 cm) handle. Made from heavy 1" (2.54 cm) square bar stock. High visibility yellow. Machined universal socket. NOTE: Fits old and new style meter valves. Made in the U.S.A.

#156	42" Long, 24" Handle 1.07 m Long, 61 cm Handle	Bundled	1	8 lbs 3.6 kg
------	---	---------	---	--------------

HEAVY METER KEYS Curb stop key made from heavy 3/4" (1.91 cm) round bar stock. High visibility yellow. Machined universal socket. NOTE: Stepped Key fits old and new style meter valves. #403 Key has a 1-1/4" wrench made to fit 1-1/2" openings. Made in the U.S.A.

#65	42" Long, 18" Handle 1.07 m Long, 45.7 cm Handle	Bundled	1	8 lbs 3.6 kg
#397	6' Long, 24" Handle 1.83 m Long, 61 cm Handle	Bundled	1	13 lbs 5.9 kg
#400	7' Long, 24" Handle 2.13 m Long, 61 cm Handle	Bundled	1	14 lbs 6.4 kg
#403	7' Long, 24" Handle 1.83 m Long, 61 cm Handle	Bundled	1	15 lbs 6.8 kg
#401	8' Long, 24" Handle 2.43 m Long, 61 cm Handle	Bundled	1	16 lbs 7.3 kg

TELESCOPIC VALVE WRENCHES Adjustable length. Telescopic valve keys for 2-inch operating nuts makes transportation easier. Made of 1-1/2" square tube outside and 1-1/4" square tube inside. Has 24" handle, zinc plated "quick release" pin. High visibility yellow. 2" (5.08 cm) square socket. Made in the U.S.A.

#399	3-1/2' - 6' Long, 24" Handle 1.07 m - 1.83 m Long, 61 cm Handle	Bundled	1	13 lbs 5.9 kg
#402	4-1/2' - 8' Long, 24" Handle 1.40 m - 2.43 m Long 61 m Handle	Bundled	1	15 lbs 6.8 kg

3 IN 1 SERVICE KEY Adjustable length. 2" (5.08 cm) valve wrench, meter key, and handwheel attachment. Valve and meter key attachments are telescopic. Made of 1-1/2" square tube outside and 1-1/4" square tube inside. Made in the U.S.A.

#404	46" - 80" Long, 24" Handle 1.17 m - 2.03 m Long 61 cm Handle	Bundled	1	13 lbs 5.9 kg
· a	• 5		2	

#404 collapses to 46" (1.17 m) length x 4 1/2" (11.4 cm) width for convenient storage



Handwheel attachment



*NOTE: Probe Tips are considered expendable materials and therefore are not covered by the Warranty. We can make meter keys in any length. Call fo pricing on lengths not shown above. We can also make meter keys that fit 1-1/4" pipe at no extra cost. Call for available sizes.



CHANNELLOCK®

TONGUE & GROOVE PLIERS/CHANNELLOCK BLUE® Right angled teeth that grip in all directions for maximum bite. Undercut tongue and groove won't slip. **Permalock™** fastener eliminates nut and bolt failure. **Made in the U.S.A.**



- failure. **Made in the U.S.A. #159 - CHANNELLOCK® #426** Length = 6-1/2" (16.51 cm) Adjustments = 5 Capacity = 7/8" (22 mm)
- **#161 CHANNELLOCK® #420** Length = 9-1/2" (24.13 cm) Adjustments = 5 Capacity = 1-1/2" (38 mm)

#162 - CHANNELLOCK® #430 Length = 10" (25.40 cm) Adjustments = 7 Capacity = 2" (51 mm)

- **#163 CHANNELLOCK® #440** Length = 12" (30.48 cm) Adjustments = 7 Capacity = 2-1/4" (57 mm)
- #165 CHANNELLOCK[®] #460 Length = 16" (40.64 cm) Adjustments = 8 Capacity = 4-1/4" (108 mm)
- **#196 CHANNELLOCK® #480** Length = 20-1/4" (51.44 cm) Adjustments = 12 Capacity = 5-1/2" (140 mm)

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#159	6-1/2" - 16.51 cm	Boxed (Clamshell)	5	5 lbs 2.3 kg
#161	9-1/2" - 24.13 cm	Boxed (Clamshell)	5	5 lbs 2.3 kg
#162	10" - 25.40 cm	Boxed (Clamshell)	5	6 lbs 2.7 kg
#163	12" - 30.48 cm	Boxed (Clamshell)	5	8 lbs 3.6 kg
#165	16" - 40.64 cm	Boxed (Clamshell)	2	6 lbs 2.7 kg
#196	20-1/4" - 51.44 cm	Boxed (Clamshell)	2	9 lbs 4.1 kg

CURVED JAW TONGUE & GROOVE PLIERS/CHANNELLOCK BLUE® Right angled teeth that grip in all directions for maximum bite. Undercut tongue and groove won't slip. **Permalock™** fastener eliminates nut and bolt failure. **Made in the U.S.A.**

#164 - CHANNELLOCK® #442

Length = 12" (30.48 cm) Adjustments = 7 Capacity = 2-1/4" (57 mm)

#164	12" - 30.48 cm	Boxed (Clamshell)	5	8 lbs 3.6 kg

9-1/2" (24.13 cm) GRIPLOCK[®] UTILITY PLIERS/CHANNELLOCK BLUE[®] Ergonomically designed offset head for greater leverage. Special jaw design accommodates many shapes. Permalock[™] fastener eliminates nut and bolt failure. Made in the U.S.A.

	CHANNELLOC Length = 9-1/ Adjustments = Capacity = 1-	2" (24.13 cm) : 5			
#1	68	9-1/2" - 24.13 cm	Boxed (Clamshell)	5	6 lbs 2.7 kg

CHANNELLOCK® LONG NOSE PLIERS WITH SIDE CUTTER/CHANNELLOCK BLUE® Cross hatching on jaws. Slender, perfectly mated jaws with no side wobble provide a firm grip on fine work in tight places. Sharp, hand honed side cutter is heat treated to hold its edge. High polished, carbon drop forged set. **Made in the U.S.A.**

#175 - CHANNELLOCK[®] #326 Length = 6" (15.24 cm) with side cutter. #178 - CHANNELLOCK[®] #317 Length = 7-1/2" (19.05 cm) with side cutter

CHANNELLOCK® items are packed in CHANNELLOCK® Blister Display cards

#175	6" - 15.24 cm	Boxed (Clamshell)	5	2 lbs 0.9 kg
#178	7-1/2" - 19.05 cm	Boxed (Clamshell)	5	3 lbs 1.4 kg













PLUMB-PRO QUALITY TOOLS PLIERS & WRENCHES

PLIERS

SOFT TOUCH PLIERS* Protects decorative and bright plated plumbing fixtures. Soft jaws will not destroy plastic fittings. Maximum opening of 1-3/4" (4.45 cm) and a length of 10" (25.4 cm). Works great on shower arms. Automatically opens by the spring loaded mechanism. No need to open the handles by your fingers while in use. **The Professional Choice.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#393	10" - 25.4 cm	Bagged & Boxed	3	3 lbs 1.4 kg

NYLON REPLACEMENT JAWS* For #393 Soft Touch Pliers.

#389	1-3/4" - 4.45 cm	Bagged & Boxed	3	1 lb 0.5 kg

SOFT JAW WONDER PLIERS* Wide jaw opening up to 2-3/4" (7 cm). Comes with round and square soft jaw inserts. Great for repair work on flush valves. Will not scratch plated finishes. Works on Delta[®] and other dome nuts. Will not crush threaded tail pieces. Automatically opens by the spring loaded mechanism. Opening range of 1" - 2-3/4" (2.5 cm - 7 cm) and a length of 10-1/2" (26.67 cm).

#394	10-3/4" - 26.67 cm	Bagged & Boxed	3	4 lbs 1.8 kg

ROUND REPLACEMENT JAWS* For #394 Soft Jaw Wonder Pliers.

#391	2-3/4" - 7 cm	Bagged & Boxed	3	1 lb 0.5 kg

SQUARE REPLACEMENT JAWS* For #394 Soft Jaw Wonder Pliers.

#392	2-3/4" - 7 cm	Bagged & Boxed	3	1 lb 0.5 kg

ratcheting in tig	BASIN WRENCH Spring-load ght quarters. Tension plug hol handle and shank. Telescopi	ds head in any position	up to 90 degr	ee angle.
#160	10" - 17" 25.4 cm - 43.2 cm	Bagged & Boxed	5	8 lbs 3.6 kg
pre-set 60 in. I	UE WRENCH For tightening 5 bs. T-handle ratchets one wa	y. Built-in reversing bar.		
#243	5/16" - 0.79 cm	Bagged & Boxed	3	5 lbs 2.3 kg

HEAVY DUTY WATER HEATER ELEMENT WRENCH A professional grade tool that easily removes elements without damaging the unit. Sliding "T" type handle allows for even pressure on both ends. Removes the most stubborn elements. 12 point heavy duty chrome plated steel socket and 18" (45.7 cm) "T" handle.



PLUMB-PRO QUALITY TOOLS SAWS

"T-HANDLE" CABLE SAW* For cutting PVC Pipe. For tight spots offering little clearance. Fits easily into tool box or pocket. Faster and easier than hacksaws in close quarters. The easy to use "T-handles" offer less stress on the hands than loop handles. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#240	Approx. 36" Approx. 91.44 cm	Boxed	12	1 lb 0.5 kg


PROFESSIONAL HACKSAW 12" (30.48 cm) BLADE* Designed with the professional in mind. This saw features state of the art design. The blade can be set at two different angles, straight and 45 degree. Up to 10 blades can be stored in the top of the frame. Comes complete with a 12" (30.48 cm) carbon steel 18TPI blade.

	#67	12" Blade 18TPl 30.48 cm Blade 18TPl	Boxed	3	5 lbs 2.3 kg
--	-----	---	-------	---	--------------

REPLACEMENT BLADES FOR #67 HACKSAW*

#147 - Carbon steel blade. Low cost. Cuts wood, plastic and easy to machine metals such as conduit, aluminum, copper tubing, etc. Blade: 12" (30.48 cm), 18TPI.

#147	12" Blade 18TPl 30.48 cm Blade 18TPl	Boxed	10	1 lb 0.5 kg
------	---	-------	----	-------------



CROC-SAW PLASTIC PIPE SAW WITH PISTOL GRIP HANDLE WITH 10.5" (27 cm) BLADE. Handsaw is designed for the professional plumber, irrigation technician, electrician, and general contractor. Its rubberized pistol grip is ergonomically designed to power through PVC, ABS and CPVC plastic pipe with ease. The dual

#184	10-1/2" Blade 27 cm Blade	Carded and Boxed	5	2 lbs 0.9 kg

and energy.

PVC SAW - ALUMINUM HANDLE WITH 13" (33.02 cm) BLADE* Handsaw is designed for the plumber, electrician, and all professional general contractors. The unique design allows it to cut the following: fiberglass panels, PVC, ABS & CPVC plastic pipe, nail embedded wood, wallboard, brass and copper tubing, paneling and general purpose wood cutting.

#182	19-1/2" 49.53 cm	Boxed	5	5 lbs 2.3 kg
REPLACEMENT	BLADES FOR #182 PVC SA	W *		
#183	13" Blade 33.02 cm Blade	Boxed	15	3 lbs 1.4 kg

PVC SAW - ALUMINUM HANDLE WITH 18" (45.72 cm) BLADE* Handsaw is designed for the plumber, electrician, and all professional general contractors. The unique design allows it to cut the following: fiberglass panels, PVC, ABS & CPVC plastic pipe, nail embedded wood, wallboard, brass and copper tubing, paneling and general purpose wood cutting.

#180	23-1/2" 59.69 cm	Boxed	5	5 lbs 2.3 kg
REPLACEMENT BL/	ADES FOR #180 PVC S	SAW*		
#181	18" Blade 45.72 cm Blade	Boxed	15	3 lbs 1.4 kg













CATEGORY 14

WHITLAM

Quality Tools

UMB-PR

*NOTE: Blades are considered expendable material and therefore are not covered by the Warranty.









PLUMB-PRO QUALITY TOOLS PLASTIC PIPE CUTTERS



STOC

#15

"SNAPPER" TUBING CUTTER* High quality cutter for cutting plastic tubing, PVC, CPVC, polyethylene pipe and rubber hose through 1-1/4" (31.8 mm). Replaceable blade is made of stainless steel.

OCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	
#166	1" - 25.4 mm	Bagged & Boxed	10	5 lbs 2.3 kg	

 #167
 1" - 25.4 mm
 Bagged & Boxed
 5
 1 lb. - 0.5 kg



"MONGOOSE" 1" (25.4 mm) PLASTIC PIPE RATCHET CUTTER* Top quality professional ratchet cutter cuts PVC, CPVC, ABS, and other plastic pipe and tubing through 1" (25.4 mm). Heavy duty steel construction with replaceable stainless steel blade.

5

4 lbs. - 1.8 kg

REPLACEMENT	BLADE FOR #15 "MONG	DOSE"* Stainless steel bl	lade with rat	chet plate attached.
#16	1" - 25.4 mm	Bagged & Boxed	5	1 lb 0.5 kg

Bagged & Boxed

REPLACEMENT SPRING SET FOR #15 "MONGOOSE"*

1" - 25.4 mm

#91	3 Springs per Bag 5 Bags per Case	Bagged & Boxed	5	1 lb 0.5 kg

COMPLETE REPAIR KIT - REPLACEMENT BLADE/SPRING SET FOR #15* "MONGOOSE"

#16-KIT	1 Each per Bag #16 Blade & #91 Springs	Bagged & Boxed	5	1 lb 0.5 kg
		1 4 <i>4 1</i> 5 11 (04 0 mm)		



"BADGER" 1-1/4" (31.8 mm) PLASTIC PIPE RATCHET CUTTER* Top quality professional ratchet cutter cuts PVC, CPVC, ABS and other plastic pipe and tubing through 1-1/4" (31.8 mm). Heavy duty steel

 construction with replaceable stainless steel blade.

 #127
 1-1/4" - 31.8 mm
 Bagged & Boxed
 3
 3 lbs. - 1.4 kg

 REPLACEMENT BLADE FOR #127 "BADGER"* Stainless steel blade.

#128	1-1/4" - 31.8 mm	Bagged & Boxed	3	1 lb 0.5 kg

REPLACEMENT SPRING SET FOR #127 "BADGER"*

#129	3 Springs per Bag 3 Bags per Case	Bagged & Boxed	3	1 lb 0.5 kg

COMPLETE REPAIR KIT - REPLACEMENT BLADE/SPRING SET FOR #127 "BADGER"*

#128-KIT	1 Each per Bag #128 Blade & #129 Springs	Bagged & Boxed	3	1 lb 0.5 kg
	#120 bidue & #129 Springs			



"SABERTOOTH" 1-5/8" (42 mm) O.D. PLASTIC PIPE RATCHET

CUTTER* Top quality professional ratchet cutter cuts PVC, CPVC, ABS and other plastic conduit and tubing through 1-5/8" (42 mm) 0.D. V Blade is ideal for thin wall pipe.

#38	1-5/8" - 42 mm	Bagged & Boxed	3	3 lbs 1.4 kg
REPLACEMENT B	BLADE FOR #38 "SABERT	'OOTH'' *		
#39	1-5/8" - 42 mm	Bagged & Boxed	3	1 lb 0.5 kg
REPLACEMENT S	SPRING SET FOR #38 "SA	ABERTOOTH"*		
#40	3 Springs per Bag 2 Bags per Case	Bagged & Boxed	3	1 lb 0.5 kg
COMPLETE REPA	IR KIT - REPLACEMENT	BLADE/SPRING SET FO)R #38 "SAB	ERTOOTH"*
#39-KIT	1 Each per Bag #39 Blade, #40 Springs	Bagged & Boxed	3	1 lb 0.5 kg

PLUMB-PRO QUALITY TOOLS PLASTIC PIPE CUTTERS

BARRACUD PLASTIC PIPE CUTT		CUTTER* CPVC, ABS	Top quality profes and other plastic . Heavy duty steel	I mm) PLASTIC I sional ratchet cutt conduit and tubin construction with	ter cuts PVC, g through 1-1/2"
STOCK CODE	SIZE		CONTAINER	ITEMS/CASE	CASE WEIGHT
#130	1-1/2" - 31.8 mr	n	Bagged & Boxed	2	6 lbs 2.7 kg
	BLADE FOR #130 '	'RARRACII	NA"* Stainless st	ool hlado	
#131	1-1/2" - 31.8 mr		Bagged & Boxed	2	1 lb 0.5 kg
				L	1 lb. 0.0 kg
	SPRING SET FOR #				
#132 3	Springs per Bag, 2 Bags	s per Case	Bagged & Boxed	2	1 lb 0.5 kg
COMPLETE REP	AIR KIT - REPLACE	MENT BLA	DE/SPRING SET	FOR #130 "BARI	RACUDA"*
#133-KIT	1 Each per Bag. #131 Blade, #132 Sp		Bagged & Boxed	2	1 lb 0.5 kg
PIRAÑA PLASTIC PIPE CUTTI		CUTTER* To Dastic pipe	p quality profession and conduit throu	(50.8 mm) PLAS onal ratchet cutter gh 2" (50.8 mm) i duty steel construct	n diameter. One
#20	2" - 50.8 mm		Bagged & Boxed	2	4 lbs 1.8 kg
REPLACEMENT I	BLADE FOR #20 "I	PIRAÑA"*			
#21	2" - 50.8 mm		Bagged & Boxed	2	2 lbs 0.9 kg
	SPRING SET FOR #	420 "DIDAÍ	ÑΔ"*		J. J
				5	1 lb 0 5 kg
# 22 2	Springs per Bag, 5 Bags		Bagged & Boxed		1 lb 0.5 kg
COMPLETE REP	1 Each per Bag	MENT BLA	DE/SPRING SET	FOR #20 "PIRAÑ	IA"*
#23-KIT	#21 Blade, #22 Spri	ings	Bagged & Boxed	2	2 lbs 0.9 kg
VIPER PLASTIC PIPE CUTTE	er Corr	quality prof plastic pipe	essional ratchet c and tubing throug n with quality repl	gh 2" (50.8 mm). aceable stainless	VC, ABS and other Heavy duty steel steel blade.
#17	2" - 50.8 mm		Bagged & Boxed	1	3 lbs 1.4 kg
REPLACEMENT	BLADE FOR #17 "\	/IPER"*			
#18	2" - 50.8 mm		Bagged & Boxed	1	1 lb 0.5 kg
	SPRING SET FOR #	±17 "VIPFE	7 7 *		
	Springs per Bag, 5 Bags		Bagged & Boxed	5	1 lb 0.5 kg
COMPLETE REP	AIR KIT - REPLACE	WENT BLA	UE/SPRING SET	FOR #17 "VIPER	
#19-KIT	1 Each per Bag #18 Blade, #92 Spri	ings	Bagged & Boxed	1	1 lb 0.5 kg
	, ,				
GATOR BIT	ER CONTRACTOR	CUTTER* To plastic pipe	op quality profess	ugh 2-1/2" (63.5 r	r cuts all types of
GATOR BITI PLASTIC PIPE CUTTE #205	ER CONTRACTOR	CUTTER* To plastic pipe Heavy duty	op quality profess and conduit throu	ional ratchet cutte Jgh 2-1/2" (63.5 r	r cuts all types of
#205		CUTTER* To plastic pipe Heavy duty n	op quality profess and conduit throu steel construction Bagged & Boxed	ional ratchet cutte ugh 2-1/2" (63.5 r 1.	r cuts all types of nm) in diameter.
#205	2-1/2" - 63.5 mr	CUTTER* To plastic pipe Heavy duty n *GATOR BIT	op quality profess and conduit throu steel construction Bagged & Boxed	ional ratchet cutte ugh 2-1/2" (63.5 r 1.	r cuts all types of nm) in diameter.
#205 REPLACEMENT #206	2-1/2" - 63.5 mr BLADE FOR #205 *	CUTTER* To plastic pipe Heavy duty n *GATOR BIT n	op quality profess and conduit throus steel construction Bagged & Boxed E ^{***} Bagged & Boxed	ional ratchet cutte ugh 2-1/2" (63.5 r 1. 1	r cuts all types of nm) in diameter. 4 lbs 1.8 kg
#205 REPLACEMENT #206 REPLACEMENT \$	2-1/2" - 63.5 mr 2-1/2" - 63.5 mr BLADE FOR #205 ° 2-1/2" - 63.5 mr	CUTTER* To plastic pipe Heavy duty n *GATOR BI n #205 *GAT	op quality profess and conduit throus steel construction Bagged & Boxed E ^{***} Bagged & Boxed	ional ratchet cutte ugh 2-1/2" (63.5 r 1. 1	r cuts all types of nm) in diameter. 4 lbs 1.8 kg
#205 REPLACEMENT #206 REPLACEMENT \$ #207 2	2-1/2" - 63.5 mr BLADE FOR #205 4 2-1/2" - 63.5 mr SPRING SET FOR #	CUTTER* To plastic pipe Heavy duty n *GATOR BIN n #205 **GAT(s per Case	op quality profess and conduit throus steel construction Bagged & Boxed TE ^{***} Bagged & Boxed DR BITE ^{***} Bagged & Boxed	ional ratchet cutte ugh 2-1/2" (63.5 r). 1 1 5	r cuts all types of nm) in diameter. 4 lbs 1.8 kg 2 lbs 0.9 kg 1 lb 0.5 kg













Cutters are packaged in clear plastic point of purchase display pouches suitable for hanging on a display. (Excluding #205) *NOTE: Blades and springs are considered expendable materials and therefore are not covered by the Warranty







PLUMB-PRO QUALITY TOOLS INTERNAL PIPE CUTTERS & PIPE REAMERS

INTERNAL PIPE CUTTERS

"RIPPER" CARBIDE BLADE INTERNAL PLASTIC PIPE CUTTER* 2 each 1-1/2" (3.81 cm) diameter fiber carbide blades per bag with 3" (7.62 cm) long zinc plated shaft that fits 1/4" (.64 cm) or 3/8" (.95 cm) drills. For cutting 2" (5.08 cm) or larger PVC or ABS plastic pipe. WARNING - Do not operate cutter in reverse.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#192	1-1/2" - 3.81 cm	Bagged & Boxed	10	1 lb 0.5 kg

REPLACEMENT BLADES FOR #192* Fiber carbide blades.

1-1/2" diameter - 3.81 cm #154 3 Blades per Bag 10 Bags per Case	Bagged & Boxed	10	1 lb 0.5 kg

"ZIPPY" METAL BLADE INTERNAL PLASTIC PIPE CUTTER* 1 each 1-1/2" (3.81 cm) diameter metal shear blade per bag with 4" (10.16 cm) long zinc plated shaft that fits 1/4" (.64 cm) or 3/8" (.95 cm) drills. For cutting 2" (5.08 cm) or larger PVC or ABS plastic pipe. WARNING - Do not operate cutter in reverse.

	-			
#150	1-1/2" - 3.81 cm	Bagged & Boxed	10	1 lb 0.5 ka

"ZIPPY XL" LONG SHAFT METAL BLADE INTERNAL PLASTIC PIPE CUTTER* 1 each 1-1/2"

(3.81 cm) diameter metal shear blade per bag with 7-1/2" (19.05 cm) long zinc plated shaft that fits 1/4" (.64 cm) or 3/8" (.95 cm) drills. For cutting 2" (5.08 cm) or larger PVC or ABS plastic pipe. **WARNING - Do not operate cutter in reverse.**

#152	1-1/2" - 3.81 cm	Bagged & Boxed	5	1 lb 0.5 kg
#102	1-1/2 - 0.01 011	Dayyeu a Doneu	5	1 ID 0.0 Kg

REPLACEMENT BLADES FOR #150 and #152* Metal shear blades.

#151	1-1/2" diameter - 3.81 cm 2 Blades per Bag 10 Bags per Case	Bagged & Boxed	10	1 lb 0.5 kg

PIPE FITTING REAMERS

"SOCKET RELIEVER" PIPE FITTING REAMERS Removes schedule 40 plastic pipe. Cuts ABS or PVC DWV pipe below slab. Fits 1/2" variable speed power drill.

#118	1/2" - 1.27 cm	Boxed	1	1 lb 0.5 kg
#119	3/4" - 1.91 cm	Boxed	1	1 lb 0.5 kg
#120	1" - 2.54 cm	Boxed	1	1 lb 0.5 kg
#123	1-1/2" - 3.81 cm	Boxed	1	1 lb 0.5 kg
#124	2" - 5.08 cm	Boxed	1	1 lb 0.5 kg
#125	3" - 7.62 cm	Boxed	1	1 lb 0.5 kg
#126	4" - 10.16 cm	Boxed	1	1 lb 0.5 kg

CATEGORY 15

PIPE VENT SCREENS



CPVC VENT SCREENS



PLUMB-PRO QUALITY TOOLS PIPE VENT SCREENS

PIPE VENT SCREENS Professionally made to prevent unwanted animals, leaves and debris from entering HVAC and plumbing vent pipe. Fabricated with Schedule 40 PVC and high quality Type 304 Stainless Steel Screen. No tools or glue are required for assembly. Simply press the vent screen into an existing fitting (fitting not included) to seal out the pests and unwanted debris. The patented condensate channel allows for proper drainage that prevents a buildup of moisture and potential freezing of the screen.

#VS15	1-1/2" Pipe Vent Screen	Boxed	10	1 lb 0.5 kg
#VS2	2" Pipe Vent Screen	Boxed	10	1 lb 0.5 kg
#VS3	3" Pipe Vent Screen	Boxed	10	1 lb 0.5 kg
#VS4	4" Pipe Vent Screen	Boxed	10	1 lb 0.5 kg
#VS6	6" Pipe Vent Screen	Boxed	5	1 lb 0.5 kg

CPVC PIPE VENT SCREENS

#VSC2	2" CPVC Vent Screen	Boxed	10	1 lb 0.5 kg
#VSC3	3" CPVC Vent Screen	Boxed	10	1 lb 0.5 kg
#VSC4	4" CPVC Vent Screen	Boxed	10	1 lb 0.5 kg

*NOTE: Blades are considered expendable materials and therefore are not covered by the Warranty

.....



MARKING PAINT, MARKING GUNS, TURF COLORANT & TRACER DYES

MARKING PAINT & MARKING GUNS

PRO-STRIPE APWA INVERTED MARKING PAINT A heavy duty, industrial paint with a water base formula that is fast drying, durable and non-clogging. Use in marking construction, excavation sites, underground utilities, landscaping, etc. Will not wash away or damage grass. Lead Free. **Made in the U.S.A.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#MP-BLACK	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg
#MP-BLUE	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg
#MP-CLOUD WHITE	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg
#MP-GREEN	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg
#MP-HOT ORANGE	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg
#MP-PINK	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg
#MP-RED	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg
#MP-YELLOW	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg

PRO-STRIPE ATHLETIC MARKING PAINT Stripe any athletic field in minutes! Formulated to last long, remain bright and not harm grass or any sports field covering. Get up to 1/2 mile of 3-inch wide stripe per case. **Made in the U.S.A.**

#PSA-WHITE	18 oz 532 ml	Boxed	12	20 lbs 9.07 kg
#PSA-HOT ORANGE	18 oz 532 ml	Boxed	12	20 lbs 9.07 kg
#PSA-YELLOW	18 oz 532 ml	Boxed	12	20 lbs 9.07 kg
#PSA-RED	18 oz 532 ml	Boxed	12	20 lbs 9.07 kg
#PSA-NAVY BLUE	18 oz 532 ml	Boxed	12	20 lbs 9.07 kg

PRO-STRIPER INVERTED AEROSOL MARKING MACHINE Solid steel frame with fold-down handle. 10" wheels make it easy to maneuver. *For use only with Pro-Stripe Athletic Marking Paint (PSA).*

PRO-STRIPER	Universal	Boxed	1	22 lbs 10.0 kg

PRO-STRIPER MARKING GUN A compact and lightweight tool used to apply marking paint in a wide range of marking applications.

#704	Universal	Boxed	1	1 lb 0.5 kg

PRO-STRIPER MARKING WAND A lightweight tool used to apply marking paint in a wide range of marking applications. Approximately 3 feet in length to make application of paint easy.

#705	Universal	Boxed	1	3 lbs 1.4 kg

TURF COLORANT & LEAK TRACER DYES

GREENS COAT TURF COLORANT A super concentrated green pigment with Bright-Fast[™] technology which will not harm turf grass and can be applied at any time during the year. **Made in the U.S.A.**

GC32	Quart95 L	Plastic Jug w/ Spout	12	33 lbs 15.0 kg
GC1	Gallon - 3.785 L	Plastic Jug w/ Spout	4	36 lbs 16.3 kg
GC5	5 Gallon - 18.9 L	Pail w/ Handle	1	53 lbs 24.0 kg

FAST-TRAC YELLOW/GREEN LEAK TRACER DYE A highly concentrated leak inspection dye that dissolves rapidly in water and provides a vivid fluorescent yellow/green color detectable in murky water, sewage or effluent. **Made in the U.S.A.**

LTDG16	16 oz 473 ml	Plastic Container	12	15 lbs 6.8 kg
LTDG1	Gallon - 3.785 L	Paint Jug w/ Spout	4	37 lbs 16.8 kg
LTDG5	5 Gallon - 18.9 L	Pail w/ Handle	1	42 lbs 19.1 kg

FAST-TRAC RED LEAK TRACER DYE A highly concentrated leak inspection dye that dissolves rapidly in water and provides a vivid fluorescent red color detectable in murky water, sewage or effluent. **Made in the U.S.A.**

LTDR16	16 oz 473 ml	Plastic Container	12	15 lbs 6.8 kg
LTDR1	Gallon - 3.785 L	Paint Jug w/ Spout	4	37 lbs 16.8 kg
LTDR5	5 Gallon - 18.9 L	Pail w/ Handle	1	42 lbs 19.1 kg

FAST-TRAC BLUE LEAK TRACER DYE A highly concentrated leak inspection dye that dissolves rapidly in water and provides a vivid non-fluorescent blue color detectable in murky water, sewage or effluent. Made in the U.S.A.

LTDB16	16 oz 473 ml	Plastic Container	12	15 lbs 6.8 kg
LTDB1	Gallon - 3.785 L	Paint Jug w/ Spout	4	37 lbs 16.8 kg
LTDB5	5 Gallon - 18.9 L	Pail w/ Handle	1	42 lbs 19.1 kg

CATEGORY 15













PLUMB-PRO QUALITY TOOLS CANS, DAUBERS, APPLICATORS & SPRAYERS

CANS Empty screw top cans without caps. For caps, see below. Made in the U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#CHP	1/2 Pint - 237 ml	Boxed	24	5 lbs 2.3 kg
#CPP	Pint - 473 ml	Boxed	12	5 lbs 2.3 kg
#CQ	Quart95 L	Boxed	12	5 lbs 2.3 kg
#CQ100	Quart95 L	Boxed	100	38 lbs 17.2 kg

WIDE MOUTH GALLON CAN WITH SCREW TOP LID Opening of can is 2-7/8" (7.32 cm). Made in the U.S.A.

#CGW	Gallon - 3.785 L	Boxed	6	10 lbs 4.5 kg

DAUBER SCREW CAPS Standard dauber and cap. For use on empty screw top cans listed above. **Made in the U.S.A.**

#DP	Pint - 473 ml	Boxed	50	2 lbs 0.9 kg
#DPA	Pint - 473 ml	Boxed	12	1 lb 0.5 kg
#DQ	Quart95 L	Boxed	50	3 lbs 1.4 kg
#DQA	Quart95 L	Boxed	12	1 lb 0.5 kg

DAUBER SCREW CAPS 1/2" dauber and cap. For use with CPVC yellow medium bodied low VOC cement and empty screw top cans listed above. **Made in the U.S.A.**

#DPS	Pint - 473 ml	Boxed	12	1 lb 0.5 kg

GALLON CAN ROLLER Applicator with cap - fits wide and standard mouth size.

#CGWR	12" - 30 cm	Boxed	12	4 lbs 1.8 kg

GALLON CAN SWAB Applicator with cap - fits wide and standard mouth size.					
#CGWS	12" - 30 cm	Boxed	12	2 lbs91 kg	

ROUND COTTON SWAB APPLICATOR Wire handle swab. Total length 11" (28 cm). For applying large quantities of gasket lubricant or PVC cements and cleaners to pipe and fittings.

#GLS	11" x 2" - 28 x 5 cm	Boxed	50	7 lbs 3.2 kg
#GLSA	11" x 2" - 28 x 5 cm	Boxed	12	2 lbs 0.9 kg

ACID & FLUX BRUSH Metal handle.

#BR1	3/8" Wide x 6" Long .95 cm Wide x 15.24 cm Long	Boxed	144	3 lbs 1.4 kg

PURE BRISTLE BRUSHES Paint brush style. Wood handle.

#PB1	1" - 2.54 cm	Boxed	36	2 lbs 0.9 kg
#PB2	2" - 5.08 cm	Boxed	24	2 lbs 0.9 kg
#PB3	3" - 7.62 cm	Boxed	24	3 lbs 1.4 kg
#PB4	4" - 10.16 cm	Boxed	12	2 lbs 0.9 kg

SPRAYERS Trigger pump plastic sprayer with adjustable spray nozzle for use with pint or quart leak detector bottles. Made in the U.S.A.

#SPRL	Trigger Pump Sprayer for Quart (.95 L) Bottles	Boxed	6	1 lb 0.5 kg
-------	---	-------	---	-------------











PLUMB-PRO QUALITY TOOLS TOOLS, TWINE & TAPES

MAGNETIC TORPEDO LEVEL 9" Black, high impact plastic frame. Magnetic edge frees hands. Vials read plumb, level, 1/4" per 1 foot plumbing code slope and 45° top read window. V-grooved working edge fits on pipe or conduit.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT
#12	9" - 23 cm	Bagged & Boxed	5	2 lbs 0.9 kg

METAL STUD INSULATORS Protects copper and polybutylene pipe from sharp edges of metal studs. Snaps into a 1-11/32" (3.41 cm) hole punched by **#398 SUPER STUD PUNCH.** Fits all 1/2" (1.27 cm), 3/4" (1.91 cm) and 1" (2.54 cm) copper or polypipe tubing. For use on all metal studs 18 gauge or lighter. Patented offset hole makes for better pipe alignment. Sold in full case quantities only. **Made in the U.S.A.**

#24	1/2" - 1.27 cm	Bagged & Boxed	100	1 lb 0.5 kg
#25	3/4" - 1.91 cm	Bagged & Boxed	100	1 lb 0.5 kg
#26	1" - 2.54 cm	Bagged & Boxed	100	1 lb 0.5 kg

SUPER STUD PUNCH Extended throat. Cuts 3-1/2" (8.89 cm) from edge. Cuts heavy 18 gauge steel. Lightweight high strength aluminum alloy. Hole size 1-11/32" (3.41 cm). Offset handle gets into tight places easier. Better leverage for easier punching. Non-slip rubber grips. **Made in the U.S.A.**

#398	1-11/32" Hole Size 3.41 cm Hole Size	Boxed	1	7 lbs 3.2 kg

4 - WAY VALVE KEY For stop cocks, sill cocks and valves when handles have been removed. Fits 1/4" (.64 cm), 9/32" (.71 cm), 5/16" (.79 cm), 11/32" (.86 cm). Polished chrome finish.

#33	Universal	Bagged & Boxed	5	3 lbs 1.4 kg
	PE High impact yellow case. ⁻ es tip breakage. Three color b	0 1		
#301	1" x 25' - 2.54 cm x 7.62 m	Bagged & Boxed	6	6 lbs 2.7 kg

YELLOW MASON TWINE* No.18 - 275 ft. (84 m). Unaffected by cement. Rot proof. High strength for use as chalk line, plumb line, lead line. Rolls individually wrapped in clear plastic.

#46	No. 18 - 275' (84 m) Long	Boxed	12	5 lbs 2.3 kg

WIRE PULLING TWINE* Polypropylene twisted film. 1-Ply x 6500'; average break strength 200 lbs. (90.7 kg). Plastic bucket dispenser, made from high strength plastic.

#49	1-Ply x 6500' (200 lbs.) 1-Ply x 1981 m (90.7 kg)	Pail w/ Handle	1	12 lbs 5.4 kg

PVC PIPE WRAP TAPE* High quality polyethylene pipe wrap tape. All weather, moisture proof black pipe wrap tape. UPC listed.

#143	10 mil x 2" x 100' 10 mil x 5.08 cm x 30.5 m	Boxed	36	40 lbs 18.1 kg

YELLOW WARNING BARRIER "CAUTION" TAPE* Durable 3 mil thick PVC plastic tape, 3" (7.62 cm) wide. Bright yellow with BOLD BLACK PRINT - "CAUTION CAUTION".

#367	1000' Long - 305 m Long	Boxed	8	36 lbs 16.3 kg
#368	200' Long - 61 m Long	Boxed	10	9 lbs 4.1 kg

CATEGORY 16



TION

DISPLAYS

POINT-OF-PURCHASE DISPLAYS



Stock Code DISPLAY2

ORDER \$2400.00 NET OR MORE AND RECEIVE A 2 FOOT POINT-OF-PURCHASE DISPLAY RACK FREE!

This light beige display rack contains three shelves and one base shelf for displaying **WHITLAM** products with an eye-catching two color sign. It is available full freight prepaid and allowed, when ordered with \$1200 NET billing value.


- Limit 1 free display rack per location.

Display measures:

24" (61 cm) long 54" (137 cm) high 18" (46 cm) deep Extra shelves: \$100.00 each Extra display: \$175.00 each

Display ships with:

10" adjustable shelves (2 each) 12" adjustable shelf (1 each)









Stock Code BARREL

RECEIVE A FREE SOIL PROBE DISPLAY RACK WITH ORDERS OF 24 OR MORE PROBES!

This Point-of-Purchase Probe Display will display up to 24 - 48" (1.2 m) and/or 60" (1.5 m) Soil Probes. Display must be ordered on same order as the probes to qualify.

Limit 1 display per wholesaler location.Stock Code #272

ORDER \$500.00 NET OR MORE OF: SHOVELS, SPADES, PICK MATTOCK, AND/OR SLEDGE HAMMERS AND RECEIVE ONE FREE DISPLAY BARREL!



Stock Code DISPLAY4

ORDER \$3000.00 NET OR MORE AND RECEIVE A 4 FOOT GONDOLA DISPLAY RACK FREE!

This light beige display rack contains four shelves and one base shelf for displaying **WHITLAM** products with an eye-catching two color sign. It is available full freight prepaid and allowed, when ordered with \$3000 NET billing value.

- Limit 1 free display rack per location.

Display measures:

48" (122 cm) long 54" (137 cm) high 18" (46 cm) deep Extra shelves: \$125.00 each Extra display: \$225.00 each

Display ships with:

10" adjustable shelves (3 each) 12" adjustable shelf (1 each) 12" base shelf (1 each)

FREE FLOW-AIDE POINT-OF-PURCHASE DISPLAY WITH PURCHASE OF 6 EA. FLOW-KITS AND 16 EA. FLOW32

This free standing point-of-purchase display assists in promoting the FLOW-AIDE descaler kit and FLOW-AIDE biodegradable chemical solution with its eye catching header and solid blue base. The self talking header highlights the multiple uses/advantages of this top quality chemical descaler.

Display measures:

28" (71 cm) long 50" (127 cm) high 14" (36 cm) deep

Stock Code **FLOW-DISPLAY** Contains: 6 each **FLOW-KIT**, 16 each **FLOW32**

Stock Code FLOW-DISPLAYC Contains: 6 each FLOW-KITC*, 16 each FLOW32C*

*Bilingual Label: French and English

POINT-OF-PURCHASE PROFIT CENTERS

PLUMBING CENTER

Order the Following Products: 1 case #VS3 - 3" Vent Screen 1 case #VS4 - 4" Vent Screen

1 case #394 - Soft Jaw Wonder Pliers 1 case #240 - "T" Handle Cable Saw 1 case TL1429 - "Talon" Professional High Density Gray PTFE Tape 1 case IG8 - 1/2 Pint "Blue Magic" Thread Compound 1 case IG16 - Pint "Blue Magic" Thread Compound 1 case TAL8 - 1/2 Pint "Talon" PTFE Thread Compound 1 case TF8 - 1/2 Pint "Select-Unyte" PTFE Thread Compound 1 case TF16 - Pint "Select-Unyte" PTFE Thread Compound 1 case MT1 - 14 oz. "Talon" Plumber's Putty 1 case MT5 - 5 lbs. "Talon" Plumber's Putty 1 case PL8 - 1/2 Pint PVC Clear Medium Bodied Low VOC Cement 1 case PL16 - Pint PVC Clear Medium Bodied Low VOC Cement 1 case PPL8 - 1/2 Pint Low VOC Purple Primer 1 case PPL16 - Pint Low VOC Purple Primer 1 case TDC1 - 1 lb. "Talon" Drain Opener 1 case TFB80 - "Talon" Hand Cleaning Towels 1 case THC16 - Pint "Talon" Hand Cleaner 1 case 18032 - 10.3 oz. DAP® White, Linen/Biscuit and/or Clear Caulk 1 case 08011 - 10.3 oz. DAP® Clear Silicone Caulk 1 case 00005 - 10.3 oz. DAP® PhenoSeal All Purpose Caulk 1 case BFC - Black Flash Cartridge 1 case S1WR - Regular Wax Ring 1 case S1WS - Flanged Wax Ring 1 case FOS1SJ - Jumbo Flanged Wax Ring 1 case TWF1 - 1 lb. "Talon" Water Soluble Paste Flux 1 case WP10 - 10 vd. "Talon" Waterproof Blue Sand Cloth

And receive prepaid freight, 2% 60 day billing, free 2 foot point-of-purchase display rack & a free case of 16 fl. oz. "Talon" Citrus Lotion Hand Cleaner with Lanolin and Walnut Scrubbers (THC16).

IRRIGATION CENTER

Order the Following Products:

- 25 case Mix of Solvent Weld Cements and Primers
- 1 case #166 1" "Snapper" Tubing Cutter
- 1 case #38 1-5/8" "Sabertooth" Plastic Pipe Ratchet Cutter
- 1 case #20 2" "Piraña" Plastic Pipe Ratchet Cutter
- 1 case #GLS Cotton Swab Applicator
- 1 case GWP16 16 fl. oz. "Glue-Wash" Pumice Hand Cleaner
- 1 case TAL8 1/2 Pint "Talon" PTFE Thread Compound

And receive prepaid freight, 2% 60 day billing, free 2 foot point-of-purchase display rack, free case of 4 fl. oz. "Glue-Wash" (GWP4) Pumice Hand Cleaner.







DISPLAYS

DISPLAYS



<image>

POINT-OF-PURCHASE PROFIT CENTERS

WATERWORKS CENTER

Order the Following Products: 1 case #20 - 2" "Piraña" Plastic Pipe Ratchet Cutter 4 case Mix of "Pro-Stripe" Inverted Marking Paint 1 case #GLS - Gasket Lube Swabs 1 case CU16 - 1 lb. "Talon" Copper Anti-Seize Thread Sealant 2 cases TL1429 - "Talon" Professional High Density Gray PTFE Tape 1 case LTDB16 - Pint Fast-Trac Blue Leak Tracer Dye 1 case LTDG16 - Pint Fast-Trac Yellow/Green Leak Tracer Dye 1 case LTDR16 - Pint Fast-Trac Red Leak Tracer Dye 1 case TAL16 - Pint "Talon" PTFE Thread Compound 1 case PPL16 - Pint Low VOC Purple Primer 1 case WET16 - Pint "Weatherproof" Blue Medium Bodied Wet/Dry Low VOC PVC Cement 1 case HDP16 - Pint PVC Clear Heavy Duty Low VOC Cement 1 case GLP32 - Quart "Blue Lube" Pipe Gasket Lubricant 1 case GWP16 - Pint "Glue-Wash" Pumice Hand Cleaner 1 case PPL32 - Quart Low VOC Purple Primer 1 case WET32 - Quart "Weatherproof" Blue Medium Bodied Wet/Dry Low VOC PVC Cement 1 case HDP32 - Quart PVC Clear Heavy Duty Low VOC Cement 1 case BD1 - 1 Gallon Black Dragon Gilsonite Asphalt Paint 3 case Mix of "Talon" Direct to Metal Paint 1 case WP10 - 10 yd. "Talon" Waterproof Blue Sand Cloth

And receive prepaid freight, 2% 60 day billing, free 2 foot point-of-purchase display rack, & a free case of 16 fl. oz. "Talon" Citrus Lotion Hand Cleaner with Lanolin and Walnut Scrubbers (THC16).

POOL/SPA CENTER

Order the Following Products:

- 25 case Mix of Solvent Weld Cements and Primers
- 1 case #17 2" "Viper" Plastic Pipe Ratchet Cutter
- 1 case #20 2" "Piraña" Plastic Pipe Ratchet Cutter
- 1 case #166 1" "Snapper" Tubing Cutter
- 1 case #124 2" "Socket Reliever" Pipe Fitting Reamer
- 1 case IG2 2 oz. "Blue Magic" Industrial Grade Thread Sealant
- 1 case EPP4 4 oz. "Talon" Epoxy for Plastic
- 1 case TL1429 "Talon" Professional High Density Gray PTFE Tape
- 1 case GWP16 16 oz. "Glue-Wash" Pumice Hand Cleaner
- 1 case TFB80 "Talon" 9" x 12" Hand Cleaning Towels
- 1 case #MP-HOT ORANGE 17 oz. "Pro-Stripe" Hot Orange Inverted Marking Paint

And receive prepaid freight, 2% 60 day billing, free 2 foot point-of-purchase display rack, free case of 4 oz. "Glue-Wash" (GWP4) Pumice Hand Cleaner.

POINT-OF-PURCHASE DISPLAY PACKS

DISPLAYS



"TALON" TOWER OF TOWELS Stock Code: TFB80D See Page 16



"GLUE-WASH" PUMICE HAND CLEANER 16 0Z. - 12 PACK Stock Code: GWP16 See Page 16



"TALON" HAND CLEANER 16 OZ. - 12 PACK Stock Code: THC16 See Page 16



"BLUE MAGIC" THREAD COMPOUND 1/2 PINT - 12 PACK Stock Code: IG8A See Page 8



"SELECT-UNYTE" THREAD SEALANT 1/2 PINT - 12 PACK Stock Code: TF8A See Page 8



"TALON" THREAD COMPOUND 1/2 PINT - 12 PACK Stock Code: TAL8A See Page 9



"TALON" PROFESSIONAL HIGH DENSITY PTFE TAPE Stock Code: TL1429 TLW1429 and TLX1429 See Page 10



"TAPE-UNYTE" PTFE TAPE 12 PACK See Page 10



FLOW-AIDE DISPLAY Stock Code: FLOW-DISPLAY See Page 15

DISPLAYS

POINT-OF-PURCHASE DISPLAY PACKS



"BLUE MAGIC" THREAD COMPOUND 2 oz. TUBES 12 TUBES PER DISPLAY 6 DISPLAYS PER CASE Stock Code: IG2 See Page 8



"SELECT-UNYTE" THREAD SEALANT 2 oz. TUBES 12 TUBES PER DISPLAY 6 DISPLAYS PER CASE Stock Code: TF2 See Page 8



"TYTE-UNYTE®" THREAD COMPOUND 2 oz. TUBES 12 TUBES PER DISPLAY 6 DISPLAYS PER CASE Stock Code: T2 See Page 8

D.O.T. CLASSIFIED SHIPPING TERMS:

North American shipments containing plastic pipe cements and cleaners through quart size will be shipped Consumer Commodity ORM-D; gallon size requires the proper UN number on bills of lading and a flammable red label on all cartons. All cartons on shipments to overseas countries are required to have the proper UN Number on bills of lading and a flammable red label on all cartons. North American shipments containing Talon Drain Opener 1 lb. and 2 lb. sizes will be shipped Consumer Commodity ORM-D: All cartons on shipments to overseas countries are required to have the proper UN number on bills of lading and a corrosive warning label on all cartons. North American shipments containing NOW! and QUIK! 32 oz. size will be shipped Consumer Commodity ORM-D; sizes over 32 oz. are required to have the proper UN Number on bills of lading and a corrosive warning label on all cartons. All cartons on shipments to overseas countries are required to have the proper UN number on bills of lading and a corrosive warning label on all cartons. North American shipments containing Sludge•B•Gone, 32 oz. size, will be shipped Consumer Commodity ORM-D; gallon size requires the proper UN number on bills of lading and a flammable red label on all cartons. All cartons on shipments to overseas countries are required to have the proper UN number on bills of lading and a flammable red label on all cartons.

CARRIERS:

J.C. Whitlam Manufacturing Company reserves the right to choose freight carriers on all prepaid shipments.

PRIOR NOTIFICATION:

Charges by a carrier for notification prior to delivery, will be the responsibility of the customer.

PALLETIZATION:

J.C. Whitlam Manufacturing Company will palletize and stretch-wrap. Customer will be notified of any additional charges prior to shipment. When receiving shipment, count and sign for individual cartons. All pallets shipped as individual cartons.

SHORTAGES & DAMAGE CLAIMS:

Examine shipments on receipt for shortages or damage and file claims immediately with carrier. All damages or shortages must be noted on the carrier's bill of lading when receiving shipment. We will assist you in filing claims. Bills of lading covering shipments are an acknowledgment by the carrier of receipt of product in apparent good condition. If shipment is not

delivered to you in good condition, it is your responsibility to make a claim against the carrier. Always have the shortage or damage noted by the delivery driver on both the drivers and your copy of the delivery receipt with the drivers signature. These notations should also appear on the freight bill. Make your claim promptly to the carrier, for the carrier will not consider a claim unless presented within ninety days from date of delivery. If the shipment is to be rejected, notify J.C. Whitlam Manufacturing Company. If you accept from a carrier a shipment that is short or damaged, without having proper inspections and notations made, you do so at your own risk. If there is concealed damage, call the carrier's representative or agent to view the damage and have them mark the freight bill. Also obtain a copy of their inspection report. Concealed loss or damage, discovered after delivery of shipment, must be reported to carrier's agent or representative immediately upon discovery, but no later than 15 days after receipt. Claims for loss or damage can not be deducted from our invoice, nor payment of invoice withheld awaiting adjustment of such claims.

LIMITED GUARANTEED SALE AND RETURN POLICY:

No returns accepted without prior authorization being RECEIVED from our CORPORATE OFFICES in Wadsworth, Ohio. When Authorization is given, an authorization number will be issued which must appear on shipping documents. A trucking company will be designated which must be used. Any deviation from these requirements may cause the shipment to be refused. Products may be returned within two years of purchase date except for plastic solvent cements and cleaners, which may be returned within twelve months of purchase date. Freight must be paid by purchaser and returned in resalable condition. A repacking charge may be applied.

STANDARD PACKAGING: WHITLAM CHEMICAL AND PLUMB-PRO DIVISION PRODUCTS ARE SHIPPED IN FULL CASE QUANTITIES ONLY.

WARRANTY: J.C. WHITLAM MANUFACTURING CO. guarantees Whitlam and Plumb-Pro products to be in compliance with acceptable commercial standards for material and workmanship for a period of one (1) year from date of purchase, unless noted in price catalog. Complete products must be returned for credit or replacement.

This sheet supersedes all previous price catalogs. Prices and specifications subject to change without notice. Our liability on all products not to exceed amount of invoice value.

J.C. WHITLAM MANUFACTURING COMPANY THEN AND NOW

THE WHITLAM STORY

First, a little nostalgia. It can be hard to grasp how different life was in the year 1900. The light bulb, telephone and automobile were still new; and airplanes, moving pictures, and even paper clips were still only inventors' dreams.

But the world wasn't perfect. As shocking as it sounds, plumbers of that time used poisonous lead pastes to seal pipes.

A solution was at hand. In 1900, J.C. Whitlam II solved the problem with an invention he called "Tyte-Unyte[®]," the world's first non-poisonous thread compound. This formula was so enduring that today, it is still the standard of the plumbing industry.

One thing led to another. Tyte-Unyte[®] led to Select-Unyte, Blue Magic, Pack-Unyte, and many other products, including our new TALON Pipe Thread Compound. Today, J.C. Whitlam and its divisions, Whitlam Chemical and Plumb-Pro Tools, provide hundreds of sealing compounds, lubricants, tape, packing, tools and other products for professionals in plumbing, heating, refrigeration and irrigation.





Whitlam today. Our companies are stronger than ever, with consistent quality production, innovation in chemical engineering and reliable customer service. Together, these make Whitlam a source you can trust for a long time to come.

When you consider the long history of

Whitlam Manufacturing, you can be sure we will be here for you, just as we have been for more than 100 years.

Reliable service. We have always provided reliable service, but today we are dedicated, more than ever, to providing these services:

- · convenient, friendly customer relationships
- fast, cost-conscious delivery options
- complete product information
- precise test data

Engineering expertise. You should also know that the product quality you depend on is based on chemical engineering expertise. We maintain quality control by testing products during manufacture, assure that packaging and shipping conditions are correct for the product, and explore new ways to bring you the next generation of products.

Innovative solutions and private labels. We continue to develop custom solutions and to offer private labeling to meet your specific needs. After all, we were founded on innovation, and its spirit has never left us.

Sincerely, Jack C. Whitlam IV President



INDEX

PAGE PRODUCT ABRASIVES ABS SOLVENT CEMENTS6 ACID BRUSH 34 ALL PURPOSE CEMENT5 ANTI-SEIZE COMPOUNDS9 BOILER PRODUCTS 21 BREAK-A-WAY BOLTS..... 17 BRUSHES 13 & 34 CAULKING GUNS 13 CAULKS...... 12 CONCRETE SEALER 11 CPVC SOLVENT CEMENTS5 CUTTING OILS 11 DESCALER/DESCALER KIT 15 DISPENSERS/HAND CLEANERS 16 DRAIN CLEANERS 16 DRAIN OPENERS 16 EPOXY PUTTY 10 FITTING BRUSHES 13 FLANGE BOLTS 17 FLASHING CEMENT 11 FLOW DISPLAY 15 & 39 GAS LINE TAPE 10 GASKET LUBE PASTE 14 HACKSAWS AND BLADES 29 HAND CLEANERS 16

INDEX BY PRODUCT

PRODUCT P/	١GE
HAND WIPES	16
HEAT PROOF GREASE	14
HEATING PRODUCTS 20 -	- 21
HIGHSIDE CHEMICALS	22
HOSES	15
INSULATORS, METAL STUD	35
INTERNAL PIPE CUTTERS	32
LEAK DETECTOR	21
LEAK TRACER DYES	33
LEVELS	35
LONG NOSE PLIERS	27
MARKING GUN	33
MARKING MACHINE	33
MARKING WAND	33
MASON TWINE	35
MEASURING TAPE	35
METAL STUD PUNCH	35
METER KEYS	
NO HUB TORQUE WRENCH	28
OILS	11
OPEN MESH CLOTH	13
PAINT 11 8	
PAINT STYLE BRUSHES	
PICK MATTOCK	
PIPE CUTTERS	
PIPE FITTING REAMERS	
PIPE GASKET LUBE	
PIPE JOINT COMPOUNDS 8	
PIPE JOINT LUBRICANT	
PIPE PLIERS 27 -	
PIPE WRAP TAPE	
PLASTIC PIPE CUTTERS 30 -	
PLIERS 27 -	
PLUMBER'S PUTTY	
PRIMERS	-
PTFE TAPES	
PUMPS	
PUTTY	
PVC CEMENTS 3	- 6

PRODUCT PA	IGE
PVC SAW	29
SAND CLOTH	13
SAW BLADES	29
SAWS	29
SCREWDRIVER BITS	23
SCREWDRIVERS	23
SILICONE GREASE	14
SHOVELS	25
SILICONE SEALANTS	12
SIEICONE SEALANTS	24
SOFT JAW WONDER PLIERS	24 28
SOFT TOUCH PLIERS	28
SOIL PROBE TIPS	26
SOIL PROBES	26
SOLVENT CEMENT CHART	
SPRAYERS	
STRAPS	
STUD PUNCH	35
SWABS	34
"T-HANDLE" CABLE SAW	
TALON TOWER OF TOWELS 16 &	
TANK TO BOWL BOLT SETS	17
TAPE, PTFE	10
TELESCOPIC BASIN WRENCH	28
THREAD SEALANTS 8	- 9
TOILET FLANGE BOLTS	17
TRAP PRIMER	15
TURF COLORANT	33
URINAL CLEANER	16
VALVE KEY, 4-WAY	35
VALVE WRENCHES. TELESCOPIC	26
VENT SCREENS	32
WATER HEATER ELEMENT	
WRENCH	28
WATER SOLUBLE FLUX	14
WATERLESS URINAL ODOR BLOCKER	15
WAX RINGS	19
WIRE PULLING TWINE	35
WRENCHES	28

J.C. WHITLAM MFG. CO. MANUFACTURING QUALITY CHEMICAL PRODUCTS SINCE 1900

STOCK CODE P/	١GE
ABS - ABS YELLOW CEMENT	
AF - ANTI-FREEZE, SOLUTION	20
AL - ABS CEMENT	
AP - ALL PURPOSE CEMENT	5
APR - ALL PURPOSE CEMENT	5
BA - BREAK-A-WAY TOILET BOLTS	17
BD - ASPHALT PAINT	11
BF - FLASHING CEMENT	11
BFC - FLASHING CEMENT	11
BSB - CONCRETE SEALER	11
BT - BOILER TREATMENT	21
C - CLEAR CLEANER	6
CF - COPPER FITTING, WIRE HANDLE BRUSHES	13
CP - COPPER FITTING, SOLID HANDLE BRUSHES	13
CPG - CPVC CEMENT, GRAY	5
CPL - CPVC CEMENT, YELLOW	5
CPV - CPVC CEMENT, ORANGE	5
CU - ANTI-SEIZE LUBRICANT	9
DTM - DIRECT TO METAL PAINT	11
EPP - EPOXY PUTTY	10
EPS - EPOXY PUTTY	10
F520 - PTFE TAPE	10
FB - FLANGE BOLTS	17
FF - ANTI-FREEZE, CONCENTRATE	20

INDEX BY STOCK CODE

STOCK CODE PA	GE
FLOW-DESCALER	15
FLOW-COM	15
FLOW-DISPLAY	15
	15
FOS1RB - WAX RING, REGULAR WITH BOLTS	18
FOS1RB-D - WAX RING, REGULAR WITH BOLTS	18
FOS1RJ - WAX RING, REGULAR JUMBO	18
FOS1RP-D - WAX RING REGULAR WITH BOLT KIT	18
FOS1RU - WAX RING, REGULAR WITH URETHANE	19
FOS1SP-D - WAX RING, FLANGED WITH BOLTS	18
FOS1SJ - WAX RING, FLANGED JUMBO	18
Fos1SJB-D - WAX RING, Flanged	
JUMBO WITH BOLTS	18
FOS1SU - WAX RING, FLANGED WITH URETHANE	19
FOS2U - URINAL GASKET WITH URETHANE	19
FP - FREEZE-POINT -100,	
	20
FPGL - 48% GLYCERINE ANTI-FREEZE	20
FPPG - 38% PROPYLENE GLYCOL ANTI-FREEZE	20
GC - TURF COLORANT	33
GL - GRAY MEDIUM PVC CEMENT	3
GLP - GASKET LUBE	14
GT260 - GAS LINE PTFE TAPE	
GT520 - GAS LINE PTFE TAPE	10
GWP - HAND CLEANER	16
HDP - HEAVY DUTY CLEAR PVC CEMENT	3

STOCK CODE PAG	
HDB - HEAVY DUTY BLUE PVC CEMENT	
HDW - HEAVY DUTY WHITE PVC CEMENT	3
HPG - GREASE 1	4
HPL - CLEAR HEAVY BODIED PVC CEMENT	3
HS - HIGHSIDE CHEMICALS	
HT - FURNACE CEMENT 2	21
IG - THREAD SEALANT	8
IR - IRRIGATION PVC CEMENT	4
JAO - BROWN SAND CLOTH 1	13
LTDB - LEAK TRACING DYE, BLUE	
LTDG - LEAK TRACING DYE, YELLOW/GREEN 3	33
LTDR - LEAK TRACING DYE, RED	33
LD - LEAK DETECTOR 2	
LDS - LEAK DETECTOR, SPRAY	21
MT - PLUMBER'S PUTTY 1	0
NI - ANTI-SEIZE LUBRICANT	9
NW - DRAIN OPENER 1	
OM - OPEN MESH CLOTH 1	3
PCL - CLEAR PRIMER	6
PCW - WEATHERPROOF PVC CEMENT, CLEAR	
PGL - HEAVY BODIED PVC CEMENT, GRAY	3
PL - CLEAR MEDIUM BODIED PVC CEMENT	3
POW - THREAD SEALANT	9
PPL - PURPLE PRIMER	
PRL - CLEAR REGULAR PVC CEMENT	3
PSA - ATHLETIC INVERTED MARKING PAINT	33

INDEX

STOCK CODE PAGE
QK - DRAIN CLEANER
QS - PIPE JOINT LUBE 14
S1WR - WAX RING, REGULAR 18
S1WS - WAX RING, FLANGED 18
S260 - PTFE TAPE 10
S520 - PTFE TAPE 10
S1296 - PTFE TAPE 10
SB - POOL & SPA PVC CEMENT5
SBG - FUEL OIL ADDITIVE 21
SG - MULTI-PURTPOSE SILICONE GREASE
SH - HI-TEMP ANTI-FREEZE SOLUTION
SLIME - GASKET LUBE
SST260 - STAINLESS STEEL PTFE TAPE 10
SSTW520 - STAINLESS STEEL PTFE TAPE 10
ST - THREAD SEALANT
STS - BOILER SEALER
SW260 - PTFE TAPE 10 SW520 - PTFE TAPE 10
SW1296 - PTFE TAPE 10 SX520 - PTFE TAPE 10
T260 - PTFE TAPE 10
T520 - PTFE TAPE
T1296 - PTFE TAPE
T - THREAD SEALANT
TAL - THREAD SEALANT
TBG - GASKET & BOLT KITS
TC - TRANSITION CEMENT
TDC - DRAIN OPENER
TDTP - LIQUID DRAIN TRAP PRIMER
TF - THREAD SEALANT
TFB - HAND WIPES 16
TGT - GAS LINE PTFE TAPE8
TGTW - GAS LINE PTFE TAPE8
THC - HAND CLEANER 16
TL - PTFE TAPE 10
TLW - PTFE TAPE 10
TLX - PTFE TAPE 10
TP - POOL & REPAIR PVC CEMENT4
TU - THREAD SEALANT8
TUBC - URINAL CLEANER
TUTS - WATERLESS URINAL TRAP SEALANT 15
TWF - WATER SOLUBLE FLUX
W260 - PTFE TAPE
W520 - PTFE TAPE
WD - CUTTING OIL, DARK
WET - WEATHERPROOF PVC CEMENT, BLUE
WP - BLUE SAND CLOTH
X260 - PTFE TAPE 10
XHG - HEAVY BODIED PVC CEMENT, GRAY
XHW - HEAVY BODIED PVC CEMENT, WHITE
,
PLUMB-PRO "QUALITY TOOLS FOR THE TRADE"
0750 - KITCHEN & BATH CAULK - WHITE (10 oz.) 12
0755 - KITCHEN & BATH CAULK - WHITE
0765 - KITCHEN & BATH CAULK - CLEAR
075522 - KITCHEN & BATH CAULK - BISCUIT 12
0770 - PREMIUM ACRYLIC CAULK
0883 - KITCHEN & BATH SILICONE - WHITE 12
08090I - RTV SILICONE - HIGH TEMP RED 12

 08160I - RTV SILICONE - WHITE
 12

 08260I - RTV SILICONE - CLEAR
 12

 0909 - FOAM & FILL LARGE GAPS & CRACKS
 12

 0915 - FOAM & FILL FIRE BLOCK
 12

 #4 - "6 IN 1" SCREWDRIVER
 23

 #5 - "6 IN 1" SCREWDRIVER
 23

 #12 - TORPEDO LEVEL
 35

 #15 - 1" PIPE RATCHET CUTTER
 30

 #17 - 2" PIPE RATCHET CUTTER
 31

 #18 - CUTTER BLADE
 31

 #20 - 2" PIPE RATCHET CUTTER
 31

	AGE
#21 - CUTTER BLADE	31 31
#22 - CUTTER SPRINGS #24 - 1/2" PIPE INSULATOR	31 35
#25 - 3/4" PIPE INSULATOR	35
#26 - 1" PIPE INSULATOR	35
#33 - 4-WAY VALVE KEY	35
#38 - 1-5/8" RATCHET CUTTER	30
#39 - CUTTER BLADE	30
#40 - CUTTER SPRING	30
#41 - SCREWDRIVER BIT	23
#42 - SCREWDRIVER BIT	23
#46 - MASON TWINE	35
#48 - CAULKING GUN #49 - WIRE PULLING TWINE	13 35
#49 - WIRE FOLLING TWINE	35 13
#64 - 20" METER KEY	26
#65 - 42" METER KEY	26
#67 - HACKSAW	29
#91 - CUTTER SPRINGS	30
#92 - CUTTER SPRINGS	31
#118 - 1/2" FITTING REAMER	32
#119 - 3/4" FITTING REAMER	32
#120 - 1" FITTING REAMER	32
#123 - 1-1/2" FITTING REAMER	32
#124 - 2" FITTING REAMER	32
#125 - 3" FITTING REAMER	32
#126 - 4" FITTING REAMER #127 - 1-1/4" RATCHET PIPE CUTTER	32 30
#127 - 1-1/4 NATCHET FIFE COTTER	30
#129 - CUTTER SPRINGS	30
#130 - 1-1/2" RATCHET PIPE CUTTER	31
#131 - CUTTER BLADE	31
#132 - CUTTER SPRINGS	31
#143 - 10 mil PIPE WRAP TAPE	35
#145 - WATER HEATER ELEMENT WRENCH	28
#147 - SAW BLADE	29
#150 - INTERNAL PIPE CUTTER	32
#151 - CUTTER BLADE	32
#152 - 7-1/2" INTERNAL PIPE CUTTER #154 - CUTTER BLADE	32 32
#156 - 42" METER KEY	26
#159 - 6-1/2" PIPE PLIER	27
#160 - TELESCOPIC BASIN WRENCH	28
#161 - 9-1/2" PIPE PLIERS	27
#162 - 10" PIPE PLIERS	27
#163 - 12" PIPE PLIERS	27
#164 - 12" PIPE PLIERS	27
#165 - 16" PIPE PLIERS	27
#166 - SNAPPER CUTTER #167 - CUTTER BLADE/PIN	30 30
#167 - COTTER BLADE/FIN	27
#175 - LONG NOSE PLIERS	27
#178 - LONG NOSE PLIERS	27
#180 - PVC SAW w/18" BLADE	29
#181 - PVC SAW BLADE	29
#182 - PVC SAW w/13" BLADE	29
#183 - PVC SAW BLADE	29
#184 - PVC SAW - PISTOL GRIP	29
#192 - INTERNAL PIPE CUTTERS	32
#196 - 20-1/4" PIPE PLIERS #205 - 2" PIPE RATCHET CUTTER	27 31
#206 - CUTTER BLADE	31
#207 - CUTTER SPRINGS	31
#240 - "T-HANDLE" CABLE SAW	29
#243 - NO HUB TORQUE WRENCH	28
#274 - Drain Spade	25
#275 - DRAIN SPADE	25
#278 - 10# SLEDGE HAMMER	24
#279 - PICK MATTOCK	24
#280 - SOIL PROBE-FIBERGLASS	26
#282 - DRAIN SPADE #283 - ROUND POINT SHOVEL	25 25
#283 - ROUND POINT SHOVEL	25 25
	20

STOCK CODE	PAGE
#285 - SOIL PROBE-FIBERGLASS	26
#301 - MEASURING TAPE	35
#318 - TRENCH SHOVEL	
#319 - TRENCH SHOVEL	
#326 - SHOVEL, ROUND POINT	
#334 - 8# SLEDGE HAMMER	
#336 - 12# SLEDGE HAMMER	
#337 - 16# SLEDGE HAMMER	
#367 - CAUTION TAPE. 1000'	
#368 - CAUTION TAPE, 200'	
#389 - SOFT TOUCH JAWS	
#391 - ROUND WONDER JAWS	
#392 - SQUARE WONDER JAWS	
#393 - SOFT TOUCH PLIERS	28
#394 - SOFT JAW PLIERS	28
#395 - SOIL PROBE TIPS	26
#397 - 6' METER KEY	26
#398 - METAL STUD PUNCH	
#399 - 6' VALVE WRENCH. TELESCOPIC	
#400 - 7' METER KEY	
#401 - 8' METER KEY	
#402 - 8' VALVE WRENCH, TELESCOPIC	
#403 - 7' METER KEY, 1-1/4" WRENCH	26
#404 - 3 IN 1 SERVICE WRENCH	26
#501 - RUBBER HOSES	15
#704 - MARKING GUN	33
#705 - MARKING WAND	
#BR - BRUSHES	
#CGW - GALLON CANS	
#CGWR - GALLON ROLLER	
#CGWS - GALLON SWAB	
#CHP - 1/2 PINT CANS	
#CPP - PINT CANS	34
#CQ - QUART CANS	34
#CQ100 - QUART CANS	34
#DP - PINT DAUBERS	
#DPA - PINT DAUBERS	
#DPS - PINT CPVC DAUBERS	
#DQ - QUART DAUBERS	
#DQA - QUART DAUBERS	
#EZ-725 - SUBMERSIBLE PUMP	
#EZ-1150 - SUBMERSIBLE PUMP	
#GLS - APPLICATOR SWABS	
#GLSA - APPLICATOR SWABS	34
#MP-BLACK - AEROSOL PAINT	33
#MP-BLUE - AEROSOL PAINT	33
#MP-CLOUD WHITE - AEROSOL PAINT	33
#MP-GREEN - AEROSOL PAINT	
#MP-HOT ORANGE - AEROSOL PAINT	
#MP-PINK - AEROSOL PAINT	
#MP-RED - AEROSOL PAINT	
#MP-YELLOW - AEROSOL PAINT	
#PB - BRUSHES, PAINT STYLE	
PRO-STRIPER - MARKING MACHINE	
#SPRL - TRIGGER SPRAYER	34
#US9 - 9" RUBBER STRAP	24
#US15 - 15" RUBBER STRAP	24
#US20 - 20" RUBBER STRAP	24
#US31 - 31" RUBBER STRAP	24
#US41 - 41" RUBBER STRAP	
#VS15 - 1-1/2" VENT SCREEN	
#VS2 - 2" VENT SCREEN	
#VS3 - 3" VENT SCREEN	
#VS4 - 4" VENT SCREEN	
#VS6 - 6" VENT SCREEN	
#VSC2 - 2" CPVC VENT SCREEN	32
#VSC3 - 3" CPVC VENT SCREEN	32
#VSC4 - 4" CPVC VENT SCREEN	
#WS10 - 10' CAM BUCKLE STRAP	
#WS16 - 16' RATCHET STRAP	
#WS10 - 10 HATCHET STRAP	
#WUZJ-ZJ NAIUNEI JINAF	24

THE INDUSTRY STANDARD FOR OVER 100 YEARS

J.C. Whitlam Manufacturing Company began manufacturing quality chemical products in 1900 with the introduction of TYTE-UNYTE[®] (pronounced Tight-Unite) Thread Sealing Compound for threaded pipe connections. It was the first non-poisonous thread compound manufactured and still remains the standard of the plumbing, heating and refrigeration industry today. WHITLAM has continued to be the leader in producing quality products for plumbing, heating, refrigeration, oil field and industrial applications. The sales force of Whitlam and Plumb-Pro divisions consists of over 80 manufacturer representatives in the U.S.A. and in eighteen foreign countries.

WAREHOUSE LOCATIONS

Phoenix, AZ; Livermore, CA; Rancho Cucamonga, CA; Longwood, FL; Orlando, FL; Salt Lake City, UT; Wadsworth, OH; Carp, ON; Regina, SK; Pt. Coquitlam, BC; Denver, CO

WORLD HEADQUARTERS AND MANUFACTURING IN WADSWORTH, OH

CONVENIENTLY LOCATED, WHEREVER YOU ARE

Whitlam and Plumb-Pro sales are coordinated through more than 80 teams of manufacturer representatives in North America and internationally.



200 West Walnut Street • P0 Box 380 • Wadsworth, Ohio 44282 US/CANADA PH: (800) 321-8358 • US/CANADA FAX: (800) 537-0588 INT'L PH: +1 (330) 334-2524 • INT'L FAX: +1 (330) 334-3005 www.jcwhitlam.com • email: sales@jcwhitlam.com