

# **Safety Data Sheet**

SDS ID: Stock Code FF

Revision date: February 13, 2023

## Section 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: "Freeze Fighter" Anti-Freeze Concentrate

Synonyms: None

Chemical family: Propylene Glycol mixture

**Producer:** J.C. Whitlam Manufacturing Company

200 West Walnut Street

P.O. Box 380

Wadsworth, Ohio 44282-0380

www.jcwhitlam.com

Telephone: 330-334-2524 Available during normal business hours

Emergency: CHEMTEL 800-255-3924 Available 24 hours

## Section 2. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

Appearance: blue liquid. May cause adverse reproductive effects based upon animal studies. May cause eye and skin irritation. May cause respiratory tract irritation and digestive tract irritation

## GHS Classification in accordance with 29 CFR 1910.1200

Reproductive Toxicity (Category 1B), H360

## Signal Word and Hazard statements

**DANGER** — May damage fertility or the unborn child

# DANGER

## **Precautionary Statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P263 Avoid contact during pregnancy/while nursing.

P280 Use personal protective equipment as required, (see section 8)

P308+313 If exposed or concerned, get medical advice/attention.

P405 Store locked up.

**Inhalation:** P260 Do not breathe mist. May cause respiratory tract irritation.

**Ingestion:** P270 Do not eat, drink or smoke when using this product.

May cause irritation of the digestive tract.

**Skin contact:** P264 Wash hands thoroughly after handling. May cause irritation from

prolonged or repeated contact.

**Eye contact:** May cause eye irritation.

**Carcinogenic:** No ingredients listed by the IARC, NTP, OSHA, or the ACHIH.

## Section 3. COMPOSITION / INFORMATION ON INGREDIENTS

## **Material information:**

Name	CAS No.	Weight %	
Sodium tetraborate decahydrate	1303-96-4	<b>&lt;</b> 5	
Non-hazardous ingredients	Not Applicable	>95	

<sup>\*</sup>Note: The above weight percentages are represented in ranges as estimates. Due to variation among production batches, component percentages may vary.

## **Section 4. FIRST AID MEASURES**

General Advice: Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of the dangerous area.

**Inhalation:** Move exposed persons to fresh air. If the person is not breathing or breathing

is irregular, provide artificial respiration or oxygen by trained personnel.

Consult a physician.

**Skin contact:** Remove contaminated clothing and shoes. Wash affected skin with soap and

water. Get medical attention if symptoms occur. Wash contaminated clothing

before reuse.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious

person. If conscious and alert, rinse the mouth with water. Call a physician or

poison control center immediately.

**Eye contact:** Check for and remove any contact lenses, if easy to do so. If eye irritation

persists, consult physician after flushing eyes with tepid water for 15 minutes.

FIRE

SPECIAL

## Section 5. FIREFIGHTING MEASURES

Suitable extinguishing media:	Use alcohol foam, carbon dioxide, or dry chemical.
Specific hazards:	Combustion products may include borane/boron oxides. Sodium
	oxides.
Advice for	Full protective equipment including self-contained breathing
Firefighters:	apparatus should be used. Do not allow run-off from fire-fighting to
	enter drains or water courses.

					_	
NFPA	rating	: HMIS rating:			R E	Hazardous
Health:	0	1*	Н	U	A	
Flammability:	0	0	E A		T T	FP - above 200
Instability/reactivity	<b>/</b> : 0	0	L T		v V	Stable
Other:	N/A	B (PPE)	Н		T T	N/A
*Chronic health hazard: Fertility or Unborn child					Y	IV/A

J.C. Whitlam

## Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid mist formation. Immediately contact emergency personnel. Evacuate any potentially affected area and isolate personnel from entry.  Personnel must have appropriate training, per Occupational Safety and
Large Spill:	Health Administration (OSHA) 29 CFR 1910.120. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8).
Methods for Containment and Clean up	Shut off source if possible and if safe. Prevent entry into waterways and sewers. Dyke and/or absorb with vermiculite or other suitable material. Keep absorbed material in closed containers for disposal. Advise applicable authorities if material has entered sewers or water courses.

## **Section 7. HANDLING AND STORAGE**

Handling:	Use with adequate ventilation. Keep containers closed when not in use. Always open containers slowly to allow any excess pressure to vent. Avoid breathing vapors. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Launder soiled clothing thoroughly before
	re-use.
Storage:	Keep all containers tightly closed when not in use. Do not store with incompatible materials. See Section 10, Stability and Reactivity.

## Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Occupational Exposure Limits:**

Name	CAS No.	ACGIH® TLV® Exposure Limits:	Federal OSHA PELs	OSHA PELs 1989 <sup>c</sup>
Sodium tetraborate decahydrate	1303-96-4	2 <sup>A,D</sup>	Not Estab.	10 <sup>A</sup>

All exposure limits listed are 8-hour time weighted average (TWA) — except where noted otherwise.

**Engineering measures:** Local exhaust ventilation is preferable. General ventilation is

acceptable if exposure to materials in this section is maintained

below applicable exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT

**Respiratory protection:** When engineering controls are not sufficient to reduce exposure

to levels below applicable exposure limits, seek professional

advice prior to respirator selection and use. Wear a properly fitted

NIOSH/ MSHA-approved respirator.

**Skin and body protection:** Wear impervious clothing and nitrile rubber gloves to prevent

contact. Use the manufacturer's degradation and permeation data

for protective material selection.

**Eye protection:** Wear safety spectacles with unperforated sideshields, or goggles.

<sup>&</sup>lt;sup>A</sup> Time Weighted Average (TWA) is an average exposure over the course of an 8-hour work shift. Airborne aerosol (mist) as measured in milligrams (mist) per cubic meter of air.

<sup>&</sup>lt;sup>B</sup> A Short Term Exposure Limit TWA over the course of 15 minutes.

PEL — Permissible Exposure Limit is the maximum 8-hour TWA concentration of a chemical that a worker may be exposed to under Occupational Safety and Health Administration (OSHA) regulations.

<sup>&</sup>lt;sup>C</sup> Federal OSHA 1989 PELs were vacated but are in use and enforced by many state OSHA plans.

<sup>&</sup>lt;sup>D</sup> Inhalable aerosol (mist).

**Hygiene measures:** Avoid repeated or prolonged skin exposure. Wash hands before

eating, drinking, smoking, or using toilet facilities. Promptly remove contaminated clothing and launder before reuse.

Other precautions: Not applicable

## Section 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Aqua blue liquid

Physical state (solid/liquid/gas): Liquid Substance type (pure/mixture): Mixture Color: Aqua blue Odor: Sweet odor Molecular weight: Not available Not Applicable pH: Boiling point/range (5-95%): Not Available **Melting point/range:** Not Available **Decomposition temperature:** Not Available

Specific gravity: 1.04

Vapor density: (AIR = 1) 2.62

Vapor pressure: 0.22 mm Hg at 68°F

Evaporation rate (Butyl acetate= 1): <0.1

Flash point, method used: 211°F; 99.4°C

Water solubility: 100%

**VOC Content:**Auto-ignition temperature:
Not Available
Not Available

Flammable limits in air — lower (%): 2.6 Flammable limits in air — upper (%): 12.6

# Section 10. STABILITY AND REACTIVITY

Reactivity:	No data available
Stability:	Stable under recommended storage conditions. This
	product is hygroscopic.
Possibly hazardous reactions:	No data available
Conditions to avoid:	Never use welding, thermal cutting, or spark-
	producing equipment near the product because the
	product, or its residue, can ignite or explode.
Incompatible Materials:	Oxidizing agents, reducing agents, acid chlorides,
	acid anhydrides, and chloroformates.
Hazardous decomposition	In a fire with limited oxygen: propionaldehyde,
products:	carbon monoxide.
Polymerization:	Will not occur.

## Section 11. TOXICOLOGICAL INFORMATION

## Acute toxicity:

## **Product information:**

i roduct iiiioriiiatioii.				
Name	CAS No.	Inhalation:	Dermal:	Oral:
Sodium tetraborate decahydrate	1303-96-4	No data available.	LD <sub>50</sub> (Rabbit) 10,000 mg/kg	Acute LD <sub>50</sub> (Rat):4,500- 5,000 mg/kg
Propylene glycol	57-55-6	No data available.	LD <sub>50</sub> (Rabbit) 20,800 mg/kg	No data available.

 $LC_{50}$  — the concentration of the chemical in air that kills 50% of the test animals in a given time (usually four hours).

**Carcinogenicity:** The IARC, NTP, and OSHA: No component of this product, present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen.

**Reproductive toxicity:** RTCHS: VZ2275000. Sodium tetraborate decahydrate is identified as having fetotoxicity in animals. It is a presumed human reproductive toxicant. Animal feeding studies in rat, mouse, and dog, at high doses, have demonstrated effects on fertility and testes. Studies with the chemically related boric acid in the rat, mouse, and rabbit, at high doses demonstrate developmental effects on the fetus.

Sensitization: Not known to cause sensitization in humans.

# Section 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects:** Sodium tetraborate decahydrate

LC<sub>50</sub> Carassius auratus (goldfish) 72-hour 178 mg/l.

EC<sub>50</sub> Daphnia magna (water flea) 48-hour 1,085-1,402 mg/l.

Propylene glycol

EC<sub>50</sub> Water flea 48-hour >10,000 mg/l.

**Persistence:** No data available.

**Degradability:** No data available.

## **Section 13. DISPOSAL CONSIDERATIONS**

**Cleanup** This product is not a hazardous waste as defined under U.S. E.P.A.

considerations: RCRA 40 CFR 261. Disposal of this material must be done in

accordance with federal, state, provincial, and/or local regulations. P501 Dispose of contents/ container to an approved waste disposal plant. The material destined for disposal must be characterized properly and may differ from the product described in this SDS if mixed with other wastes.

## **Section 14. TRANSPORT INFORMATION**

Please refer to DOT regulation 49 CFR 172.101:

Transport information: This material is not regulated under DOT when transported via

U.S. commerce routes: and IATA, and IMO via international routes

**Hazardous Materials Description:** (DOT and IATA):

UN/identification no.:
Proper shipping name:
Hazard class:
Packing group:
DOT reportable quantity (lbs.):
Not Applicable
Not Applicable
Not Applicable

## **Section 15. REGULATORY INFORMATION**

## U.S. federal regulatory information:

## U.S. RCRA (40 CFR 261)

This product is not a hazardous waste as defined under RCRA 40 CFR 261.

## State and community right-to-know regulations:

The following component(s) of this material are identified on the regulatory lists below:

#### U.S. TSCA Chemical inventory Section 8(b)

**OSHA** — This product is determined to be hazardous as defined in the OSHA Hazard Communications Standard (29 CFR 1910.1200)

**CERCLA** Sections 102a/103 (40 FR 302.4):

No ingredients are listed.

Some Components of this product are listed in the following sections of **SARA**:

SARA Title III Section 302 — N/A

SARA Title III Section 304 — N/A

SARA Title III Section 313 — N/A

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21)

Acute health hazard: No
Chronic health hazard: Yes
Fire hazard: No
Reactive Hazard: No
Pressure Hazard: No

#### **California Proposition 65 Components**

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

#### WHMIS (Canada)

Class D-2A; D-2B: Material causing other toxic effects.

CAS# 1303-96-4 is listed on Canada's DSL List.

CAS# 1303-96-4 is listed on Canada's Ingredient Disclosure List.

**NOTE:** User must consult with applicable state and local agencies for special specifics, determinations or compliance obligations regarding this product.

# **Section 16. OTHER INFORMATION**

## **Standards and Certification Listings:**

The information and recommendations contained herein are based upon tests, data, and information resources believed to be reliable. However, the J.C. Whitlam Manufacturing Company, Inc., and its related operations or divisions (Whitlam) do not guarantee the accuracy or completeness, nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of goods, the merchantability of the goods or the fitness of the goods for a particular purpose. Adjustment to conform to actual conditions of usage may be required. Whitlam assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of this data. No warranty against infringement of any patent, copyright or trademark is made or implied.