WHITLAM CHEMICAL AND PLUMB-PRO QUALITY TOOLS

Effective January 1, 2020 List Price Catalog - 88L





PLUMBING
IRRIGATION
UNDERGROUND UTILITIES
INDUSTRIAL / FIRE PROTECTION
POOL / SPA
HVAC / REFRIGERATION





WHITLAM

PLUMB-PRO Quality Tools





WHITLAM
The Industry Standard for Over 100 Years

J.C. WHITLAM MANUFACTURING CO.

200 WEST WALNUT STREET • P.O. BOX 380 • WADSWORTH, OHIO 44282-0380 CALL: 1-800-321-8358 • FAX: 1-800-537-0588 U.S.A., PUERTO RICO, U.S. VIRGIN ISLANDS INTERNATIONAL CALL: 1-330-334-2524 • FAX: 1-330-334-3005

website: www.jcwhitlam.com email: sales@jcwhitlam.com

POSSESSION OF THIS PRICE CATALOG SHALL NOT BE CONSTRUED AS AN OFFER TO SELL PRODUCTS LISTED.

TABLE OF CONTENTS

CATEGORY 1	SOLVENT CEMENTS, PRIMERS, CLEANERS
CATEGORY 2	THREAD SEALANTS, THREAD SEALANT TAPE
CATEGORY 3	PUTTY, COATINGS, OIL, CAULKING GUNS
CATEGORY 4	DAP PRODUCTS
CATEGORY 5	ABRASIVE CLOTHS, FITTING BRUSHES, SOLDER FLUX, GREASE
CATEGORY 6	PIPE GASKET LUBRICANTS
CATEGORY 7	SYSTEM DESCALER, DESCALER KIT, PUMP & HOSES FOR DESCALER KIT, FLOW-AIDE DISPLAYS, TRAP PRIMER, URINAL ODOR BLOCKER, URINAL CLEANER, DRAIN OPENERS, DRAIN CLEANERS, HAND CLEANERS
CATEGORY 8	FLANGE BOLTS, HEX NUTS, WASHERS, WAX RINGS, TANK TO BOWL BOLT SETS, GASKETS, GASKET AND BOLT KITS
CATEGORY 9	ANTI-FREEZE & HEATING PRODUCTS
CATEGORY 10	HIGHSIDE CHEMICALS 22
CATEGORY 11	SCREWDRIVERS, STRAPS
CATEGORY 12	PICK MATTOCK, SLEDGE HAMMERS, SHOVELS, SPADES, SOIL PROBES, METER KEYS, VALVE WRENCHES
CATEGORY 13	PLIERS, PLUMBING WRENCHES, WATER HEATER ELEMENT WRENCH
CATEGORY 14	SAWS, PLASTIC PIPE CUTTERS, INTERNAL PIPE CUTTERS, PIPE FITTING REAMERS 29 - 32
CATEGORY 16	PIPE VENT SCREENS, INVERTED MARKING PAINT, MARKING GUN, MARKING WAND, MARKING MACHINE, TURF GREEN COLORANT, LEAK TRACER DYES
	MASON TWINE, WIRE PULLING TWINE, FIFE WRAP TAPE, CAUTION TAPE,
	DRY
INDEX	



J.C. Whitlam Manufacturing Headquarters consists of more than 100,000 square feet of offices, plant, warehousing and laboratory facilities in northeastern Ohio. Chemical containment tanks, shown above, allow proper storage and quick retrieval.



PVC SOLVENT CEMENTS



PVC CLEAR REGULAR BODIED LOW VOC CEMENT* A fast set for use through 4" (10.16 cm) diameter Sch. 40 and 1-1/4" (3.17 cm) Sch. 80 PVC pressure pipe and through 6" (15.24 cm) diameter non-pressure pipe. Meets ASTM D2564. **MADE IN THE U.S.A.**

	STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
(NSF.)	PRL4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	6.70
HOF.	PRL8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	9.54
, voc	PRL16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	15.82
	PRL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	26.86
	PRL1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	96.93
	PRL1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	102.07



PVC CLEAR MEDIUM BODIED LOW VOC CEMENT* A medium set for use through 6" (15.24 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 8" (20.32 cm) diameter non-pressure pipe. Meets ASTM D2564. **MADE IN THE U.S.A.**

	PL4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	7.59
(NSF.)	PL8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	12.22
Noi.	PL16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	18.20
300	PL32	Quart95 L	Dauber Top Can	12	29 lbs 13.2 kg	31.23
	PL1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	117.36
	PL1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	122.49



ON CE

PVC CLEAR HEAVY DUTY LOW VOC CEMENT* A medium set for use through 12" (30.48 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 16" (40.64 cm) diameter non-pressure pipe. Recommended as a One-Step Solvent Weld Cement for Drain, Waste and Vent (DWV) pipe and fittings in non-pressure applications in sizes up to 4" (10.16 cm) where acceptable by local code. Meets ASTM D2564. **MADE IN THE U.S.A.**

NE STEP	HDP4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	7.97	
EMENT	HDP8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	12.38	
NSF.	HDP16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	18.89	
NOL.	HDP32	Quart95 L	Dauber Top Can	12	29 lbs 13.2 kg	32.61	
	HDP1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	120.42	
	HDP1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	125.52	



PVC CLEAR HEAVY BODIED LOW VOC CEMENT* A slow set for use through 12" (30.48 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 16" (40.64 cm) diameter non-pressure pipe. Meets ASTM D2564. **MADE IN THE U.S.A.**

	HPL16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	19.58
NSF.	HPL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	33.95
	HPL1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	123.49
	HPL1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	128.62



PVC GRAY MEDIUM BODIED LOW VOC CEMENT* A medium set for use through 6" (15.24 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 8" (20.32 cm) diameter non-pressure pipe. Meets ASTM D2564. **MADE IN THE U.S.A.**

	GL4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	7.43
(NSF.)	GL8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	11.80
NOI.	GL16	Pint - 473 ml	Dauber Top Can	12	16 lbs 7.3 kg	17.66
a voc	GL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	30.08
	GL1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	118.12
	GL1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	123.26



PVC GRAY SCH. 80 HEAVY BODIED LOW VOC CEMENT* A slow set for use through 12" (30.48 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe and through 16" (40.64 cm) diameter non-pressure pipe. Meets ASTM D2564. **MADE IN THE U.S.A.**

(NSF.)	PGL16	Pint - 473 ml	Dauber Top Can	12	16 lbs 7.3 kg	23.30
	PGL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	38.12
	PGL1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	135.13
	PGL1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	140.27



PVC WHITE EXTRA HEAVY BODIED LOW VOC CEMENT* A slow set for use through 30" (76.2 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe. Meets ASTM D2564. **MADE IN THE U.S.A.**

XHW32	Quart95 L	Flat Top Can	12	29 lbs 13.2 kg	73.72
XHW1	Gallon - 3.785 L	Paint Can w/Handle	4	37 lbs 16.8 kg	203.79
XHW55	55 Gallon - 208 L	Drum	1	498 lbs 225.9 kg	9518.89



PVC SOLVENT CEMENTS

PVC GRAY EXTRA HEAVY BODIED LOW VOC CEMENT* A slow set for use through 30" (76.2 cm) diameter Sch. 40 & Sch. 80 PVC pressure pipe. Meets ASTM D2564. MADE IN THE U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
XHG32	Quart95 L	Flat Top Can	12	29 lbs 13.2 kg	77.43
XHG1	Gallon - 3.785 L	Paint Can w/Handle	4	37 lbs 16.8 kg	213.95
XHG55	55 Gallon - 208 L	Drum	1	498 lbs 225.9 kg	9994.87



"WEATHERPROOF" CLEAR MEDIUM BODIED WET/DRY LOW VOC PVC CEMENT* A fast one step** cement for use on all classes and schedules of PVC pressure pipe (including Sch. 80) through 6" (15.24 cm) diameter and on non-pressure systems through 8" (20.32 cm) diameter. Meets ASTM D2564. MADE IN THE U.S.A.

PCW4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	8.85
PCW8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	14.37
PCW16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	21.23
PCW32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	35.86
PCW1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	139.66
PCW1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	144.79







"WEATHERPROOF" BLUE MEDIUM BODIED WET/DRY LOW VOC PVC CEMENT* A fast one step** cement for use on all classes and schedules of PVC pressure pipe (including Sch. 80) through 6" (15.24 cm) diameter and on non-pressure systems through 8" (20.32 cm) diameter. Meets ASTM D2564. MADE IN THE U.S.A.

WET4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	8.81
WET8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	15.06
WET8A	1/2 Pint - 237 ml	Dauber Top Can (Display Box)	12	9 lbs 4.1 kg	16.48
WET16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	24.02
WET32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	40.84
WET1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	141.38
WET1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	146.51







"TURF-POOL & REPAIR" AQUA BLUE MEDIUM BODIED LOW VOC PVC CEMENT* A fast set for use through 3" (7.62 cm) diameter on all classes of PVC pressure pipe (except Sch. 80) and 6" (15.24 cm) diameter on non-pressure PVC pipe where pipe pulling is required and conditions are wet and/or quick pressurization is needed. Meets ASTM D2564. MADE IN THE U.S.A.

TP8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	15.06
TP16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	24.02
TP32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	40.84
TP1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	141.38
TP1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	146.51







"PRO-GREEN" IRRIGATION, MEDIUM BODIED LOW VOC PVC CEMENT* A fast one step** cement for use through 3" (7.62 cm) diameter on all classes of PVC pressure pipe (except Sch. 80), and 6" (15.24 cm) diameter on non-pressure PVC pipe where pipe pulling is required and conditions are wet and/or quick pressurization is needed. Meets ASTM D2564. MADE IN THE U.S.A.

IR4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	8.81
IR8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	15.06
IR8A	1/2 Pint - 237 ml	Dauber Top Can (Display Box)	12	9 lbs 4.1 kg	16.48
IR16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	24.02
IR32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	40.84
IR1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	141.38
IR1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	146.51









"SHARK-BITE" AQUA BLUE MEDIUM BODIED POOL/SPA LOW PVC VOC CEMENT* A one step** cement for use through 3" (7.62 cm) diameter on all classes of PVC pressure pipe (except Sch. 80), and 6" (15.24 cm) diameter on non-pressure PVC pipe. Meets ASTM D2564. **MADE IN THE U.S.A.**

SB4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	8.81
SB8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	15.06
SB8A	1/2 Pint - 237 ml	Dauber Top Can (Display Box)	12	9 lbs 4.1 kg	16.48
SB16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	24.02
SB32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	40.84
SB1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	141.38
SB1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	146.51







^{*} D.O.T. Classified Shipping Items. See Page 39.

** Suitable to be used as a One-Step Cement for joining PVC Drain, Waste and Vent (DWV) pipe and fittings in non-pressure applications in sizes up to and including 4 inches where acceptable by local code. Pallet Quantities for Plastic Solvent Cements & Cleaners: 1/4 Pint = 130 Cases, 1/2 Pint = 80 Cases, 1 Pint = 80 Cases, 1 Quart = 56 Cases, 1 Gallon = 27 Cases.

CPVC SOLVENT CEMENTS

CPVC YELLOW MEDIUM BODIED LOW VOC CEMENT* Use through 2" (5.08 cm) diameter CPVC pipe, CTS (copper tube size) and potable water pressure pipe. Medium bodied cement for use on CPVC and FlowGuard Gold® pipe and fittings. Exceeds ASTM F493 and ASTM D2846. **MADE IN THE U.S.A.**



ONE STEP CEMENT	STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
						EACH
(NSF.)	CPL4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	10.69
MOI.	CPL8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	15.98
& VOC	CPL16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	27.62
	CPL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	45.94



CPVC ORANGE MEDIUM BODIED LOW VOC CEMENT* Use through 6" (15.24 cm) diameter Sch. 40 CPVC pipe and through 1-1/2" (3.81 cm) diameter Sch. 80 CPVC pipe. Meets ASTM F493 and ASTM D2846. **MADE IN THE U.S.A.**



CPV4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	9.66
CPV8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	14.64
CPV16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	25.17
CPV32	Quart95 I	Dauber Top Can	12	28 lbs 12.7 kg	41.76



CPVC GRAY HEAVY BODIED LOW VOC CEMENT* Use through 12" (30.48 cm) diameter Sch. 40 CPVC pipe and through 6" (15.24 cm) diameter Sch. 80 CPVC pipe. Meets ASTM F493 and ASTM D2846. **MADE IN THE U.S.A.**



CPG16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	27.05
CPG32	Quart95 L	Dauber Top Can	12	29 lbs 13.2 kg	46.25
CPG1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	161.26
CPG1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	166.36

ABS SOLVENT CEMENTS



ABS BLACK MEDIUM BODIED LOW VOC CEMENT* Use through 6" (15.24 cm) diameter ABS pressure and DWV pipe. Meets ASTM D2235. MADE IN THE U.S.A. Also available in LOW VOC ABS Yellow Cement. Stock Code ABS.




AL4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	6.36
AL8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	9.62
AL16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	15.94
AL32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	26.55
AL1	Gallon - 3.785 L	Can w/Handle	6	56 lbs 25.4 kg	91.23
AL1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	56 lbs 25.4 kg	96.36

ALL PURPOSE SOLVENT CEMENTS



ALL PURPOSE CLEAR REGULAR BODIED LOW VOC CEMENT* Use through 4" (10.16 cm) diameter Sch. 40 & Sch. 80 ABS, PVC and Sch. 40 CPVC pipe. MADE IN THE U.S.A.







ALL PURPOSE CLEAR, MEDIUM BODIED, HEAVY DUTY LOW VOC CEMENT* Use through 6" (15.24 cm) diameter Sch. 40 & Sch. 80 ABS, PVC and CPVC Pipe. MADE IN THE U.S.A.



AP4	1/4 Pint - 118 ml	Dauber Top Can	24	10 lbs 4.5 kg	9.54
AP8	1/2 Pint - 237 ml	Dauber Top Can	24	16 lbs 7.3 kg	14.48
AP16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	24.98
AP32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	41.69



TRANSITION SOLVENT CEMENT

"SWITCH" TRANSITION GREEN MEDIUM BODIED LOW VOC CEMENT* A fast set cement for use through 6" (15.24 cm) diameter for joining ABS pipe or fittings to PVC pipe or fittings. Meets ASTM D3138. **MADE IN THE U.S.A.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
TC16	Pint - 473 ml	Dauber Top Can	12	15 lbs 6.8 kg	19.92
TC32	Quart95 L	Dauber Top Can	12	28 lbs 12.7 kg	32.18





PRIMERS

LOW VOC CLEAR PRIMER* For use on all PVC, ABS and CPVC pipe and fittings. Meets ASTM F656. **MADE IN THE U.S.A.**

PCL4	1/4 Pint - 118 ml	Dauber Top Can	24	9 lbs 4.1 kg	7.97
PCL8	1/2 Pint - 237 ml	Dauber Top Can	24	15 lbs 6.8 kg	10.54
PCL16	Pint - 473 ml	Dauber Top Can	12	14 lbs 6.4 kg	17.09
PCL32	Quart95 L	Dauber Top Can	12	26 lbs 11.8 kg	29.39
PCL1	Gallon - 3.785 L	Can w/Handle	6	50 lbs 22.7 kg	99.23
PCL1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	50 lbs 22.7 kg	104.37







LOW VOC PURPLE PRIMER* For use on all PVC, ABS and CPVC pipe and fittings. Dyes plastic purple. Meets ASTM F656. **MADE IN THE U.S.A.**

PPL4	1/4 Pint - 118 ml	Dauber Top Can	24	9 lbs 4.1 kg	8.01
PPL8	1/2 Pint - 237 ml	Dauber Top Can	24	15 lbs 6.8 kg	10.69
PPL16	Pint - 473 ml	Dauber Top Can	12	14 lbs 6.4 kg	17.51
PPL32	Quart95 L	Dauber Top Can	12	26 lbs 11.8 kg	30.08
PPL1	Gallon - 3.785 L	Can w/Handle	6	50 lbs 22.7 kg	101.61
PPL1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	50 lbs 22.7 kg	106.74







CLEANERS

LOW VOC CLEAR CLEANER* For use on all PVC, ABS and CPVC pipe and fittings. **MADE IN THE U.S.A.**

C4	1/4 Pint - 118 ml	Dauber Top Can	24	9 lbs 4.1 kg	7.66
C8	1/2 Pint - 237 ml	Dauber Top Can	24	15 lbs 6.8 kg	10.61
C16	Pint - 473 ml	Dauber Top Can	12	14 lbs 6.4 kg	15.10
C32	Quart95 L	Dauber Top Can	12	25 lbs 11.3 kg	23.52
C1	Gallon - 3.785 L	Can w/Handle	6	50 lbs 22.7 kg	87.28
C1-CGW	Gallon - 3.785 L	Wide Mouth Can w/Handle	6	50 lbs 22.7 kg	92.41






Average Joint Cure Schedule For WHITLAM PVC/CPVC Solvent Cements**

Relative Humidity 60% or Less	Cure Til Sizes 1/2	me Pipe ' to 1¹/4"	Cure Tir Sizes 1 ¹ /	me Pipe '2" to 2"		me Pipe ′2" to 8"	Cure Time Pipe Sizes 10" to 15"	Cure Time Pipe Sizes 15"+
Temperature range during assembly and cure periods	up to 160 psi	160 to 370 psi	up to 160 psi	above 160 to 315 psi	up to 160 psi	above 160 to 315 psi	up to 100 psi	up to 100 psi
60°-100°F	15 min	6 hrs	30 min	12 hrs	1 ¹ / ₂ hrs	24 hrs	48 hrs	72 hrs
40°- 60°F	20 min	12 hrs	45 min	24 hrs	4 hrs	48 hrs	96 hrs	6 days
0°- 40°F	30 min	48 hrs	1 hour	96 hrs	72 hrs	8 days	8 days	14 days

Note-Joint cure schedule is the necessary time to allow before pressurizing system. In damp or humid weather allow 50% more cure time.

** These figures are estimates based on our laboratory tests; extended cure times are required for chemical applications. Due to the many variables in the field, these figures should be used as a general guide only.



3 YEAR LIMITED WARRANTY


Whitlam Cements, Primers and Cleaners are made with the highest quality materials and meet or exceed their relative ASTM Specifications. All information provided is based on our laboratory testing, independent laboratory test results, and actual field experience. Properly used, Whitlam Cements, Primers and Cleaners will perform in accordance with applicable standards. Whitlam Cements, Primers and Cleaners will maintain a 3 year shelf life from date of manufacture if unopened or unused. Since we are unable to control conditions for with the product is being used, our only obligation will be the replacement of the product. See the Limited and Guaranteed Sale and Return Policy for additional information.




These products are ideal for use with potable water pressure systems, irrigation, turf, conduit, pool, spa, industrial piping, sewer, drain, waste and vent systems.

SCHEDULE 40 PRESSURE

SCHEDULE 80 PRESSURE |





^{*} Suitable for use with PVC, CPVC, ABS,

Average Initial Set Schedule For WHITLAM PVC/CPVC Solvent Cements**

Temperature Range	Pipe Sizes 1/2" to 11/4"	Pipe Sizes 1 ¹ / ₂ " to 2"	Pipe Sizes 21/2" to 8"	Pipe Sizes 10" to 15"	Pipe Sizes 15"+
60°-100°F	2 minutes	5 minutes	30 minutes	2 hours	4 hours
40°- 60°F	5 minutes	10 minutes	2 hours	8 hours	16 hours
0°- 40°F	10 minutes	15 minutes	12 hours	24 hours	48 hours

Note - Initial set schedule is the necessary time to allow before the joint can be carefully handled. In damp or humid weather allow 50% more set time.

Average Number of Joints Per Quart of WHITLAM Cement and Primer* 1/2" 3/4" 1" 11/2" 2" 3" Pipe Diameter 4" 6" 8" 10" 12" 15" 18"

Number of Joints 300 200 125 90 60 40 30 10 5 2-3 1-2 3/4 1/2 For Primer: Double the number of joints shown for cement, *These figures are estimates based on our laboratory tests. Due to the many variables in the field, these figures should be used as a general guide only. Note: 1 Joint = 1 Socket

^{**} These figures are estimates based on our laboratory tests using water; extended set times are required for chemical applications. Due to the many variables in the field, these figures should be used as a general guide only

THREAD SEALANTS

TYTE-UNYTE® Non-hardening Gray Pipe Joint Compound in paste form. No Drip, Thixotropic Formula. For Air, Steam, Natural Gas and Water. "Standard of the Industry Since 1900." For use on all metal threads. Meets Federal Specification TI-A-580D. MADE IN THE U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
T2*	2 oz056 kg	Tube**	72	10 lbs 4.5 kg	2.55
T8	1/2 Pint/1 lb454 kg	Brush Top Can	24	26 lbs 11.8 kg	6.33
T8C*	1/2 Pint/1 lb454 kg	Brush Top Can	24	26 lbs 11.8 kg	6.33
T16	Pint/2 lbs92 kg	Brush Top Can	12	25 lbs 11.3 kg	9.68
T6	6 lbs 2.72 kg	Pail w/Handle	4	31 lbs 14.1 kg	22.59
T50	50 lbs./5 gal 22.68 kg	Pail w/Handle	1	54 lbs 24.5 kg	192.33
T600	600 lbs./55 gal 208 L	55 Gallon Drum	1	640 lbs 290.3 kg	1862.78



STEEL-UNYTE Pipe Joint, Thread and Hard Set Sealer, Dark Gray, Semi-Paste for use on all Metal Threaded Connections and Flanges. Meets Military Specification MIL-S-7916B. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. MADE IN THE U.S.A.

ST4	1/4 Pint - 118 ml	Brush Top Can	24	14 lbs 6.4 kg	10.29
ST8	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg	15.37
ST8A	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	11 lbs 5.0 kg	16.76
ST16	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg	24.74
ST32	Quart95 L	Brush Top Can	12	43 lbs 19.5 kg	39.30
ST5	5 Gallon - 18.9 L	Pail w/Handle	1	65 lbs 29.5 kg	540.88
ST55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg	4411.07



T-U TYPE 555 Soff-Set, Yellow Thread Sealing Compound for use on Plastic and Metal Threaded Systems carrying Air, Steam, Petroleum, Water, Gases and many Chemicals. Meets Federal Specification TT-S-1732. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. MADE IN THE U.S.A.

TU4	1/4 Pint - 118 ml	Brush Top Can	24	14 lbs 6.4 kg	9.42
TU8	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg	16.50
TU8A	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	11 lbs 5.0 kg	18.03
TU16	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg	26.45
TU32	Quart95 L	Brush Top Can	12	41 lbs 18.6 kg	48.36
TU5	5 Gallon - 18.9 L	Pail w/Handle	1	65 lbs 29.5 kg	612.64
TU55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg	5213.82
TU8C*	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg	18.03





BLUE MAGIC All Purpose, Non-seizing, Industrial Grade Pipe Thread Compound that produces a leakproof seal on all types of metal and plastic threaded connections. Suitable for ABS, PVC, and CPVC threaded connections. Approved for use on Spears FlameGuard® CPVC Systems. Meets Federal Specification IT-S-1732. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. MADE IN THE U.S.A.

•					
IG2	2 oz056 kg	Tube**	72	11 lbs 5.0 kg	5.07
IG4	1/4 Pint - 118 ml	Brush Top Can	24	15 lbs 6.8 kg	9.75
IG8	1/2 Pint - 237 ml	Brush Top Can	24	24 lbs 10.9 kg	15.51
IG8A	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg	16.83
IG16	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg	25.70
IG32	Quart95 L	Brush Top Can	12	42 lbs 19.1 kg	46.17
IG5	5 Gallon - 18.9 L	Pail w/Handle	1	65 lbs 29.5 kg	585.28
IG55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg	5307.04
IG8C*	1/2 Pint - 237 ml	Brush Top Can	24	24 lbs 10.9 kg	15.51
IG8CA*	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg	16.83
IG16C*	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg	25.70



SELECT-UNYTE Soft-Set, White All Purpose PTFE Paste Thread Sealing Compound. For use on plastic and metal threaded systems carrying air, steam, petroleum, water, gases and many chemicals. Meets Federal Specification TT-S-1732. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. MADE IN THE U.S.A.

TF2	2 oz056 kg	Tube**	72	11 lbs 5.0 kg	5.42
TF4	1/4 Pint - 118 ml	Brush Top Can	24	15 lbs 6.8 kg	9.63
TF8	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg	17.18
TF8A	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg	18.88
TF16	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg	28.43
TF32	Quart95 L	Brush Top Can	12	43 lbs 19.5 kg	52.15
TF5	5 Gallon - 18.9 L	Pail w/Handle	1	66 lbs 29.9 kg	662.29
TF55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg	5803.02
TF8C*	1/2 Pint - 237 ml	Brush Top Can	24	23 lbs 10.4 kg	17.18
TF8CA*	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg	18.88
TF16C*	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg	28.43
TF32C*	Quart95 L	Brush Top Can	12	43 lbs 19.5 kg	52.15



^{*}Bilingual Label: French and English. **Tubes Packed 12 Per Clear Plastic Tub. FlowGuard Gold®, BlazeMaster®, and Corzan® are Registered Trademarks of The Lubrizol Corporation. FlameGuard® is a registered trademark of Spears Manufacturing Company. Pallet Quantities for Thread Sealants: 1/4 Pint = 130 Cases, 1/2 Pint = 80 Cases, 1 Pint = 80 Cases, 1 Quart = 56 Cases, 1 Gallon = 45 Cases.

THREAD SEALANTS

TALON PTFE THREAD COMPOUND A Triple Lubricating, All Purpose, Non-Seizing, VOC Free, Industrial Grade Thread Sealing Compound that provides Freedom from Leaks™ on all types of metal and plastic threaded connections. **TALON PTFE THREAD COMPOUND** contains Graphite, Ceramic Microspheres, and Virgin PTFE for optimal sealing. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. **MADE IN THE U.S.A.**





SI	OCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
	TAL4	1/4 Pint - 118 ml	Brush Top Can	24	15 lbs 6.8 kg	10.57
	TAL8	1/2 Pint - 237 ml	Brush Top Can	24	24 lbs 10.9 kg	18.90
	TAL8A	1/2 Pint - 237 ml	Brush Top Can (Display Box)	12	13 lbs 5.9 kg	20.76
	TAL16	Pint - 473 ml	Brush Top Can	12	22 lbs 10.0 kg	31.32
	TAL32	Quart95 L	Brush Top Can	12	42 lbs 19.1 kg	57.37
	TAL5	5 Gallon - 18.9 L	Pail w/Handle	1	65 lbs 29.5 kg	728.52
	TAL55	55 Gallon - 208 L	55 Gallon Drum	1	640 lbs 290.3 kg	6383.35



POWER SEAL PLUS Non-Drying, Arctic Blue PTFE Based Thread Sealing Compound. Specially formulated for the Fire Sprinkler Industry for use on all metal threaded connections, FlowGuard Gold®, BlazeMaster®, and Corzan® CPVC pipe and fittings. Meets Federal Specification TT-S-1732. **MADE IN THE U.S.A.**

POW32	Quart95 L	Plastic Container w/Twist Top Lid	12	42 lbs 19.1 kg	54.24
POW32B	Quart95 L	Brush Top Can	12	44 lbs 20.0 kg	54.24
POW5	5 Gallon - 18.9 L	Pail w/Handle	1	73 lbs 33.1 kg	692.19
POW55	55 Gallon - 208 I	55 Gallon Drum	1	740 lbs 335.7 kg	6099.51



ANTI-SEIZE



TALON COPPER ANTI-SEIZE Lubricant and Thread Sealant. Lead Free, Non-Seizing, Copper Based conforms to MIL-A-907E Specification. Service Rating to 1800° F (982° C). **MADE IN THE U.S.A.**

CU4	5 oz142 kg	Brush Top Can	24	15 lbs 6.8 kg	14.22
CU8	10 oz284 kg	Brush Top Can	24	20 lbs 9.1 kg	21.68
CU8A	10 oz284 kg	Brush Top Can (Display Box)	12	10 lbs 4.5 kg	23.63
CU16	1 lb454 kg	Brush Top Can	12	19 lbs 8.6 kg	29.42
CU32	2-1/2 lbs 1.13 kg	Brush Top Can	12	36 lbs 16.3 kg	55.35
CU5	50 lbs 22.68 kg	Pail w/Handle	1	54 lbs 24.5 kg	844.45
CU55	500 lbs 226.8 kg	55 Gallon Drum	1	540 lbs 244.9 kg	7185.18



TALON NICKEL ANTI-SEIZE Lubricant and Thread Sealant. Lead Free, Non-Seizing, Nickel Based exceeds MIL-A-907E Specification. Service Rating to 2600° F (1427° C). **MADE IN THE U.S.A.**

NI8	8 oz227 kg	Brush Top Can	12	10 lbs 4.5 kg	38.34
NI16	1 lb454 kg	Brush Top Can	12	19 lbs 8.6 kg	63.42

THREAD SEALANT COMPATIBILITY CHART

	Acids, concentrated	Acids, dilute	Air, compressed	Alcohols, all	Aliphatic Solvents			Aromatic Solvents	Caustic, concentrated	Caustic, dilute		Cuttingoils (low aromatic)	Diesel Fuel Oil	Ethylene Glycol (anti-freeze)	Fatty Acids, liquid	Gasohol (unleaded 10% alcohol	Gasoline	Glycerine	Heating Oils	Helium, gaseous	Hydraulic fluids, water/glycol	Hydraulic Oils	Hydrogen, gaseous	rt Gase s	Jet Fuel (JP3, 4, 5, 6, 8)	Kerosene		Liquified Petroleum Gases	Mineral Oils	Natural Gas	Nitrogen, gaseous	Oxygen, gaseous	Petroleum Solvents	Refrigerants	Refrigeration Oil	Soap, liquid		š١	Water (hot or cold)
TYTE UNYTE		R	R																											R							R		R
STEEL UNYTE		R			R		R			R		R			R			R	R		R					R		R		R	R			R				R	
T-U TYPE 555		R	R		R	R	R			R		R	R				R		R	R		R	R	R	R	R		R	R	R	R		R	R	R	R	R	R	R
BLUE MAGIC		R	R		R	R	R			R		R	R				R		R	R		R	R	R	R	R		R	R	R	R		R	R	R	R	R	R	R
SELECT-UNYTE		R	R		R	R	R			R		R	R				R		R	R		R	R	R	R	R		R	R	R	R		R	R	R	R	R	R	R
TALON PTFE THREAD COMPOUND		R	R		R	R	R			R		R	R				R		R	R		R	R	R	R	R		R	R	R	R		R	R	R	R	R		R
POWER SEAL PLUS			R															R																			R		R
TALON COPPER ANTI-SEIZE			R			R	R			R														R						R	R			R		R			R
TALON NICKEL ANTI-SEIZE			R			R				R														R						R				R		R	R		R
PTFE TAPES	R	R	R	R	R	R	R	R	R	R	R	R	R	Ŕ	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	Ŕ	R	R	R	R	R



THREAD SEALANT TAPE

TALON PROFESSIONAL HIGH DENSITY GRAY PTFE TAPE 3.5 Mil Thick, 0.8g/cm³ High Density, 100% Elongation. Excellent for natural and LP gas. Meets MlL-T-27730A. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. Packaged in a point of purchase display box.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
TL1429	1/2" x 1429" - 1.27 cm x 36.3 m	Plastic Spool	45	6 lbs 2.7 kg	4.36
TLW1429	3/4" x 1429" - 1.9 cm x 33.3 m	Plastic Spool	27	6 lbs 2.7 kg	5.91
TLX1429	1" x 1429" - 1.9 cm x 33.3 m	Plastic Spool	27	6 lbs 2.7 kg	8.55

Service Service

TAPE-UNYTE® HIGH DENSITY WHITE PTFE TAPE PTFE Pipe Joint Compound in Tape Form. Packed on a Spool with Cover. 3.5 Mil Thick, 0.9g/cm³ High Density. Meets MIL-T-27730A. FDA approved. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. Packaged in a point of purchase display box. **MADE IN THE U.S.A.**

	T / /// TOO!! / / TOO	·· - ·			
F520	1/4" x 520"63 cm x 13.2 m	Plastic Spool	12	1 lb 0.5 kg	6.92
T260	1/2" x 260" - 1.27 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg	5.56
T520	1/2" x 520" - 1.27 cm x 13.2 m	Plastic Spool	12	1 lb 0.5 kg	9.09
T1296	1/2" x 1296" - 1.27 cm x 32.9 m	Plastic Spool	12	2 lbs 0.9 kg	17.68
W260	3/4" x 260" - 1.9 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg	8.03
W520	3/4" x 520" - 1.9 cm x 13.2 m	Plastic Spool	12	2 lbs 0.9 kg	12.73
X260	1" x 260" - 2.54 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg	10.12



YELLOW GAS LINE PTFE TAPE 4 Mil Thick, 0.9g/cm³ High Density. Specifically Formulated for use on Natural, LP and Synthetic Gases. UL Approved. Meets or exceeds MIL-T-27730A. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. **MADE IN THE U.S.A.**

GT260	1/2" x 260" - 1.27 cm x 6.6 m	Plastic Spool	144	8 lbs 3.6 kg	4.80
GT260A	1/2" x 260" - 1.27 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg	5.51
GT520	1/2" x 520" - 1.27 cm x 13.2 m	Plastic Spool	144	10 lbs 4.5 kg	8.80
GT520A	1/2" x 520" - 1.27 cm x 13.2 m	Plastic Spool	12	1 lb 0.5 kg	12.43



STAINLESS STEEL PTFE TAPE Gray PTFE Pipe Joint Compound in Tape Form. Formulated for use on all Stainless Steel Fittings. Prevents Galling, Seizing, and Corrosion. 4 Mil Thick, 1.2g/cm³ Ultra-High Density. Exceeds MIL Spec T-27730A. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds. **MADE IN THE U.S.A.**

SST260	1/2" x 260" - 1.27 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg	7.77
SSTW260	3/4" x 260" - 1.9 cm x 6.6 m	Plastic Spool	12	1 lb 0.5 kg	11.51



QUALITY WHITE IMPORT PTFE TAPE Pipe Joint Compound in Tape Form. Packed on a Spool with Cover. 3.5 Mil Thick, 0.38g/cm³ Density. Meets MIL-T-27730A. Meets International Fuel Gas Code 403.9.3 for Thread Joint Compounds.

S260	1/2" x 260" - 1.27 cm x 6.6 m	Plastic Spool	100	3 lbs 1.4 kg	0.92
S520	1/2" x 520" - 1.27 cm x 13.2 m	Plastic Spool	100	3 lbs 1.4 kg	1.58
S1296	1/2" x 1296" - 1.27 cm x 32.9 m	Plastic Spool	50	3 lbs 1.4 kg	4.15
SW260	3/4" x 260" - 1.9 cm x 6.6 m	Plastic Spool	70	3 lbs 1.4 kg	1.91
SW520	3/4" x 520" - 1.9 cm x 13.2 m	Plastic Spool	70	3 lbs 1.4 kg	2.83
SW1296	3/4" x 1296" - 1.9 cm x 32.9 m	Plastic Spool	150	15 lbs 6.8 kg	6.83
SX520	1" x 520" - 2.54 cm x 13.2 m	Plastic Spool	50	3 lbs 1.4 kg	4.03



PUTTY

TALON SUPER SOFT STAINLESS PLUMBER'S PUTTY Never Hardens. Cream Color. Meets Federal Specifications TT-P-1536A. **MADE IN THE U.S.A.**

MT1	14 oz397 kg	Plastic Tub	24	25 lbs 11.3 kg	3.65
MT3	3 lbs 1.38 kg	Plastic Tub	6	19 lbs 8.6 kg	10.29
MT5	5 lbs 2.26 kg	Plastic Tub	6	32 lbs 14.5 kg	15.32
MT15	15 lbs 6.90 kg	Pail w/Handle	4	67 lbs 30.4 kg	45.32



TALON EPOXY FOR PLASTIC A hand-mixable, fast-setting epoxy putty that forms a durable bond to most major plastic types. After mixing it forms a polymer compound that can be molded, wrapped around, or used to build up and repair just about anything made from rigid or semi-flexible plastic. Packaged in a point of purchase display box. Meets ASTM D-4236. **MADE IN THE U.S.A.**

EPP4	4 oz 113.4 g	Plastic Tube	24	11 lbs 5.0 kg	13.96
	7" (18 cm) Long Sticks	(2 Display Cartons)			



TALON EPOXY FOR STEEL A hand-mixable, steel-reinforced, non-rusting fast-setting epoxy putty that quickly repairs or rebuilds anything made of steel. After mixing it forms a polymer compound that can be molded, wrapped around, build up, patch and repair steel components. Packaged in a point of purchase display box. **MADE IN THE U.S.A.**

EPS4	4 oz 113.4 g	Plastic Tube	24	11 lbs 5.0 kg	13.96
	7" (18 cm) Long Sticks	(2 Display Cartons)			



REPAIR CEMENTS & COATINGS



BLACK FLASH Flashing Cement Compound. All Weather. Never Hardens. Meets Federal Specifications SS-C-153. **MADE IN THE U.S.A.**

STO	CK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
	BFC	1/10 gal37 L	Cartridge	12	11 lbs 5.0 kg	9.60
	BF32	Quart95 L	Can	12	33 lbs 15.0 kg	19.82
	BF1	Gallon - 3.785 L	Can w/Handle	4	40 lbs 18.1 kg	46.17



"BLACK DRAGON" BLACK GILSONITE ASPHALT PAINT A quick drying, high gloss Asphalt Enamel Paint. Provides excellent corrosion protection for all types of metal surfaces including pipe. Offers one coat coverage with full resistance to water, acids, alkalis, electrolysis, and natural elements. **MADE IN THE U.S.A.**

BD1	Gallon - 3.785 L	Can w/Handle	4	32 lbs 14.5 kg	55.14
BD5	5 Gallon - 18.9 L	Pail w/Handle	1	41 lbs 18.6 kg	217.37
BD55	55 Gallon - 208 L	Drum	1	550 lbs 226.8 kg	2353.77



TALON DIRECT TO METAL (DTM) ENAMEL is a premium, industrial grade, alkyd enamel specially formulated for use on all types of metal surfaces. Its special rust-inhibiting formula creates an armor coating against the elements. **TALON DTM ENAMEL** coatings resist mild solvents, oils, mild chemicals and salt water. **MADE IN THE U.S.A.**

DTMBLU1	Gallon - 3.785 L	Blue Boxed	2	19 lbs 8.6 kg	76.65
DTMGRN1	Gallon - 3.785 L	Green Boxed	2	19 lbs 8.6 kg	76.65
DTMGRY1	Gallon - 3.785 L	Gray Boxed	2	19 lbs 8.6 kg	76.65
DTMPUR1	Gallon - 3.785 L	Purple Boxed	2	19 lbs 8.6 kg	89.35
DTMRED1	Gallon - 3.785 L	Red Boxed	2	19 lbs 8.6 kg	76.65
DTMWHT1	Gallon - 3.785 L	White Boxed	2	19 lbs 8.6 kg	76.65
DTMYEL1	Gallon - 3.785 L	Yellow Boxed	2	19 lbs 8.6 kg	76.65

CUTTING OILS

TALON LIGHT OIL Super-Supreme Sulphur Base Cutting and Threading Oil for use with all Pipe Threading Machinery. **MADE IN THE U.S.A.**



WL32	Quart95 L	Plastic Jug w/Spout	12	27 lbs 12.2 kg	17.91
WL1	Gallon - 3.785 L	Plastic Jug w/Spout	6	48 lbs 21.8 kg	42.85
WL5	5 Gallon - 18.9 L	Pail w/Handle	1	39 lbs 17.7 kg	209.77
WL55	55 Gallon - 208 L	55 Gallon Drum	1	454 lbs 205.9 kg	2037.49

TALON DARK OIL Super-Supreme Sulphur Base Cutting and Threading Oil for use with all Pipe Threading Machinery. **MADE IN THE U.S.A.**



WD32	Quart95 L	Plastic Jug w/Spout	12	27 lbs 12.2 kg	17.91	
WD1	Gallon - 3.785 L	Plastic Jug w/Spout	6	48 lbs 21.8 kg	42.85	
WD5	5 Gallon - 18.9 L	Pail w/Handle	1	39 lbs 17.7 kg	209.77	
WD55	55 Gallon - 208 L	55 Gallon Drum	1	454 lbs 205.9 kg	2037.49	

CAULKING GUNS





#48 Standard Boxed 6 7 lbs. - 3.2 kg 10.76

PROFESSIONAL RATCHET CAULKING GUN Superior smooth rod frame caulkers are uniquely designed for professionals to develop a powerful thrust ratio, making the extrusion of stiff caulks and sealants easy and comfortable. Gun features three extra built-in tool functions: seal puncture tool, spout cutter and ladder hook. **MADE IN THE U.S.A.**



#56 Standard Boxed 6 9 lbs. - 4.1 kg 20.57



DAP® KWIK SEAL® KITCHEN & BATH ADHESIVE CAULK

DAP® KWIK SEAL® Bonds like a glue and seals like a caulk. Provides a durable, 100% waterproof seal. Cured caulk is mold and mildew resistant. Applies easily and tools smoothly. Excellent adhesion. Paintable. Low odor and easy water clean-up.

STOCK CODE WHITE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
18001	5.5 fl. oz 163 ml	Plastic Tube	12	8 lbs 3.6 kg	5.46
18032	10 fl. oz 296 ml	Cartridge	12	15 lbs 6.8 kg	9.58
CLEAR					
18008	5.5 fl. oz 163 ml	Plastic Tube	12	8 lbs 3.6 kg	5.56
ALMOND				· ·	
18013	5.5 fl. oz 163 ml	Plastic Tube	12	8 lbs 3.6 kg	5.56



DAP® PHENOSEAL® VINYL ADHESIVE ALL PURPOSE CAULK

DAP® PHENOSEAL® VINYL ADHESIVE CAULK A versatile all-purpose caulk, Phenoseal® Vinyl Adhesive Caulk is perfect for almost any job. It truly does it all - BONDS, CAULKS and SEALS. As an adhesive, it creates a strong bond; as a caulk, it contracts and expands to seal joints up to 1/4", as a sealant, it keeps water and air from penetrating cracks and seams preventing energy loss. This fast-drying interior/exterior formula cleans easily with soap and water. Cured caulk is mold and mildew resistant and can be painted with latex and oil-based paint.



00005 10 fl. oz. - 296 ml Cartridge 12 10 lbs. - 4.5 kg 9.47



DAP® KITCHEN & BATH 100% SILICONE RUBBER SEALANT

DAP® KITCHEN & BATH 100% SILICONE RUBBER SEALANT Provides excellent durability, flexibility and adhesion for a long-lasting, 100% waterproof seal. Cured sealant is mold and mildew resistant. Lifetime Guarantee from **DAP®**.

CLEAR

00751 2.8 fl. oz. - 83 ml Plastic Tube 6 2 lbs. - 1.0 kg 9.37



DAP® HVAC PROFESSIONAL 100% RTV SILICONE A high-performance sealant designed especially for HVAC applications. It provides a long-lasting, weather-resistant seal with supreme adhesion, flexibility, and durability. It adheres to most common building materials and remains flexible from -40 to 475°F. Meets Fed. Spec. TT-S-00230 C Class A, TT-S-001543 A Class A, ASTM C920, Class 25, FDA Reg. No. 21 CFR 177, 2600 when fully cured. Safe for incidental food contact - NSF Certified.

WHITE					
08010	10 fl. oz 296 ml	Cartridge	12	8 lbs 3.6 kg	9.75
CLEAR 08011 HIGH TEMP RED	10 fl. oz 296 ml	Cartridge	12	8 lbs 3.6 kg	9.75
08013	10 fl. oz 296 ml	Cartridge	12	8 lbs 3.6 kg	12.59



DAP® TOUCH 'N SEAL QUICK CURE HIGH YIELD POLYURETHANE FOAM

DAP® TOUCH 'N SEAL QUICK CURE HIGH YIELD POLYURETHANE FOAM A high performance, single component, moisture curing, Class 1 fire retardant, expanding polyurethane sealant. Use Quick Cure HY when high expansion is needed to fill and seal larger gaps and cracks.

00057 11 fl. oz. - 325 ml Aerosol Can 12 13 lbs. - 5.9 kg 15.14



DAP® TOUCH 'N FOAM® FIREBREAK FLAME RESISTANT SEALANT

DAP® TOUCH 'N FOAM® FIREBREAK FLAME RESISTANT SEALANT is an easy-to-use fireblock* foam sealant that's ideal for small contractor jobs. Independent testing confirms that FireBreak resists flaming twice as long as the competition and prohibits oxygen flow into service penetrations where fire may quickly spread. Using FireBreak in these penetrations slows the fire taking it longer to move to adjoining rooms, giving one valuable time to get to safety. FireBreak is bright orange and can be easily identified as an approved fireblock penetration sealant. Space connections in soffits and drop ceilings. Partitions and stud walls at ceilings and floors. Top and bottom of stair stringers. Through-penetration (electrical, plumbing, etc.). Meets ASTM E84/UL 723; Class A Fire Rated. Only approved fireblock to pass the UL 94 V-0 Burn Test. Meets ASTM E814 (modified) and UL 1715.

*NOT A FIRESTOP. Approved fireblock formula (ICC-ES ESR-1926).



10012 12 fl. oz. - 355 ml Aerosol Can 12 13 lbs. - 5.9 kg 23.43

ABRASIVE CLOTHS

BROWN SAND CLOTH 120J Waterproof, Brown Abrasive Cloth for Cleaning Copper Pipe.



STO	CK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
	JAO5	1-1/2" x 5 yd 3.81 cm x 4.54 m	Boxed	50	15 lbs 6.8 kg	6.12
	JAO5A	1-1/2" x 5 yd 3.81 cm x 4.54 m	Boxed	24	8 lbs 3.6 kg	6.64
	JAO10	1-1/2" x 10 yd 3.81 cm x 9.08 m	Boxed	50	26 lbs 11.8 kg	9.94
	JAO10A	1-1/2" x 10 yd 3.81 cm x 9.08 m	Boxed	24	13 lbs 5.9 kg	10.88
	JAO25	1-1/2" x 25 yd 3.81 cm x 22.7 m	Boxed	20	26 lbs 11.8 kg	21.16

BLUE SAND CLOTH 120J Waterproof, Blue Abrasive Cloth for Cleaning Copper Pipe. 100% Jean Cloth Backing.



WP5	1-1/2" x 5 yd 3.81 cm x 4.54 m	Boxed	50	14 lbs 6.4 kg	6.59
WP5A	1-1/2" x 5 yd 3.81 cm x 4.54 m	Boxed	24	7 lbs 3.2 kg	7.35
WP10	1-1/2" x 10 yd 3.81 cm x 9.08 m	Boxed	50	24 lbs 10.9 kg	11.35
WP10A	1-1/2" x 10 yd 3.81 cm x 9.08 m	Boxed	24	14 lbs 6.4 kg	12.48
WP25	1-1/2" x 25 yd 3.81 cm x 22.7 m	Boxed	20	22 lbs 10.0 kg	24.38
WP25A	1-1/2" x 25 yd 3.81 cm x 22.7 m	Boxed	12	16 lbs 7.3 kg	26.71

OPEN MESH CLOTH Nylon Open Mesh Abrasive Cloth for Cleaning Copper Pipe. Waterproof and Reusable.



OM5	1-1/2" x 5 yd 3.81 cm x 4.54 m	Boxed	50	14 lbs 6.4 kg	13.28
OM5A	1-1/2" x 5 yd 3.81 cm x 4.54 m	Boxed	24	7 lbs 3.2 kg	14.66
OM10	1-1/2" x 10 yd 3.81 cm x 9.08 m	Boxed	50	23 lbs 10.4 kg	21.84
OM10A	1-1/2" x 10 yd 3.81 cm x 9.08 m	Boxed	24	11 lbs 5.0 kg	24.22
OM25	1-1/2" x 25 yd 3.81 cm x 22.7 m	Boxed	20	21 lbs 9.5 kg	52.36
OM25A	1-1/2" x 25 yd 3.81 cm x 22.7 m	Boxed	12	14 lbs 6.4 kg	57.49

FITTING BRUSHES

WIRE HANDLE PLUMBING COPPER FITTING BRUSHES High Carbon Steel, Reusable Copper Cleaning Brushes with Wire Handle. Sizes I.D. Nominal. MADE IN THE U.S.A.



CF18	1/8" ID32 cm ID	Boxed	12	1 lb 0.5 kg	3.18
CF25	1/4" ID63 cm ID	Boxed	12	1 lb 0.5 kg	2.97
CF38	3/8" ID95 cm ID	Boxed	12	1 lb 0.5 kg	2.97
CF5	1/2" ID - 1.27 cm ID	Boxed	12	1 lb 0.5 kg	3.09
CF58	5/8" ID - 1.58 cm ID	Boxed	12	1 lb 0.5 kg	3.18
CF75	3/4" ID - 1.91 cm ID	Boxed	12	1 lb 0.5 kg	3.18
CF1	1" ID - 2.54 cm ID	Boxed	12	1 lb 0.5 kg	3.72
CF125	1-1/4" ID - 3.18 cm ID	Boxed	6	1 lb 0.5 kg	4.12
CF15	1-1/2" ID - 3.81 cm ID	Boxed	6	1 lb 0.5 kg	4.19
CF2	2" ID - 5.08 cm ID	Boxed	6	1 lb 0.5 kg	4.66
CF250	2-1/2" ID - 6.35 cm ID	Boxed	6	1 lb 0.5 kg	6.29

SOLID HANDLE PLUMBING COPPER FITTING BRUSHES High Carbon Steel, Reusable Copper Cleaning Brushes with Solid Plastic Handle. Cleans fast! Sizes I.D. Nominal. MADE IN THE U.S.A.



CP18	1/8" ID32 cm ID	Boxed	12	1 lb 0.5 kg	4.59
CP25	1/4" ID63 cm ID	Boxed	12	1 lb 0.5 kg	4.59
CP38	3/8" ID95 cm ID	Boxed	12	1 lb 0.5 kg	4.05
CP5	1/2" ID - 1.27 cm ID	Boxed	12	1 lb 0.5 kg	4.05
CP58	5/8" ID - 1.58 cm ID	Boxed	12	1 lb 0.5 kg	4.19
CP75	3/4" ID - 1.91 cm ID	Boxed	12	1 lb 0.5 kg	4.19
CP1	1" ID - 2.54 cm ID	Boxed	12	1 lb 0.5 kg	5.28
CP125	1-1/4" ID - 3.18 cm ID	Boxed	6	1 lb 0.5 kg	5.65
CP15	1-1/2" ID - 3.81 cm ID	Boxed	6	1 lb 0.5 kg	6.40
CP2	2" ID - 5.08 cm ID	Boxed	6	1 lb 0.5 kg	7.25



FLUX & GREASE

TALON SOLDER FLUX PASTE Self-Cleaning, Noncorrosive, Lead Free. Specially formulated for use with 95/5, 60/40, 50/50, 40/60 and Lead Free Solders on Copper, Galvanized Iron, Tin, Mild Steel, Terneplate, Zinc, Silver, Nickel and Sheet Lead. **Not recommended for use on aluminum.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
FT2	2 oz 57 g	Plastic Jar	144	26 lbs 11.8 kg	3.44
FT2A	2 oz 57 g	Plastic Jar	36	7 lbs 3.2 kg	3.65
FT4	4 oz 113.4 g	Plastic Jar	24	8 lbs 3.6 kg	5.58
FT8BT	8 oz 226.8 g	Plastic Jar w/Brush	24	17 lbs 7.7 kg	9.04
FT1	1 lb 454 a	Plastic Jar	24	29 lbs 13.2 kg	14.31



TALON WATER SOLUBLE PASTE FLUX Specially Formulated, Creamy, White, Water Flushable Paste Flux that holds its shape and will not slump until being heated above 122°F (50°C). Suitable for use on all types of tin solder and their alloys. Meets ASTM B-813. **MADE IN THE U.S.A.**

TWF2	2 oz 57 g	Plastic Jar	36	8 lbs 3.6 kg	5.09
TWF4	4 oz 113.4 g	Plastic Jar	24	9 lbs 4.1 kg	9.89
TWF8BT	8 oz 226.8 g	Plastic Jar w/Brush	24	17 lbs 7.7 kg	14.19
TWF1	1 lb 454 g	Plastic Jar	24	31 lbs 14.1 kg	23.82



E-Z TURN FAUCET & VALVE HEAT PROOF GREASE Waterproof, High Temperature up to 350°F (176°C) for Lubricating Valve Stems of Faucets, Valves, Ballcocks, Plungers, Packings and Washers. Prevents sticking and rust. **MADE IN THE U.S.A.**

HPG2	2 oz 56.7 g	Plastic Container	24	5 lbs 2.3 kg	3.79
HPG2C*	2 oz 56.7 a	Plastic Container	24	5 lbs 2.3 ka	3.79



MULTI-PURPOSE SILICONE GREASE Moisture resistant, non-curing paste. Wide temperature range from -70°F (57°C) to 400°F (204°C). Excellent for lubricating valve stems of faucets, valves, ballcocks, plungers, packings, washers, food equipment, hydrants, backflows, and O-rings. Also recommended for waterproofing electrical and mechanical devices. Made from Food Grade Silicone. Meets: FDA-CFR-21-178.3570 and SAE-AS-8660. **MADE IN THE U.S.A.**

SG2	2 oz 56.7 g	Plastic Container	24	5 lbs 2.3 kg	7.02
-----	-------------	-------------------	----	--------------	------



PIPE GASKET LUBRICANTS

BLUE LUBE POLYMER-BASED PIPE GASKET LUBE A water-soluble lubricant for all metal or plastic gasketed pipe including Victaulic** type fittings. Works on wet or dry surfaces. Safe for Potable Water Systems. Odorless and Cleans up Easily. Nontoxic, Noncorrosive, Nonflammable. **MADE IN THE U.S.A.**

GLP4	1/4 Pint - 118 ml	Plastic Jar	24	8 lbs 3.6 kg	3.02
GLP16	Pint - 473 ml	Plastic Container	24	30 lbs 13.6 kg	6.99
GLP32	Quart95 L	Plastic Container w/Twist Top Lid	12	28 lbs 12.7 kg	10.50
GLP1	Gallon - 3.785 L	Pail w/Handle	4	37 lbs 16.8 kg	36.08
GLP5	5 Gallon - 18.9 L	Pail w/Handle	1	45 lbs 20.4 kg	152.40
GLP55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg	1625.68





PIPE SLIME PIPE GASKET LUBE An Emulsified Polymer Based Lubricant that is specially formulated to prevent turbidity, taste, and/or odor problems in new water main installations. Great for use with mechanical couplings. All weather formula is excellent for low-temperature applications. Temperature Range Use: 0°F (-18°C) to 150°F (66°C). **MADE IN THE U.S.A.**

SLIME4	1/4 Pint - 118 ml	Plastic Jar	24	8 lbs 3.6 kg	4.12
SLIME16	Pint - 473 ml	Plastic Container	24	30 lbs 13.6 kg	6.62
SLIME32	Quart95 L	Plastic Container w/Twist Top Lid	12	28 lbs 12.7 kg	12.31
SLIME1	Gallon - 3.785 L	Pail w/Handle	4	37 lbs 16.8 kg	42.97
SLIME5	5 Gallon - 18.9 L	Pail w/Handle	1	45 lbs 20.4 kg	183.49
SLIME55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg	1859.28
				_	





QUICK SLIP PLUS VEGETABLE OIL-BASED PIPE JOINT LUBRICANT A paste lubricant for all metal or plastic gasketed pipe including Victaulic** type fittings. Works on Wet or Dry Surfaces. Safe for Potable Water Systems. Nontoxic, Noncorrosive, Nonflammable. **MADE IN THE U.S.A.**

QS32	Quart95 L	Plastic Container w/Twist Top Lid	12	30 lbs 13.6 kg	13.82
QS1	Gallon - 3.785 L	Pail w/Handle	4	34 lbs 15.4 kg	45.09
QS5	5 Gallon - 18.9 L	Pail w/Handle	1	46 lbs 20.9 kg	218.31
Q\$55	55 Gallon - 208 L	55 Gallon Drum	1	480 lbs 217.7 kg	2324.66





^{*}Bilingual Label: French and English. **Trademark of Victaulic Company.

Pallet Quantities for Blue Lube Paste: 1 Pint = 40 Cases, 1 Quart = 40 Cases, 1 Gallon = 45 Cases, 5 Gallon = 32 Pails.

Pallet Quantities for Pipe Slime and Quick Slip Plus: 1 Pint = 40 Cases, 1 Quart = 40 Cases, 1 Gallon = 45 Cases, 5 Gallon = 32 Pails.



SYSTEM DESCALER

FLOW-AIDE SYSTEM DESCALER Quickly dissolves water scale, lime, rust and other water formed deposits, restoring efficiency to most appliances. Noncorrosive, Nontoxic, Fully Biodegradable, Safe to Handle, Zero VOC. Certified to NSF/ANSI 60 for use as a cleaner in potable water systems. **MADE IN THE U.S.A.**



STOCK CO	DDE SIZE	CONTAINER ITEM	S/CASE	CASE WEIGHT	LIST PRICE EACH
FLOW32	Quart95 L	Plastic Jug w/Spout	12	30 lbs 13.6 kg	24.00
FLOW1	Gallon - 3.785 L	Plastic Jug w/Spout	6	57 lbs 25.9 kg	71.77
FLOW5	5 Gallon - 18.9 L	Pail w/Handle	1	48 lbs 21.8 kg	269.60
FLOW55	55 Gallon - 208 L	55 Gallon Drum	1	518 lbs 235.0 kg	2722.55
FLOW275	275 Gallon - 1041 L	Tote	1	2603 lbs 1180.7 kg	CALL FOR PRICE
FLOW32C*	Quart95 L	Plastic Jug w/Spout	12	30 lbs 13.6 kg	24.00
FLOW1C*	Gallon - 3.785 L	Plastic Jug w/Spout	6	57 lbs 25.9 kg	71.77

FLOW-AIDE SYSTEM DESCALER KIT

Whitlam's complete descaler kit includes: 1 - 3.5 Gallon Bucket, 1 - 725 GPH Pump,

2 - Rubber Hoses, 1 - Quart FLOW-AIDE (FLOW32)

FLOW-KIT	3.5 Gallon Bucket	1	13 lbs 5.9 kg	262.26
FLOW-DISPLAY†	Contains: 16 each FLOW32, 6 each FLOW-KIT	1	115 lbs 52.2 kg	1957.07
FLOW-KITC*	3.5 Gallon Bucket	1	13 lbs 5.9 kg	262.26
FLOW-DISPLAYC*†	Contains: 16 each FLOW32C*, 6 each FLOW-KITC*	1	115 lbs 52.2 kg	1957.07



FLOW-AIDE COMMERCIAL GRADE SYSTEM DESCALER KIT

Whitlam's complete descaler kit includes: 1 - 5 Gallon Bucket, 1 - 1150 GPH Pump,

2 - Rubber Hoses, 1 - Gallon FLOW-AIDE (FLOW1)

FLOW-COM5	5 Gallon Bucket	1	22 lbs 10.0 kg	398.24
FLOW-COMD†	Contains: 12 each FLOW32, 6 each FLOW1, 3 each FLOW-KIT, 2 each FLOW-COM5	1	173 lbs 78.5 kg	2238.55



REPLACEMENT PUMPS FOR FLOW-AIDE SYSTEM DESCALER KITS Submersible, magnetic drive utility pump with 15 foot power cord.

#EZ-725	725 GPH	Boxed	1	4 lbs 1.8 kg	216.71
#EZ-1150	1150 GPH	Boxed	1	7 lbs 3.2 kg	276.08



REPLACEMENT HOSES FOR FLOW-AIDE SYSTEM DESCALER KIT Rubber hoses with brass connectors. MADE IN THE U.S.A.

#500	60" - 1.5 m Male and Female Ends	Boxed	1	1 lb5 kg	13.44
#501	60" - 1.5 m Two Female Ends	Boxed	1	1 lb5 kg	13.93

LIQUID DRAIN TRAP PRIMER AND WATERLESS URINAL TRAP SEALANT

TALON LIQUID DRAIN TRAP PRIMER Eliminates drain odors. For use in shower drain traps, outdoor drain traps, basement drains, water heater drains, maintenance areas, floor traps, mop sink traps, residential bathrooms, kitchen sink traps, laundry room traps and in HVAC condensation drain traps. Long lasting and biodegradable. **MADE IN THE U.S.A.**

TDTP32	Quart95 L	Plastic Jug w/Spout	12	27 lbs 12.2 kg	33.69
TDTP1	Gallon - 3.785 L	Plastic Jug w/Spout	6	48 lbs 21.8 kg	101.06

TALON WATERLESS URINAL TRAP SEALANT Eliminates urinal odor problems. Ready-to-use trap liquid sealant for use in waterless urinals. **MADE IN THE U.S.A.**

TUTS32	Quart95 L	Plastic Jug w/Spout	12	27 lbs 12.2 kg	33.69
TUTS1	Gallon - 3.785 L	Plastic Jug w/Spout	6	48 lbs 21.8 kg	101.06

^{*}Bilingual Label: French and English.

[†]Displays ship assembled



DRAIN OPENERS & DRAIN CLEANERS

TALON DRAIN OPENER* Non-acid flake drain opener for clearing grease, hair, soap, oils, and other organic matter from drains. Hot water activated. Works in less than 60 seconds. Will not harm chrome, polished brass or plastic. Safe for septic tanks. **MADE IN THE U.S.A. For professional use only. Not for retail sale.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
TDC1	1 lb 454 g	Plastic Container**	24	33 lbs 15.0 kg	12.85
TDC2	2 lbs 907 g	Plastic Container**	12	32 lbs 14.5 kg	24.08



NOW! H₂SO₄ DRAIN PIPE OPENER* A powerful sulfuric acid. This product is ideal for dissolving organic matter, melting heavy grease deposits and opening clogged drains. MADE IN THE U.S.A. Do not use in toilets. For professional use only. Not for retail sale.

NW32	Quart95 L	Plastic Jug w/Spout**	12	50 lbs 22.7 kg	18.62
NW64	1/2 Gallon - 1.89 L	Plastic Jug w/Spout**	6	47 lbs 21.3 kg	32.05



QUIK! HCL - RUST, LIME, CONCRETE and SCALE REMOVER* Removes rust, lime, concrete and scale from air conditioning equipment, refrigerator drains, water piping, boilers, water pump condensers, water sealed blowers, etc. Excellent for removing uretic salts in urinals. **MADE IN THE U.S.A.**For professional use only. Not for retail sale.

QK32	Quart95 L	Plastic Jug w/Spout**	12	34 lbs 15.4 kg	17.53
QK1	Gallon - 3.785 L	Plastic Jug w/Spout**	4	43 lbs 19.5 kg	48.01



TALON URINAL CLEANER AND DESCALER* Dissolves and removes uric acid deposits from urinal drains and traps. Designed to keep urinals open and free flowing, eliminating bothersome uric acid odors. **MADE IN THE U.S.A.**

TUBC32	Quart95 L	Plastic Bottle	12	34 lbs 15.4 kg	25.65
TUBC1	Gallon - 3.785 L	Plastic Jug	4	43 lbs 19.5 kg	89.77



TALON 9" x 12" HAND CLEANING TOWELS 70 Count Roll of Wiping Towels for Removal of Dirt, Paint and Adhesives. Works great on removing: plumbing cement, urethane foam, pond dye, epoxy, silicone sealant, acrylic spray paint, varnish, rubber cement and latex paint.

TFB80	9" x 12" 22.86 cm x 30.48 cm	Plastic Dispenser	6	15 lbs 6.8 kg	35.32
TFB80D	42-3/4" high x 11-1/4" wide x 10-3/4" deep 108.6 cm high x 28.6 cm	Plastic Dispenser (Display Tower)	20	50 lbs 22.7 kg	724.15




TALON HAND CLEANER Citrus Lotion Hand Cleaner with Lanolin and Walnut Scrubbers. Industrial Strength. Removes Grease, Grime and Dirt Easily. **MADE IN THE U.S.A.**

THC4	4 fl. oz 118 ml	Plastic Container	24	8 lbs 3.6 kg	3.84
THC16	16 fl. oz 473 ml	Plastic Container (Display Box)	12	16 lbs 7.3 kg	11.16
THC1	Gallon - 3.785 L	Plastic Jug w/Spout	6	58 lbs 26.3 kg	43.02
THC1D		Dispenser for THC1 (Pumper)	1	1 lb 0.5 kg	11.06



GLUE-WASH PUMICE HAND CLEANER Lanolized Hand Cleaner. Safely Removes PVC, ABS, CPVC, Foam, Vinyl Cements, Silicone Sealants and Paints from Skin. **MADE IN THE U.S.A.**

GWP4	4 fl. oz 118 ml	Plastic Container	24	9 lbs 4.1 kg	4.64
GWP16	16 fl. oz 473 ml	Plastic Container (Display Box)	12	16 lbs 7.3 kg	13.25








FLANGE BOLTS, HEX NUTS & WASHERS

SOLID BRASS TOILET FLANGE BOLT SETS (POLY BAGGED) Each Bag Contains 2 Each Solid Brass Flange Bolts, ZInc Plated Open End Acorn Hex Nuts and Plated Steel Round Washers.

STO	OCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
	FB101	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	5 lbs 2.3 kg	2.62
000	FB102	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	8 lbs 3.6 kg	3.37
00	FB103	1/4" x 3-1/2"6 cm x 8.9 cm	Bagged	50	7 lbs 3.2 kg	3.56
			• • • • • • • • • • • • • • • • • • • •		· ·	


SOLID BRASS TOILET FLANGE BOLT SETS (POLY BAGGED) Each Bag Contains 2 Each Solid Brass Flange Bolts, 4 Each Zinc Plated Open End Acorn Hex Nuts and 4 Each Plated Steel Round Washers.



SOLID BRASS TOILET FLANGE BOLT SETS (POLY BAGGED) Each Bag Contains 2 Each Solid Brass Flange Bolts, Zinc Plated Open End Acorn Hex Nuts, Plated Steel Round Washers and Plastic Retainer Washers.

FB101-R*	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	7 lbs 3.2 kg	2.88
FB102-R*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	10 lbs 4.5 kg	3.77
FB103-R*	1/4" x 3-1/2"6 cm x 8.9 cm	Bagged	50	9 lbs 4.1 kg	3.93

BRASS PLATED STEEL TOILET FLANGE BOLT SETS (POLY BAGGED) Each Bag Contains 2 Each Brass Plated Steel Flange Bolts, Plated Steel Open End Acorn Hex Nuts and Plated Steel Round Washers.



BRASS PLATED STEEL TOILET FLANGE BOLT SETS (POLY BAGGED) Each Bag Contains 2 Each Brass Plated Steel Flange Bolts, 4 Each Plated Steel Open End Acorn Hex Nuts and 4 Each Plated Steel Round Washers.

FB300-D*	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	8 lbs 3.6 kg	1.87
FB301-D*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	9 lbs 4.1 kg	2.57

BRASS PLATED STEEL TOILET FLANGE BOLT SETS (POLY BAGGED) Each Bag Contains 2 Each Brass Plated Steel Flange Bolts, Plated Steel Open End Acorn Hex Nuts, Plated Steel Round Washers and Plastic Retainer Washers.

FB300-R*	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	8 lbs 3.6 kg	1.87
FB301-R*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	9 lbs 4.1 kg	2.57

BREAK-A-WAY SOLID BRASS TOILET FLANGE BOLT SETS (POLY BAGGED) Each Bag Contains 2 Each Break-A-Way Solid Brass Flange Bolts, Zinc Plated Steel Open End Acorn Hex Nuts, Plated Steel Round Washers and Plated Steel Oval Washers.

BA100	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	6 lbs 2.7 kg	3.49
BA100 BA101	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	9 lbs 4.1 kg	4.66

BREAK-A-WAY SOLID BRASS TOILET FLANGE BOLT SETS (POLY BAGGED) Each Bag Contains 2 Each Break-A-Way Solid Brass Flange Bolts, 2 Each Zinc Plated Steel Open End Acorn Hex Nuts, 4 Each Plated Steel Round Washers and 4 Each Plated Steel Oval Washers.

_						
30	BA100-D*	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	8 lbs 3.6 kg	4.12
0	BA101-D*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	11 lbs 5.0 kg	4.73

BREAK-A-WAY SOLID BRASS TOILET FLANGE BOLT SETS (POLY BAGGED) Each Bag Contains 2 Each Break-A-Way Solid Brass Flange Bolts, Zinc Plated Steel Open End Acorn Hex Nuts, Plated Steel Round Washers Plated Steel Oval Washers and Plastic Retainer Washers.

BA100-R*	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	8 lbs 3.6 kg	4.12
BA101-R*	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	11 lbs 5.0 kg	4.73

BREAK-A-WAY SOLID BRASS TOILET FLANGE BOLT SETS WITH BRASS CAPTIVE ROUND WASHER (POLY BAGGED) Each Bag Contains 2 Each Solid Brass Break-A-Way Flange Bolts with Brass Captive Round Washer, Solid Brass Round Washers and 9/16" (1.45 cm) Solid Brass Open End Acorn Hex Nuts. MADE IN THE U.S.A.

BA400	1/4" x 2-1/4"6 cm x 5.7 cm	Bagged	50	6 lbs 2.7 kg	4.55
BA401	5/16" x 2-1/4"8 cm x 5.7 cm	Bagged	50	9 lbs 4.1 kg	5.82



WAX RINGS & WAX RINGS WITH BOLTS

REGULAR WAX RINGS Full size wax ring.

STOCK CODE SIZE CONTAINER ITEMS/CASE CASE WEIGHT LIST PRICE EACH

\$1WR Regular Wax Ring Boxed 48 23 lbs. - 10.4 kg 1.68

Fits 3" (7.62 cm) and 4" (10.16 cm) drains. Meets U.S. Federal Specification TT-P-1536A. Fits All Standard Drains.



FLANGED WAX RINGS Extra long flange is excellent for built-up floors.

\$1W\$ Flanged Wax Ring Boxed 24 15 lbs. - 6.8 kg 1.91

Fits 3" (7.62 cm) and 4" (10.16 cm) drains. Meets U.S. Federal Specification TT-P-1536A. Fits All Standard Drains.



FLEX-O-SEAL JUMBO REGULAR WAX RING Extra thick wax ring.

FOSTRJ Jumbo Regular Wax Ring Boxed 24 14 lbs. - 6.4 kg 3.79

Jumbo Bowl Setting Wax Rings fit 3" (7.62 cm) and 4" (10.16 cm) drains. 40% more wax than regular ring. Saves labor time on installations and makes for a more positive seal.



FLEX-O-SEAL JUMBO FLANGED WAX RING Extra thick wax with extra long flange.

FOS1SJ Jumbo Flanged Wax Ring Boxed 24 12 lbs. - 5.4 kg 4.05

Jumbo Bowl Setting Wax Rings fit 3" (7.62 cm) and 4" (10.16 cm) drains. 40% more wax than regular ring. Saves labor time on installations and makes for a more positive seal.



FLEX-O-SEAL REGULAR WAX RINGS WITH BRASS BOLT KIT

 FOSTRB
 Regular with 1/4" x 2-1/4" Bolt Kit
 Boxed
 48
 26 lbs. - 11.8 kg
 5.37

 FOSTRB-D*
 Regular with 1/4" x 2-1/4" Bolt Kit
 Boxed
 48
 29 lbs. - 13.2 kg
 5.68

 (Double Nut / Double Washer)
 0.68
 0.68
 0.68
 0.68
 0.68

FOS1RB contains:1 each S1WR with 1 each FB101 (Poly Bagged 2 each 1/4" x 2-1/4" Solid Brass Flange Bolts, Brass Plated Open End Acorn Hex Nuts and Plated Steel Round Washers). FOS1RB-D contains:1 each S1WR with 1 each FB101-D (Poly Bagged 2 each 1/4" x 2-1/4" Solid Brass Flange Bolts, 4 each Brass Plated Open End Acorn Hex Nuts and 4 each Plated Steel Round Washers).



FLEX-O-SEAL FLANGED WAX RINGS WITH BRASS BOLT KIT

 FOS1SB
 Flanged with 1/4" x 2-1/4" Bolt Kit
 Boxed
 24
 18 lbs. - 8.2 kg
 6.38

 FOS1SB-D*
 Flanged with 1/4" x 2-1/4" Bolt Kit
 Boxed
 24
 20 lbs. - 9.1 kg
 6.64

 (Double Nut / Double Washer)
 (Double Nut / Double Washer)
 6.64
 6.64

FOS1SB contains:1 each S1WS with 1 each FB101 (Poly Bagged 2 each 1/4" x 2-1/4" Solid Brass Flange Bolts, Brass Plated Open End Acorn Hex Nuts and Plated Steel Round Washers). FOS1SB-D contains:1 each S1WS with 1 each FB101-D (Poly Bagged 2 each 1/4" x 2-1/4" Solid Brass Flange Bolts, 4 each Brass Plated Open End Acorn Hex Nuts and 4 each Plated Steel Round Washers).



FLEX-O-SEAL FLANGED JUMBO WAX RINGS WITH BRASS BOLT KIT

FOS1SJB-D* Jumbo Flanged with

1 /4" x 3-1/2" Bolf Kit Boxed 24 20 lbs. - 9.1 kg 7.13

(Double Nut / Double Washer)

FOS1SJB-D contains: 1 each FOS1SJ with 1 each contains: 1 each FB103-D (Poly Bagged 2 each 1/4" x 3-1/2" Solid Brass Flange Bolts, 4 each Brass Plated Open End Acorn Hex Nuts and 4 each Plated Steel Round Washers).



FLEX-O-SEAL REGULAR WAX RINGS WITH BRASS PLATED DOUBLE NUT/DOUBLE WASHER BOLT KIT Economical prepackaged kits with extra nuts/washers.

 FOS1RP-D*
 Regular with 1/4" x 2-1/4" Bolt Kit
 Boxed
 48
 31 lbs. - 14.1 kg
 4.76

 (Double Nut / Double Washer)

FOS1RP-D contains: 1 each S1WR with 1 each contains: 1 each FB300-D (Poly Bagged 2 Each Brass Plated Steel Flange Bolts, 4 Each Plated Steel Open End Acorn Hex Nuts and 4 Each Plated Steel Round Washers).



WAX RINGS, TANK BOLTS & GASKETS



FLEX-O-SEAL FLANGED WAX RINGS WITH BRASS PLATED DOUBLE NUT/DOUBLE WASHER BOLT KIT Economical prepackaged kits with extra nuts/washers.

STO	CK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
	FOS1SP-D*	Flanged with 1/4" x 2-1/4" Bolt Kit (Double Nut / Double Washer)	Boxed	24	18 lbs 8.2 kg	5.37

FOS1SP-D contains: 1 each S1WS with 1 each contains: 1 each FB300-D (Poly Bagged 2 Each Brass Plated Steel Flange Bolts, 4 Each Plated Steel Open End Acorn Hex Nuts and 4 Each Plated Steel Round Washers).



FLEX-O-SEAL REGULAR WAX RING WITH URETHANE Full size wax ring.

FOS1RU	Regular Wax Ring	Boxed	48	29 lbs 13.2 kg	4.55
--------	------------------	-------	----	----------------	------

This is a urethane gasket made of tough, flexible urethane foam, which is completely impregnated with wax.



FLEX-O-SEAL FLANGED WAX RING WITH URETHANE Extra long flange is excellent for built-up floors.

FOS1SU	Flanged Wax Ring	Boxed	24	16 lbs 7.3 kg	5.11
	with Urethane				

This is a urethane gasket made of tough, flexible urethane foam, which is completely impregnated with wax. Combined with the plastic flange, it produces the strongest leakproof gasket on the market.



FLEX-O-SEAL URINAL GASKET REINFORCED WITH URETHANE Fits 2" outlet. Guaranteed for 10 years.

FOS2U	Urinal Gasket	Boxed	12	5 lbs 2.3 kg	4.71
	with Urathana				



SPONGE RUBBER BOWL GASKET AND BOLT KIT (POLY BAGGED) Each Bag Contains 1 Sponge Rubber Gasket, 2 Each Solid Brass Tank Bolts, 4 Rubber Washers, 4 Brass Round Washers. Tank to Bowl Gasket Fits Most Close-Coupled Toilets. TBG10 comes with 2 Brass Hex Nuts and 2 Wing Nuts, TBG20 Comes with 4 Brass Hex Nuts.

TBG10	5/16" x 3"8 cm x 7.6 cm	Boxed	25	8 lbs 3.6 kg	9.82
TBG20	5/16" x 3"8 cm x 7.6 cm	Boxed	25	9 lbs 4.1 kg	9.82



WAX RING INSTALLATION INSTRUCTIONS



1. Set the toilet bowl upside down on a smooth and soft surface. Remove the plastic tray from the wax ring and place it around the discharge opening with the flange pointing away from the bowl. Press the wax ring softly onto the toilet to install.



- 2. Turn the toilet and place it over the floor ensuring that its discharge opening is perfectly aligned with the drain hole in the floor. Twist it gently to ensure seal.
- 3. Set screws to secure the toilet on the floor.

ANTI-FREEZE

FREEZE-FIGHTER ANTI-FREEZE CONCENTRATE Nontoxic, Agua Blue Color Anti-Freeze for Protecting Heating, Cooling, Pool and Potable Water Systems. Burst Protection to -100°F (-73°C). Freeze Protection to -60°F (-51°C). **MADE IN THE U.S.A.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
FF1	Gallon - 3.785 L	Plastic Jug w/Spout	6	57 lbs 25.9 kg	58.38
FF5	5 Gallon - 18.9 L	Pail w/Handle	1	44 lbs 20.0 kg	273.58
FF55	55 Gallon - 208 L	55 Gallon Drum	1	515 lbs 233.6 kg	2879.09
FF275	275 Gallon - 1041 L	275 Gallon Tote	1	2575 lbs 1168 kg	CALL FOR PRICE



FREEZE-POINT -100 ANTI-FREEZE SOLUTION Nontoxic, Blue Color Anti-Freeze for Protecting Heating, Cooling, Pool and Potable Water Systems. Burst Protection to -100°F (-73°C). Freeze Protection to -50°F (-46°C). MADE IN THE U.S.A.

FP1	Gallon - 3.785 L	Plastic Jug w/Spout	6	58 lbs 26.3 kg	45.91
FP5	5 Gallon - 18.9 L	Pail w/Handle	1	45 lbs 20.4 kg	202.10
FP55	55 Gallon - 208 L	55 Gallon Drum	1	515 lbs 233.6 kg	2073.28
FP275	275 Gallon - 1041 L	275 Gallon Tote	1	2575 lbs 1168 kg	CALL FOR PRICE



FREEZE-FIGHTER ANTI-FREEZE SOLUTION Nontoxic, Pink Color Anti-Freeze for Protecting Heating, Cooling, Pool and Potable Water Systems. Burst Protection to -50°F (-46°C). Freeze Protection to -15°F (-26°C). **MADE IN THE U.S.A.**

AF1	Gallon - 3.785 L	Plastic Jug w/Spout	6	57 lbs 25.9 kg	33.61	
AF5	5 Gallon - 18.9 L	Pail w/Handle	1	44 lbs 20.0 kg	159.53	
AF55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg	1650.40	
ΔF275	275 Gallon - 1041 I	275 Gallon Tote	1	2500 lbs - 1134 kg	CALL FOR PRICE	



SOLAR HI-TEMP HEAT TRANSFER FLUID AND ANTI-FREEZE SOLUTION Nontoxic, Blue Color Glycerin Based, Heat Transfer Fluid and Anti-Freeze Solution with special anti-corrosion inhibitors and color indicators, that provides heat transfer up to 356°F (180°C). Burst protection to -50°F (-46°C). Freeze protection to -15°F (-26°C). Recommended for vacuum tube solar collectors. MADE'IN THE U.S.A.

SH5	5 Gallon - 18.9 L	Pail w/Handle	1	51 lbs 23.1 kg	294.80
SH55	55 Gallon - 208 L	55 Gallon Drum	1	580 lbs 263.1 kg	3104.64
SH275	275 Gallon - 1041 L	275 Gallon Tote	1	2900 lbs 1315 kg	CALL FOR PRICE



FROST-PROOF PG38 ANTI-FREEZE Nontoxic, Red Color propylene glycol based Anti-Freeze for all types of wet fire sprinkler systems, excluding CPVC, that provides burst protection to -50°F (-46°C). FROST-PROOF PG38 is a 38% pre-blend that conforms to NFPA standards to allow for direct replacement of Anti-Freeze in the system. No dilution is required. MADE IN THE U.S.A.

FPPG5	5 Gallon - 18.9 L	Pail w/Handle	1	44 lbs 20.0 kg	159.53	
FPPG55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg	1649.91	
FPPG275	275 Gallon - 1041 I	275 Gallon Tote	1	2500 lbs - 1134 kg	CALL FOR PRICE	



FROST-PROOF GL48 ANTI-FREEZE Nontoxic, Orange Color glycerine based Anti-Freeze for all types of wet fire sprinkler systems, including CPVC, that provides burst protection to -50°F (-46°C). **FROST-PROOF GL48** is a 48% pre-blend that conforms to NFPA standards to allow for direct replacement of Anti-Freeze in the system. No dilution is required. Formulated and approved for Wet BlazeMaster® and FlameGuard® CPVC Systems. MADE IN THE U.S.A.

FPGL5	5 Gallon - 18.9 L	Pail w/Handle	1	44 lbs 20.0 kg	228.95
FPGL55	55 Gallon - 208 L	55 Gallon Drum	1	500 lbs 226.8 kg	2411.79
FPGL275	275 Gallon - 1041 L	275 Gallon Tote	1	2500 lbs 1134 kg	CALL FOR PRICE



Pallet Quantities for Anti-Freeze: 1 Gallon = 27 Cases. 5 Gallon = 32 Pails Contact J.C. Whitlam Manufacturing for custom blends and private label opportunities. BlazeMaster® is a licensed trademark of The Lubrizol Corporation. FlameGuard® is a registered trademark of Spears Manufacturing Company.

LEAK DETECTORS, CEMENTS, SEALERS & CLEANERS



BIG BUBBLE GAS LEAK DETECTOR Noncorrosive, Nonfreezing, Nontoxic Fluorescent Yellow Leak Detector for Natural Gas, Refrigeration, Nitrogen, Air, Carbon Dioxide and other Pressurized Gases. Meets ASTM G188-05. MADE IN THE U.S.A. Not recommended for oxygen systems.

ST	OCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
	LD1OZ	1 oz 29.6 ml	Yorker Bottle	36	4 lbs 1.8 kg	3.23
	LD8	1/2 Pint - 237 ml	Dauber Top Container	24	16 lbs 7.3 kg	8.99
	LD1	Gallon - 3.785 L	Plastic Jug w/Spout	6	55 lbs 24.9 kg	41.53
	LD5	5 Gallon - 18.9 L	Pail w/Handle	1	42 lbs 19.1 kg	190.95
	LD55	55 Gallon - 208 L	55 Gallon Drum	1	502 lbs 227.7 kg	1880.55



BIG BUBBLE GAS LEAK DETECTOR / SPECIAL SPRAY FORMULA Noncorrosive, Nonfreezing, Nontoxic **Iridescent Blue** Leak Detector for Natural Gas, Refrigeration, Nitrogen, Air, Carbon Dioxide and other Pressurized Gases. Temperature Range: -10°F (-23°C) to 180°F (82°C). Meets ASTM G188-05. MADE IN THE U.S.A. Not recommended for oxygen systems. SEE PAGE 34 FOR SPRAYERS.

LDS	Pint - 473 ml	Container w/Sprayer	12	16 lbs 7.3 kg	16.90
LDS16	Pint - 473 ml	Plastic Container	12	15 lbs 6.8 kg	10.74
LDS32	Quart95 L	Container w/Sprayer	12	31 lbs 14.1 kg	20.55
LDS1	Gallon - 3.785 L	Plastic Jug w/Spout	6	55 lbs 24.9 kg	41.53
LDS5	5 Gallon - 18.9 L	Pail w/Handle	1	42 lbs 19.1 kg	190.95
LDS55	55 Gallon - 208 L	55 Gallon Drum	1	502 lbs 227.7 kg	1880.55



HEAT-TYTE FURNACE CEMENT Asbestos Free, Gray, High Heat Refractory and Retort Furnace Cement. Temperature Rating 0°F to 3000°F (-18°C to 1649°C). MADE IN THE U.S.A.

HT64	1/2 Gallon - 1.89 L	Plastic Pail w/Handle	6	44 lbs 20.0 kg	27.35
HT1	Gallon - 3.785 L	Plastic Pail w/Handle	4	60 lbs 27.2 kg	45.51



SEAL-TYTE BOILER SEALER Liquid Boiler Sealer for all Steam Systems. Fills and Seals Holes and Cracks in Steam Boilers. MADE IN THE U.S.A. Not for use in boilers containing Anti-Freeze.

STS32	Quart95 L	Plastic Jug w/Spout	12	40 lbs 18.1 kg	22.62
STS1	Gallon - 3.785 L	Plastic Jug w/Spout	6	57 lbs 25.9 kg	68.48



BOILER-AIDE 2-N-1 All Purpose Boiler Cleaner and Treatment. Cleans all Dirty Boilers and Controls Sludge, Corrosion, Scale and Foaming. MADE IN THE U.S.A.

BT32	Quart95 L	Plastic Jug w/Spout	12	32 lbs 14.5 kg	19.93
BT1	Gallon - 3.785 L	Plastic Jug w/Spout	6	57 lbs 25.9 kg	62.15
BT5	5 Gallon - 18.9 L	Pail w/ Handle	1	44 lbs 20.0 kg	248.56
BT55	55 Gallon - 208.2 L	55 Gallon Drum	1	500 lbs 226.8 kg	2734.03



SLUDGE • B • GONE* * Liquid Fuel Oil Additive. Dissolves Sludge and Water in All Fuel Oils. MADE IN THE U.S.A.

SBG32	Quart95 L	Plastic Jug w/Spout	12	26 lbs 11.8 kg	17.68
SBG1	Gallon - 3.785 L	Metal Can w/Handle	4	52 lbs 23.6 kg	62.08

**D.O.T. Classified Shipping Items. See Page 39.

HIGHSIDE CHEMICALS

LEAK LOCK A resin based soft setting brushable paste pipe joint compound resistant to all refrigerants, oils, water and most chemicals, liquids and gases. **MADE IN THE U.S.A.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
HS10001	1-1/3 oz 39 ml	Plastic Tube	12	2 lbs9 kg	9.02
HS10004	4 oz 118 ml	Plastic Bottle w/Brush Top	12	6 lbs 2.7 kg	24.66
HS10016	16 oz 473 ml	Plastic Jar w/Brush Top	12	19 lbs 8.6 kg	65.70
HS10128	Gallon - 3.785 L	Can	1	12 lbs 5.4 kg	552.80



LEAK LOCK GOLD with Teflon® A resin based soft setting brushable paste pipe joint compound with Teflon® resistant to all refrigerants, oils, water and most chemicals, liquids and gases. **MADE IN THE U.S.A.**

HS11001	1-1/3 oz 39 ml	Plastic Tube	12	2 lbs9 kg	9.81
HS11004	4 oz 118 ml	Plastic Bottle w/Brush Top	12	5 lbs 2.3 kg	25.68
HS11016	16 oz 473 ml	Plastic Jar w/Brush Top	12	17 lbs 7.7 kg	64.99
HS11128	Gallon - 3.785 L	Can	1	12 lbs 5.4 kg	568.22



HEAT SHIELD All-Temperature Barrier Spray prevents heat damage to nearby components during soldering, brazing or welding. Its unique no-drip formula sprays on as a gel and evaporates within 24 to 48 hours without staining. For use on all surfaces including but not limited to: wood, insulation, valves, piping and drywall. **MADE IN THE U.S.A.**

HS31032	32 oz95 L	Spray Bottle	12	30 lbs 13.6 kg	25.21



SUPER FLUSH Biodegradable internal coil cleaner and system flush. Removes gum, soot, moisture, sludge, grease, tar, particles, debris, organic acids, mineral acids, and carbon deposits. **MADE IN THE U.S.A.**

H\$55032	32 oz95 L	Plastic Bottle	12	26 lbs 11.8 kg	35.77
UCEE129	Gallon - 3 785 I	Plactic lua	6	53 lbs - 24 0 kg	120.62



EV COIL MAX Powerful coil cleaner in powder form. Contains high performance corrosion inhibitors to help prevent future corrosion of the metals on both evaporator and condenser coils. **MADE IN THE U.S.A.**

HS56008	11.25 oz 333 ml	Plastic Jar	12	14 lbs 6.4 kg	20.17



HL COIL BRITE High performance coil cleaner in a powder form. Acid based coil cleaner formulated to thoroughly clean the toughest coils using a controlled foaming action. **MADE IN THE U.S.A.**

Plactic lar

14 oz 414 ml

H33/U14	14 02 414 1111	Flusiic Jui	12	12 IDS 5.4 Kg	23.79



HD JET FOAMER Heavy duty alkaline based foaming aerosol coil cleaner. MADE IN THE U.S.A.

HS59520	20 oz 591 ml	Aerosol Can	12	19 lbs 8.6 kg	19.86
---------	--------------	-------------	----	---------------	-------



FILTER FAN & VENT CLEANER Heavy duty cleaner specifically formulated for the heating, ventilation, air-conditioning and refrigeration industry. **MADE IN THE U.S.A.**

HS52032	32 oz95 L	Plastic Spray Bottle	12	31 lbs 14.1 kg	32.26
HS52128	Gallon - 3.785 L	Plastic Jug Refill	6	55 lbs 24.9 kg	107.13





Plumb-Pro Quality Tools

SCREWDRIVERS

"6 IN 1" SLOTTED/PHILLIPS™ SCREWDRIVER* All the drives of a "4 IN 1" plus: 1/4" (.64 cm) and 5/16" (.79 cm) nut drivers. Reversible Bits, Slotted 4-5 and Phillips™ #1 and Slotted 8-10 and Phillips™ #2. Stress relieved blast finished bits. Chrome / Nickel plated nut drivers and inner handle receptacle. The Professional Choice.

STO	оск со	DE SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
	#4	Slotted Bits 4-5 and 8-10 and Phillips™ #1 and #2	Display Box	12	5 lbs 2.3 kg	14.64
	#4A	Slotted Bits 4-5 and 8-10 and Phillips™ #1 and #2	Display Box	12**	5 lbs 2.3 kg	14.64

^{**}Special order 72 or more "6 IN 1" screwdrivers of the #4A and have your company name imprinted on the handle (up to 30 characters). High visibility handle. Allow 3 weeks for delivery. Guaranteed sale on special imprinted screwdrivers does not apply.

REPLACEMENT BITS FOR #4, #4A. * #41 - Reversible Bit, Slotted 4-5 and Phillips™ #1. #42 - Reversible Bit, Slotted 8-10 and Phillips™ #2.

#41	Slotted 4-5 and Phillips™ #1	Boxed	10	1 lb 0.5 kg	4.62
#42	Slotted 8-10 and Phillips™ #2	Boxed	10	1 lb 0.5 kg	4.62

"6 IN 1" SLOTTED/PHILLIPS™ SCREWDRIVER* All the drives of a "4 IN 1" plus: 1/4" (.64 cm) and 5/16" (.79 cm) nut drivers. Reversible Bits, Slotted 4-5 and 8-10, and Phillips™ #1 and #2. Cushion Grip. Stress relieved blast finished bits. Chrome / Nickel plated nut drivers and inner handle receptacle. The Professional Choice.



^{**}Special order 72 or more "6 IN 1" Screwdrivers of the #5A and have your company name imprinted on the black grip (up to 15 characters). (High visibility handle with black grip). Allow 3 weeks for delivery. Guaranteed sale on special imprinted screwdrivers does not apply.

REPLACEMENT BITS FOR #5, and #5A* #43 - Reversible Bit, Slotted 4-5 and 8-10. #44 - Reversible Bit, Phillips™ #1 and #2.


#43	Slotted 4-5 and 8-10	Boxed	10	1 lb 0.5 kg	4.62
#44	Phillips™ #1 and #2	Boxed	10	1 lb 0.5 kg	4.62

Purchase 72 or More "6 IN 1" Screwdrivers and Have Your Company Name Imprinted on the Handle



STOCK CODE #5A







STRAPS

BLACK RUBBER UTILITY STRAPS Professional Quality EPDM Rubber Tie-down Utility Straps with exceptional strength. Squared head and tapered neck reduces strap stress. "S" Hooks are attached to straps. Made from UV resistant EPDM rubber. **MADE IN THE U.S.A.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
#US9	9" - 23 cm	Boxed	50	10 lbs 4.5 kg	2.00
#US9A	9" - 23 cm	Boxed	12	3 lbs 1.4 kg	2.22
#US15	15" - 38 cm	Boxed	50	11 lbs 5.0 kg	2.38
#US15A	15" - 38 cm	Boxed	12	4 lbs 1.8 kg	2.62
#US20	20" - 51 cm	Boxed	50	12 lbs 5.4 kg	2.97
#US20A	20" - 51 cm	Boxed	12	4 lbs 1.8 kg	3.28
#US31	31" - 79 cm	Boxed	50	17 lbs 7.7 kg	3.44
#US31A	31" - 79 cm	Boxed	12	5 lbs 2.3 kg	3.75
#US41	41" - 104 cm	Boxed	50	20 lbs 9.1 kg	5.20
#US41A	41" - 104 cm	Boxed	12	5 lbs 2.3 kg	5.70



NYLON WEB CAM BUCKLE UNIVERSAL TIE-DOWN STRAP Nylon Webbing, Non-Slip Cam Buckle Strap Rated for up to 1200 lbs. (544 kg). Colors may vary. **MADE IN THE U.S.A.**

#W\$10	1" x 10'	Boxed (Clamshell)	6	9 lbs 4.1 kg	30.12
	2.54 cm x 3.05 m				



NYLON WEB RATCHET TYPE UNIVERSAL TIE-DOWN STRAP Yellow Nylon Webbing, Non-Slip Ratchet Type Strap Rated for up to 3000 lbs. (1361 kg). Colors may vary. MADE IN THE U.S.A

#WS16	1" x 16'	Boxed (Clamshell)	4	8 lbs 3.6 kg	66.40
	2.54 cm x 4.88 m				



NYLON WEB RATCHET TYPE UNIVERSAL TIE-DOWN STRAP Yellow 1-3/4" x 25' (4.45 cm x 7.62 m) Ratchet Type Strap Rated for up to 5500 lbs. (2495 kg). Excellent for large delivery trucks. Ratchet can be permanently attached to truck. End hook is standard size that fits most truck rails. Colors may vary. MADE IN THE U.S.A.

#WS25	1-3/4" x 25'	Boxed	1	6 lbs 2.7 kg	122.88
	4 45 cm x 7 62 m				



PICK MATTOCK & SLEDGE HAMMERS

SUPER PICK MATTOCK 36" (.91 m) FIBERGLASS HANDLE* Safety grip for easier handling with gloves, reduces fatigue. Forged heat treated and ground heads. 19-1/2" (49.5 cm) tip to tip. **MADE IN THE U.S.A.**

#279	19-1/2" Head, 36" Handle	Bundled	1	9 lbs 4.1 kg	134.36
	49.5 cm Head 91 m Handle				

MINI SUPER FIBERGLASS HANDLE SLEDGE HAMMER Ideal for delivering heavy blows where space to swing is limited. Compact, well balanced drop forged carbon steel head mounted to a solid fiberglass handle. Safety grip for additional control. Fiberglass handle also reduces fatigue. **MADE IN THE U.S.A.**

#58	2 lbs 0.9 kg	Boxed	1	3 lbs 1.4 kg	83.13
	10" (25.4 cm) Handle				

SUPER FIBERGLASS HANDLE, FULL SIZE SLEDGE HAMMERS* The toughest, most durable sledge hammer available. Safety grip for easier handling with gloves. Fiberglass handle also reduces fatigue. **MADE IN THE U.S.A.**

#334	8 lbs 3.6 kg	Bundled	1	10 lbs 4.5 kg	134.55
#278	10 lbs 4.5 kg	Bundled	1	12 lbs 5.4 kg	166.66
#336	12 lbs 5.4 kg	Bundled	1	14 lbs 6.4 kg	178.24
#337	16 lbs 7.3 kg	Bundled	1	18 lbs 8.2 kg	202.15



^{*}Replacement Handles are available for the Pick Mattocks and full size Sledge Hammers.



Plumb-Pro Quality Tools SUPER SIJOYEL

SHOVELS & SPADES

ROUND POINT SUPER SILOVEL 48" (1.2 m) FIBERGLASS HANDLE* #2 heavy gauge blade, forward turned step. Used for digging in hard and soft soil. MADE IN THE U.S.A.

STOCK COD	E SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
#283	8-3/4" x 12" Blade 48" Handle 22.22 cm x 30.48 cm Blade 1.2 m Handle	Bundled	3	17 lbs 7.7 kg	106.97
,					

SQUARE POINT SUPER SILOVEL 48" (1.2 m) FIBERGLASS HANDLE* #2 heavy gauge blade, forward turned step. Used for shoveling gravel, dirt and loose material. MADE IN THE U.S.A.



9-1/2" x 12" Blade **#284** 48" Handle Bundled 3 15 lbs. - 6.8 kg 99.51 24.13 cm x 30.48 cm Blade 1.2 m Handle

TRENCH SUPER SILOVEL 48" (1.2 m) FIBERGLASS HANDLE* Cut down hollow back shovel blades simplify cleaning soil from machine dug trenches. The lift angle of the shovel blade is 32°.

MADE IN THE U.S.A.



#318	4" x 12" Blade, 48" Handle 10.16 cm x 30.48 cm Blade 1.2 m Handle	Bundled	3	12 lbs 5.4 kg	96.69
#319	5" x 12" Blade, 48" Handle 12.7 cm x 30.48 cm Blade 1.2 m Handle	Bundled	3	13 lbs 5.9 kg	93.68

DRAIN SPADE / SHARP SHOOTER SUPER SILVYEL WITH FIBERGLASS HANDLE* Hollow back blade, forward turned step. Used for trenching deep and narrow holes. MADE IN THE U.S.A.



#274	4-3/4" x 16" Blade, 48" Handle 12.1 cm x 40.64 cm Blade 1.2 m Handle	Bundled	3	14 lbs 6.4 kg	118.05
#275	4-3/4" x 16" Blade, 60" Handle 12.1 cm x 40.64 cm Blade 1.5 m Handle	Bundled	3	20 lbs 9.1 kg	141.60

DRAIN SPADE / SHARP SHOOTER SUPER SUPER WITH FIBERGLASS "D" HANDLE* Hollow back blade, forward turned step. Used for cutting and trenching deep and narrow holes. MADE IN THE U.S.A.



	4-3/4" x 16" Blade, 27" Handle				
#282	12.1 cm x 40.64 cm Blade	Bundled	2	9 lbs 4.1 kg	111.37
	60 m Handlo				

ROUND POINT SUPER SILVIEL 27" (.69 m) WITH FIBERGLASS "D" HANDLE* #2 heavy gauge blade, forward turned step. Used for digging in hard and soft soil. MADE IN THE U.S.A.



	8-3/4" X 12" Blade, 2/" Handle				
#326	22.22 cm x 30.48 cm Blade	Bundled	2	9 lbs 4.1 kg	110.15
	.69 m Handle				

*NOTE: Replacement Handles are available for Shovels and Spades. Call for pricing.

Plumb-Pro Super Shovels are manufactured from the finest material available.

- Comfortable ergonomically designed grip, made of long lasting vinyl.
- · Fiberglass tubing consisting of millions of continuous parallel glass fibers in tension over a lightweight core.
- Solid fiberglass reinforcement at the critical stress point (patented).
- Adapter collar guarantees perfect stress bearing contact between handle and blade (patented).

#395



SOIL PROBES, METER KEYS & VALVE WRENCHES

14.22

1 lb. - 0.5 kg

FIBERGLASS SHAFT SOIL PROBES* With Fiberglass "T" handle. 1/2" (1.27 cm) diameter shaft has heavy duty zinc metal tip for durability and ease of extraction. Safe, nonconductive probe for locating irrigation, power and water lines. Probes are constructed of solid yellow fiberglass that will not weather, warp or splinter. **MADE IN THE U.S.A.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
#280	48" Shaft - 1.2 m Shaft	Bundled	6	9 lbs 4.1 kg	57.28
#285	60" Shaft - 1.5 m Shaft	Bundled	6	10 lbs 4.5 kg	55.53

REPLACEMENT ZINC PROBE TIP KIT* Contains Replacement Tip, Epoxy and Instructions. **MADE IN THE U.S.A.**

Boxed

20" (50.8 cm) MINI METER KEY 8" (20.32 cm) handle, 20" (50.8 cm) length. Made from heavy 3/4" (1.91 cm) round bar stock. Stores compactly in tool box. High visibility yellow. Machined universal socket. **NOTE:** Fits old and new style meter valves. **MADE IN THE U.S.A.**

#64 20" Long, 8" Handle Bundled 1 4 lbs. - 1.8 kg 64.97 50.8 cm Long 20.32 cm Handle

42" (1.07 m) SUPER METER KEY 24" (61 cm) handle, 42" (1.07 m) length. Made from heavy 1" (2.54 cm) square bar stock. High visibility yellow. Machined universal socket. **NOTE:** Fits old and new style meter valves. **MADE IN THE U.S.A.**

#156 42" Long, 24" Handle Bundled 1 8 lbs. - 3.6 kg 104.45 1.07 m Long, 61 cm Handle

HEAVY METER KEYS Curb Stop Key made from heavy 3/4" (1.91 cm) round bar stock. High visibility yellow. Machined universal socket. **NOTE:** Stepped Key fits old and new style meter valves. #403 Key is made to fit 1-1/2" openings. **MADE IN THE U.S.A.**

#65	42" Long, 18" Handle 1.07 m Long, 45.7 cm Handle	Bundled	1	8 lbs 3.6 kg	77.39
#397	6' Long, 24" Handle 1.83 m Long, 61 cm Handle	Bundled	1	13 lbs 5.9 kg	128.48
#400	7' Long, 24" Handle 2.13 m Long, 61 cm Handle	Bundled	1	14 lbs 6.4 kg	127.25
#403	7' Long, with 1-1/4" Wrench 2.13 m Long, with 3.18 cm Wrench	Bundled	1	15 lbs 6.8 kg	126.64
#401	8' Long, 24" Handle	Bundled	1	16 lbs 7.3 kg	140.50

TELESCOPIC VALVE WRENCHES Adjustable length. Telescopic valve keys for 2-inch operating nuts makes transportation easier. Made of 1-1/2" square tube outside and 1-1/4" square tube inside. Has 24" handle, zinc plated "quick release" pin. High visibility yellow. 2" (5.08 cm) square socket. **MADE IN THE U.S.A.**

#399	3-1/2' - 6' Long, 24" Handle 1.07 m - 1.83 m Long 61 cm Handle	Bundled	1	13 lbs 5.9 kg	210.76
#402	4-1/2' - 8' Long, 24" Handle 1.40 m - 2.43 m Long 61 cm Handle	Bundled	1	15 lbs 6.8 kg	312.85

3 IN 1 SERVICE KEY Adjustable length. 2" (5.08 cm) Valve Wrench, Meter Key, and Handwheel attachment. Valve and Meter Key Attachments are Telescopic. Made of 1-1/2" square tube outside and 1-1/4" square tube inside. **MADE IN THE U.S.A.**

46" - 80" Long, 24" Handle **#404** 1.17 m - 2.03 m Long Bundled 1 13 lbs. - 5.9 kg 242.36 61 cm Handle

#404 collapses to 46" (1.17 m) Length x 4 1/2" (11.4 cm) Width for convenient storage

*NOTE: Probe Tips are considered expendable materials and therefore are not covered by the Warranty. We can make Meter Keys in any length. Call for pricing on lengths not shown above. We can also make Meter Keys that fit 1-1/4" pipe at no extra cost. Call for available sizes.

Handwheel attachment



TONGUE & GROOVE PLIERS/CHANNELLOCK BLUE® grips. Right angled teeth that grip in all directions for maximum bite. Undercut tongue and groove won't slip.

Permalock™ fastener eliminates nut and bolt failure. MADE IN THE U.S.A.



#159 - CHANNELLOCK® #426 Length = 6-1/2" (16.51 cm) Adjustments = 5 Capacity = 7/8" (22 mm)

#161 - CHANNELLOCK® #420 Length = 9-1/2" (24.13 cm) Adjustments = 5 Capacity = 1-1/2" (38 mm) #162 - CHANNELLOCK® #430 Length = 10" (25.40 cm) Adjustments = 7 Capacity = 2'' (51 mm)

#163 - CHANNELLOCK® #440 Length = 12'' (30.48 cm) Adjustments = 7 Capacity = 2-1/4'' (57 mm) #165 - CHANNELLOCK® #460 Length = 16'' (40.64 cm) Adjustments = 8 Capacity = 4-1/4'' (108 mm)

#196 - CHANNELLOCK® #480 Length = 20-1/4" (51.44 cm) Adjustments = 12 Capacity = 5-1/2'' (140 mm)

ST	OCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
	#159	6-1/2" - 16.51 cm	Boxed (Clamshell)	5	5 lbs 2.3 kg	34.05
	#161	9-1/2" - 24.13 cm	Boxed (Clamshell)	5	5 lbs 2.3 kg	42.08
	#162	10" - 25.40 cm	Boxed (Clamshell)	5	6 lbs 2.7 kg	43.91
	#163	12" - 30.48 cm	Boxed (Clamshell)	5	8 lbs 3.6 kg	47.51
	#165	16" - 40.64 cm	Boxed (Clamshell)	2	6 lbs 2.7 kg	81.02
	#196	20-1/4" - 51.44 cm	Boxed (Clamshell)	2	9 lbs 4.1 ka	136.00

CURVED JAW TONGUE & GROOVE PLIERS/CHANNELLOCK BLUE® grips. Right angled teeth that grip in all directions for maximum bite. Undercut tongue and groove won't slip. Permalock™ fastener eliminates nut and bolt failure. MADE IN THE U.S.A.



#164 - CHANNELLOCK® #442 Length = 12" (30.48 cm) Adjustments = 7 Capacity = 2-1/4" (57 mm)

#164	12" - 30.48 cm	Boxed (Clamshell)	5	8 lbs 3.6 kg	47.63
------	----------------	-------------------	---	--------------	-------

9-1/2" (24.13 cm) GRIPLOCK® UTILITY PLIERS/CHANNELLOCK BLUE® grips. Ergonomically designed offset head for greater leverage. Special jaw design accommodates many shapes. Permalock™ fastener eliminates nut and bolt failure. MADE IN THE U.S.A.



#168 - CHANNELLOCK® #GL10 Length = 9-1/2" (24.13 cm) Adjustments = 5 Capacity = 1-1/4" (32 mm)

#168	9-1/2" - 24.13 cm	Boxed (Clamshell)	5	6 lbs 2.7 ka	29.02

CHANNELLOCK® LONG NOSE PLIERS WITH SIDE CUTTER/CHANNELLOCK BLUE® grips. Cross hatching on jaws. Slender, perfectly mated jaws with no side wobble provide a firm grip on fine work in tight places. Sharp, hand honed side cutter is heat treated to hold its edge. High polished, carbon drop forged set. MADE IN THE U.S.A.

#175 - CHANNELLOCK® #326 Length = 6" (15.24 cm) with side cutter. #178 - CHANNELLOCK® #317 Length = 7-1/2" (19.05 cm) with side cutter.

#175	6" - 15.24 cm	Boxed (Clamshell)	5	2 lbs 0.9 kg	55.53
#178	7-1/2" - 19.05 cm	Boxed (Clamshell)	5	3 lbs 1.4 kg	58.12

PLIERS

SOFT TOUCH PLIERS* Protects decorative and bright plated plumbing fixtures. Soft jaws will not destroy plastic fittings. Maximum opening of 1-3/4" (4.45 cm) and a length of 10" (25.4 cm). Works great on shower arms. Automatically opens by the spring loaded mechanism. No need to open the handles by your fingers while in use. **The Professional Choice.**

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
#393	10" - 25.4 cm	Bagged & Boxed	3	3 lbs 1.4 kg	62.19
NYLON REPLA	CEMENT JAWS*	For #393 Soft Touch	Pliers.		
#389	1-3/4" (4.45 cm)	Bagged & Boxed	3	1 lb 0.5 kg	10.78

SOFT JAW WONDER PLIERS* Wide jaw opening up to 2-3/4" (7 cm). Comes with round and square soft jaw inserts. Great for repair work on flush valves. Will not scratch plated finishes. Works on Delta® and other dome nuts. Will not crush threaded tail pieces. Automatically opens by the spring loaded mechanism. Opening range of 1" - 2-3/4" (2.5 cm - 7 cm) and a length of 10-1/2" (26.67 cm).

#394 10-1/2" - 26.67 cm Bagged & Boxed 3 4 lbs. - 1.8 kg 67.11

ROUND REPLACEMENT JAWS* For #394 Soft Jaw Wonder Pliers.

#391 2-3/4" (7 cm) Bagged & Boxed 3 1 lb. - 0.5 kg 25.09

SQUARE REPLACEMENT JAWS* For #394 Soft Jaw Wonder Pliers.

#392 2-3/4" (7 cm) Bagged & Boxed 3 1 lb. - 0.5 kg 25.09

WRENCHES

TELESCOPIC BASIN WRENCH Spring-loaded jaws of forged alloy steel provide fast, one-hand ratcheting in tight quarters. Tension plug holds head in any position up to 90 degree angle. Chrome-plated handle and shank. Telescopic shanks quickly adjust to 10" - 17" (25.4 cm - 43.2 cm).

#160 10" - 17" Bagged & Boxed 5 8 lbs. - 3.6 kg 18.83 25.4 cm - 43.2 cm

NO HUB TORQUE WRENCH For tightening 5/16" coupling nuts to 60 in. lbs. Automatic release at pre-set 60 in. lbs. T-Handle ratchets one way. Built-in reversing bar.

#243 5/16" - 0.79 cm Bagged & Boxed 5 5 lbs. - 2.3 kg 33.82

HEAVY DUTY WATER HEATER ELEMENT WRENCH A professional grade tool that easily removes elements without damaging the unit. Sliding "T" type handle allows for even pressure on both ends. Removes the most stubborn elements. 12 point heavy duty chrome plated steel socket and 18" (45.7 cm) "T" handle.

#145	1-1/2" x 3/4" Socket 18" Handle 38 mm x 19 mm Socket 45.7 cm Handle	Boxed	1	4 lbs 1.8 kg	81.65
#324	18" Handle 45.7 cm Handle	Boxed	1	3 lbs 1.4 kg	59.30
#325	1-1/2" x 3/4" Socket 38 mm x 19 mm Socket	Boxed	1	1 lb 0.5 kg	28.50

^{*}NOTE: The Soft Jaws of #393/#389 and #394/#391/#392 are considered expendable materials and therefore are not covered by the Warranty.



Plumb-Pro Quality Tools

SAWS

"T-HANDLE" CABLE SAW* For cutting PVC Pipe. For tight spots offering little clearance. Fits easily into tool box or pocket. Faster and easier than hacksaws in close quarters. The easy to use "T-Handles" offer less stress on the hands than loop handles. **MADE IN THE U.S.A.**



STOCK	K CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
#	#240	Approx. 36" Approx. 91.44 cm	Bagged & Boxed	12	1 lb 0.5 kg	12.05

PROFESSIONAL HACKSAW 12" (30.48 cm) BLADE* Designed with the professional in mind. This saw features state of the art design. The blade can be set at two different angles, straight and 45 degree. Up to 10 blades can be stored in the top of the frame. Comes complete with a 12" (30.48 cm) Carbon Steel 18TPI Blade.



#67	12" Blade 18TPI	Boxed	3	5 lbs 2.3 kg	34.26
	30 48 cm Blade 18TPI				

REPLACEMENT BLADES FOR #67 HACKSAW*

#147 - Carbon steel blade. Low cost. Cuts wood, plastic and easy to machine metals such as conduit, aluminum, copper tubing, etc. Blade: 12" (30.48 cm) / 18TPI

#247 - Bi-Metal Construction. Tooth hardness RC 65-67. Cuts wood, plastic or any machinable metal, including conduit, stainless steel tubing, angle iron, copper tubing, structural materials, etc. Blade: 12" (30.48 cm) / 18TPI MADE IN THE U.S.A.

#147	12" Blade 18TPI 30.48 cm Blade 18TPI	Boxed	10	1 lb 0.5 kg	2.52
#247	12" Blade 18TPl 30.48 cm Blade 18TPl	Boxed	10	1 lb 0.5 kg	4.05

PVC SAW - ALUMINUM HANDLE WITH 13" (33.02 cm) BLADE* Handsaw is designed for the plumber, electrician, and all professional general contractors. The unique design allows it to cut the following: fiberglass panels, PVC, ABS & CPVC plastic pipe, nail embedded wood, wallboard, brass and copper tubing, paneling and general purpose wood cutting.

#182 19-1/2" - 49.53 cm Saw Boxed 5 5 lbs. - 2.3 kg 26.59

REPLACEMENT BLADES FOR #182 PVC SAW*

#183	13" Blade	Boxed	5	3 lbs 1.4 kg	19.91
	33 02 cm Blade				

PVC SAW - ALUMINUM HANDLE WITH 18" (45.72 cm) BLADE* Handsaw is designed for the plumber, electrician, and all professional general contractors. The unique design allows it to cut the following: Fiberglass panels, PVC, ABS & CPVC plastic pipe, nail embedded wood, wallboard, brass and copper tubing, paneling and general purpose wood cutting.

#180 23-1/2" - 59.69 cm Saw Boxed 5 5 lbs. - 2.3 kg 28.24

REPLACEMENT BLADES FOR #180 PVC SAW*

#181	18" Blade	Boxed	5	3 lbs 1.4 kg	22.19
	45.72 cm Blade				



PLASTIC PIPE CUTTERS



"SNAPPER" TUBING CUTTER* High quality cutter for cutting plastic tubing, PVC, CPVC, polyethylene pipe and rubber hose through 1-1/4" (31.8 mm). Replaceable blade is made of stainless steel. Color: Yellow.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
#166	1" - 25.4 mm	Bagged & Boxed	10	5 lbs 2.3 kg	26.59
DEDI ACEMENT	DI ADE WITH D	IN EOD #144 ((CNADD	ED" TUBING	OUTTED*	

REPLACEMENT BLADE WITH PIN FOR #166 "SNAPPER" TUBING CUTTER' Made of stainless steel.

#167 1" - 25.4 mm Bagged & Boxed 5 1 lb. - 0.5 kg 12.29



"MONGOOSE" 1" (25.4 mm) PLASTIC PIPE RATCHET CUTTER* Top quality professional ratchet cutter cuts PVC, CPVC, ABS, and other plastic pipe and tubing through 1" (25.4 mm). Heavy duty steel construction with replaceable stainless steel blade.

#15 1" - 25.4 mm Bagged & Boxed 5 4 lbs. - 1.8 kg 56.59

REPLACEMENT BLADE FOR #15 "MONGOOSE"* Stainless steel blade with ratchet plate attached.

#16 1" - 25.4 mm Bagged & Boxed 5 1 lb. - 0.5 kg 30.40

REPLACEMENT SPRING SET FOR #15 "MONGOOSE"*

#91 3 Springs per Bag Bagged & Boxed 5 1 lb. - 0.5 kg 7.11 5 Bags per Case

COMPLETE REPAIR KIT - REPLACEMENT BLADE/SPRING SET FOR #15* "MONGOOSE"

#16-KIT 1 Each per Bag Bagged & Boxed 5 1 lb. - 0.5 kg 33.75 #16 Blade & #91 Springs



"BADGER" 1-1/4" (31.8 mm) PLASTIC PIPE RATCHET CUTTER* Top quality professional ratchet cutter cuts PVC, CPVC, ABS and other plastic pipe and tubing through 1-1/4" (31.8 mm). Heavy duty steel construction with replaceable stainless steel blade.

#127 1-1/4" - 31.8 mm Bagged & Boxed 3 3 lbs. - 1.4 kg 76.24

REPLACEMENT BLADE FOR #127 "BADGER"* Stainless steel blade.

#128 1-1/4" - 31.8 mm Bagged & Boxed 3 1 lb. - 0.5 kg 34.92

REPLACEMENT SPRING SET FOR #127 "BADGER"*

#129 3 Springs per Bag Bagged & Boxed 3 1 lb. - 0.5 kg 9.77 3 Bags per Case

COMPLETE REPAIR KIT - REPLACEMENT BLADE/SPRING SET FOR #127 "BADGER"*

#128-KIT 1 Each per Bag Bagged & Boxed 3 1 lb. - 0.5 kg 40.22 #128 Blade & #129 Springs



"SABERTOOTH" 1-5/8" (42 mm) O.D. PLASTIC PIPE RATCHET CUTTER*
Top quality professional ratchet cutter cuts PVC, CPVC, ABS and other
plastic conduit and tubing through 1-5/8" (42 mm) O.D. V Blade is ideal for
thin wall pipe. NO TOOLS REQUIRED TO CHANGE BLADE.

#38 1-5/8" - 42 mm Bagged & Boxed 3 3 lbs. - 2.7 kg 76.24

REPLACEMENT BLADE FOR #38 "SABERTOOTH"*

#39 1-5/8" - 42 mm Bagged & Boxed 3 1 lb. - 0.5 kg 34.92

REPLACEMENT SPRING SET FOR #38 "SABERTOOTH"

#40 3 Springs per Bag Bagged & Boxed 3 1 lb. - 0.5 kg 9.79 2 Bags per Case

REPLACEMENT PIN FOR #38 "SABERTOOTH"*

#37 Blade Pin Bagged & Boxed 3 1 lb. - 0.5 kg 7.42

COMPLETE REPAIR KIT - REPLACEMENT BLADE/SPRING SET FOR #38 "SABERTOOTH"*

#39-KIT 1 Each per Bag Bagged & Boxed 3 1 lb. - 0.5 kg 40.26 #39 Blade, #40 Springs & #37 Pin

Page 30 *NOTE: Blades and Springs are considered expendable materials and therefore are not covered by the Warranty.



LIST PRICE EACH

115.42

49.79

9.77

53.58

9.77

74.19



Plumb-Pro Quality Tools

PLASTIC PIPE CUTTERS



STOCK CODE

"BARRACUDA" 1-1/2" (38.1 mm) PLASTIC PIPE RATCHET CUTTER* Top quality professional ratchet cutter cuts PVC, CPVC, ABS and other plastic conduit and tubing through 1-1/2" (38.1 mm). Heavy duty steel construction with replaceable stainless steel blade.

ITEMS / CASE

CASE WEIGHT

1 lb. - 0.5 kg

4 lbs. - 1.8 kg

STOCK CODE	SIZE	CONTAINER	HEWIS/ CASE	CASE WEIGHT
#130	1-1/2" - 38.1 mm	Bagged & Boxed	2	6 lbs 2.7 kg
REPLACEMEN	T BLADE FOR #13	O "BARRACUDA"* S	tainless steel	blade.
#131	1-1/2" - 38.1 mm	Bagged & Boxed	2	1 lb 0.5 kg
 REPLACEMEN	T SPRING SET FOR	R #130 "BARRACUD	A"*	
#132	3 Springs per Bag 2 Bags per Case	Bagged & Boxed	2	1 lb 0.5 kg

COMPLETE REPAIR KIT - REPLACEMENT BLADE/SPRING SET FOR #130 "BARRACUDA"* #133-KIT Bagged & Boxed

CONTAINED

1 Each per Bag #131 Blade & #132 Springs

2" - 50.8 mm



#20


"PIRAÑA" ONE HANDED 2" (50.8 mm) PLASTIC PIPE RATCHET CUTTER* Top quality professional ratchet cutter cuts all types of plastic pipe and conduit through 2" (50.8 mm) in diameter. One handed operation and heavy duty steel construction.

F	EPLA	CEMENT	BLADE FOR #2	20 "PIRAÑA"*			
	#	21	2" - 50.8 mm	Bagged & Boxed	2	2 lbs 0.9 kg	68.33
F	EPL/	CEMENT	SPRING SET FO	OR #20 "PIRAÑA"*			


Bagged & Boxed

#22 2 Springs per Bag Bagged & Boxed 1 lb. - 0.5 kg 5 Bags per Case





"VIPER" 2" (50.8 mm) PLASTIC PIPE RATCHET CUTTER* Top quality professional ratchet cutter cuts PVC, CPVC, ABS and other plastic pipe and tubing through 2" (50.8 mm). Heavy duty steel construction with quality



REPLACEMENT BLADE FOR #17 "VIPER"* Stainless steel blade.

2" - 50.8 mm Bagged & Boxed 1 lb. - 0.5 kg 99.04

REPLACEMENT SPRING SET FOR #17 "VIPER"*

#92 2 Springs per Bag Bagged & Boxed 1 lb. - 0.5 kg 7.11 5 Bags per Case

COMPLETE REPAIR KIT - REPLACEMENT BLADE/SPRING SET FOR #17 "VIPER"*

Bagged & Boxed 1 Each per Bag 1 lb. - 0.5 kg 100.83 #18 Blade & #92 Springs



71232

"GATOR BITE" 2-1/2" (63.5 mm) PLASTIC PIPE RATCHET CUTTER* Top quality professional ratchet cutter cuts all types of plastic pipe and conduit through 2-1/2" (63.5 mm) in diameter. Heavy duty steel construction.

	#205	2-1/2" - 63.5 mm	Roxea		4 lbs 1.8 kg	201.16
DE	DI ACEMENI	BLADE FOR #205 "G	ATOD RITE"*			
KL	PLACEMILIA	DEADL FOR #205	AIOR BIIL			
	#206	2-1/2" - 63.5 mm	Bagged & Boxed	1	2 lbs 0.9 kg	101.98
DE	DI ACEMENI	SPRING SET FOR #2	NE "CATOD DITE"*			
KE	PLACEIVIEIN	SPRING SEI FOR #2	US GAIOR BILE			
	#207	2 Springs per Bag 5 Bags per Case	Bagged & Boxed	5	1 lb 0.5 kg	22.36

COMPLETE REPAIR KIT - REPLACEMENT BLADE/SPRING SET FOR #205 "GATOR BITE"*

1 Each per Bag Bagged & Boxed 2 lb. - 0.9 kg 124.36 #206 Blade & #207 Springs

Cutters are packaged in clear plastic point of purchase display pouches suitable for hanging on a display. (Excluding #205) *NOTE: Blades and Springs are considered expendable materials and therefore are not covered by the Warranty Page 31



INTERNAL PIPE CUTTERS

"RIPPER" CARBIDE BLADE INTERNAL PLASTIC PIPE CUTTER* 2 each 1-1/2" (3.81 cm) diameter fiber carbide blades per bag with 3" (7.62 cm) long zinc plated shaft that fits 1/4" (.64 cm) or 3/8" (.95 cm) drills. For cutting 2" (5.08 cm) or larger PVC or ABS plastic pipe. WARNING - Do not operate cutter in reverse.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
#192	1-1/2" - 3.81 cm	Bagged & Boxed	10	1 lbs 0.5 kg	16.78



REPLACEMENT BLADES FOR #192* Fiber carbide blades.

#154	1-1/2" diameter - 3.81 cm 3 Blades per Bag 10 Bags per Case	Bagged & Boxed	10	1 lb 0.5 kg	15.25
------	---	----------------	----	-------------	-------



"ZIPPY" METAL BLADE INTERNAL PLASTIC PIPE CUTTER* 1 each 1-1/2" (3.81 cm) diameter metal shear blade per bag with 4" (10.16 cm) long zinc plated shaft that fits 1/4" (.64 cm) or 3/8" (.95 cm) drills. For cutting 2" (5.08 cm) or larger PVC or ABS plastic pipe. WARNING - Do not operate cutter in reverse.

#150 1-1/2" diameter - 3.81 cm Bagged & Boxed 10 1 lb. - 0.5 kg

"ZIPPY XL" LONG SHAFT METAL BLADE INTERNAL PLASTIC PIPE CUTTER*

1 each 1-1/2" (3.81 cm) diameter metal shear blade per bag with 7-1/2" (19.05 cm) long zinc plated shaft that fits 1/4" (.64 cm) or 3/8" (.95 cm) drills. For cutting 2" (5.08 cm) or larger PVC or ABS plastic pipe.

WARNING - Do not operate cutter in reverse.

#152 1-1/2" diameter - 3.81 cm Bagged & Boxed 5 1 lb. - 0.5 kg 35.51

REPLACEMENT BLADES FOR #150 and #152* Metal shear blades.



PIPE FITTING REAMERS

"SOCKET RELIEVER" PIPE FITTING REAMERS Removes Schedule 40 plastic pipe. Cuts ABS or PVC DWV pipe below slab. Fits 1/2" variable speed power drill.


#118	1/2" - 1.27 cm	Boxed	1	1 lb 0.5 kg	17.75
#119	3/4" - 1.91 cm	Boxed	1	1 lb 0.5 kg	17.75
#120	1" - 2.54 cm	Boxed	1	1 lb 0.5 kg	20.62
#123	1-1/2" - 3.81 cm	Boxed	1	1 lb 0.5 kg	22.66
#124	2" - 5.08 cm	Boxed	1	1 lb 0.5 kg	23.89
#125	3" - 7.62 cm	Boxed	1	1 lb 0.5 kg	38.88
#126	4" - 10.16 cm	Boxed	1	1 lb 0.5 kg	40.78



PIPE VENT SCREENS

PIPE VENT SCREENS Professionally made to prevent unwanted animals, leaves and debris from entering HVAC and plumbing vent pipe. Fabricated with Schedule 40 PVC and high quality Type 304 Stainless Steel Screen. No tools or glue are required for assembly. Simply press the vent screen into an existing fitting to seal out the pests and unwanted debris. The patented condensate channel allows for proper drainage that prevents a buildup of moisture and potential freezing of the screen.

#VS1	1" Pipe Vent Screen	Boxed	10	1 lb 0.5 kg	7.02
#VS15	1-1/2" Pipe Vent Screen**	Boxed	10	1 lb 0.5 kg	11.11
#VS2	2" Pipe Vent Screen**	Boxed	10	1 lb 0.5 kg	12.24
#VS3	3" Pipe Vent Screen**	Boxed	10	1 lb 0.5 kg	15.72
#VS4	4" Pipe Vent Screen**	Boxed	10	1 lb 0.5 kg	20.97
#VS6	6" Pipe Vent Screen**	Boxed	5	1 lb 0.5 ka	37.84



^{*}NOTE: Blades are considered expendable materials and therefore are not covered by the Warranty.

^{**}Fits inside of pipe fitting, fitting not included

Plumb-Pro Quality Tools

MARKING PAINT & MARKING GUNS

PRO-STRIPE APWA INVERTED MARKING PAINT A heavy duty, industrial paint with a water base formula that is fast drying, durable and non-clogging. Use in marking construction, excavation sites, underground utilities, landscaping, etc. Will not wash away or damage grass. Lead Free. **MADE IN THE U.S.A.**



STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
#MP-BLACK	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg	10.78
#MP-BLUE	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg	10.78
#MP-CLOUD WHITE	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg	10.78
#MP-GREEN	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg	10.78
#MP-HOT ORANGE	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg	10.78
#MP-PINK	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg	10.78
#MP-RED	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg	10.78
#MP-YELLOW	17 oz 503 ml	Boxed	12	19 lbs 8.6 kg	10.78

PRO-STRIPE INVERTED MARKING PAINT Stripe any athletic field in minutes! Formulated to last long, remain bright and not harm grass or any sports field covering. Get up to 1/2 mile of 3-inch wide stripe per case.

PSA-WHITE	18 oz 532 ml	Boxed	12	19 lbs 8.6 kg	11.66
PSA-HOT ORANG	E 18 oz 532 ml	Boxed	12	19 lbs 8.6 kg	11.66
PSA-YELLOW	18 oz 532 ml	Boxed	12	19 lbs 8.6 kg	11.66
PSA-RED	18 oz 532 ml	Boxed	12	19 lbs 8.6 kg	11.66
PSA-NAVY BLUE	18 oz 532 ml	Boxed	12	19 lbs 8.6 kg	11.66

PRO-STRIPER INVERTED AEROSOL MARKING MACHINE Solid steel frame with fold-down handle. 10" wheels make it easy to maneuver. *For use with Pro-Stripe Traffic Inverted Marking Paint*

PRO-STRIPER Universal Boxed 1 22 lbs. - 10.0 kg 321.37

PRO-STRIPER MARKING GUN A compact and lightweight tool used to apply marking paint in a wide range of marking applications.

#704 Universal Boxed 1 1 1 lb. - 0.5 kg 37.60

PRO-STRIPER MARKING WAND A lightweight tool used to apply marking paint in a wide range of marking applications. Approximately 3 feet in length to make application of paint easy.

#705 Universal Boxed 1 3 lbs. - 1.4 kg 52.95

TURF COLORANT & LEAK TRACER DYES



GREENS COAT TURF COLORANT A super concentrated green pigment with Bright-Fast™ Technology which will not harm turf grass and can be applied at any time during the year.

GC32	Quart95 L	Flat Top Can	12	33 lbs 15.0 kg	57.39
GC1	Gallon - 3.785 L	Paint Can w/Handle	4	36 lbs 16.3 kg	197.02
GC5	5 Gallon - 18.9 L	Pail w/Handle	1	53 lbs 24.0 kg	944.76

FAST-TRAC YELLOW/GREEN LEAK TRACER DYE A highly concentrated leak inspection dye that dissolves rapidly in water and provides a vivid fluorescent yellow/green color detectable in murky water, sewage or effluent. **MADE IN THE U.S.A.**

LTDG16	16 oz 473 ml	Plastic Container	12	15 lbs 6.8 kg	29.60
LTDG1	Gallon - 3.785 L	Plastic Jug w/Spout	4	37 lbs 16.8 kg	222.15
LTDG5	5 Gallon - 18.9 L	Pail w/Handle	1	42 lbs 19.1 kg	1046.33

FAST-TRAC RED LEAK TRACER DYE A highly concentrated leak inspection dye that dissolves rapidly in water and provides a vivid fluorescent red color detectable in murky water, sewage or effluent. **MADE IN THE U.S.A.**

LTDR16	16 oz 473 ml	Plastic Container	12	15 lbs 6.8 kg	29.60
LTDR1	Gallon - 3.785 L	Plastic Jug w/Spout	4	37 lbs 16.8 kg	222.15
LTDR5	5 Gallon - 18.9 L	Pail w/Handle	1	42 lbs 19.1 kg	1046.33

FAST-TRAC BLUE LEAK TRACER DYE A highly concentrated leak inspection dye that dissolves rapidly in water and provides a vivid non-fluorescent blue color detectable in murky water, sewage or effluent. **MADE IN THE U.S.A.**

LTDB16	16 oz 473 ml	Plastic Container	12	15 lbs 6.8 kg	29.60
LTDB1	Gallon - 3.785 L	Plastic Jug w/Spout	4	37 lbs 16.8 kg	222.15
LTDB5	5 Gallon - 18.9 L	Pail w/Handle	1	42 lbs 19.1 kg	1046.33

#CGW

MADE IN THE U.S.A.



CANS, DAUBERS, APPLICATORS, SPRAYERS & BOTTLES

10 lbs. - 4.5 kg

CANS Empty Screw Top Cans without Caps. For caps, see below. MADE IN THE U.S.A.

STOCK CODE	SIZE	CONTAINER	ITEMS/CASE	CASE WEIGHT	LIST PRICE EACH
#CHP	1/2 Pint - 237 ml	Boxed	24	5 lbs 2.3 kg	1.68
#CPP	Pint - 473 ml	Boxed	12	5 lbs 2.3 kg	2.52
#CQ	Quart95 L	Boxed	12	5 lbs 2.3 kg	4.08
#CQ100	Quart95 L	Boxed	100	38 lbs 17.2 kg	3.39

WIDE MOUTH GALLON CAN WITH SCREW TOP LID Opening of can is 2-7/8" (7.32 cm). MADE IN THE U.S.A.

Gallon - 3.785 L

DAUBER SCREW CAPS Standard Dauber and Cap. For use on empty screw top Cans listed above.

#DP	Pint - 473 ml	Boxed	50	2 lbs 0.9 kg	1.53
#DPA	Pint - 473 ml	Boxed	12	1 lb 0.5 kg	1.65
#DQ	Quart95 L	Boxed	50	3 lbs 1.4 kg	1.65
#DQA	Quart95 I	Boxed	12	1 lb 0.5 kg	1.79

DAUBER SCREW CAPS 1/2" Dauber and Cap. For use with CPVC Yellow Medium Bodied Low VOC Cement and empty screw top cans listed above. **MADE IN THE U.S.A.**

#DHP	Half Pint - 237 ml	Boxed	12	1 lb 0.5 kg	1.60
#DPS	Pint - 473 ml	Boxed	12	1 lb 0.5 kg	1.65

GALLON CAN ROLLER Applicator with Cap - Fits wide and standard mouth size.

#CGWR	12" - 30 cm	Boxed	12	4 lbs 1.8 kg	25.20

GALLON CAN SWAB Applicator with Cap - Fits wide and standard mouth size.

#CGWS 12" - 30 cm Boxed 12 2 lbs. - .91 kg 24.31

ROUND COTTON SWAB APPLICATOR Wire Handle Swab. Total length 11" (28 cm). For applying large quantities of gasket lubricant or PVC cements and cleaners to pipe and fittings.

#GLS	11" x 2" - 28 x 5 cm	Boxed	50	7 lbs 3.2 kg	5.56
#GI \$ A	11" v 2" - 28 v 5 cm	Boyod	12	2 lbs = 0.0 kg	6 12

ACID & FLUX BRUSH Metal Handle.

#BR1	3/8" Wide x 6" Long	Boxed	144	3 lbs 1.4 kg	0.33
	.95 cm Wide x 15.24 cm Lona				

FLUX BRUSH Pipe Joint Compound and Flux Brush. Wood Handle.

#BR7	3/4" Wide x 7" Long	Boxed	36	2 lbs 0.9 kg	1.79
	1.91 cm Wide x 17.78 cm Long				

PURE BRISTLE BRUSHES Paint Brush Style. Wood Handle.

#PB1	1" - 2.54 cm	Boxed	36	2 lbs 0.9 kg	1.86
#PB2	2" - 5.08 cm	Boxed	24	2 lbs 0.9 kg	2.45
#PB3	3" - 7.62 cm	Boxed	24	3 lbs 1.4 kg	3.44
#PB4	4" - 10.16 cm	Boxed	12	2 lbs 0.9 ka	4.97

SPRAYERS Trigger Pump Plastic Sprayer with adjustable spray nozzle for use with pint or quart Leak Detector bottles. **MADE IN THE U.S.A.**

#SPR	Trigger Pump Sprayer for Pint (473 ml) Bottles	Boxed	6	1 lb 0.5 kg	4.90
#SPRL	Trigger Pump Sprayer for Quart (.95 L) Bottles	Boxed	6	1 lb 0.5 kg	5.86

PLASTIC BOTTLES WITH PLASTIC SCREW CAPS MADE IN THE U.S.A.

#B16	Pint - 473 ml	Boxed	6	1 lb 0.5 kg	3.18
#B32	Quart95 L	Boxed	12	2 lb 1.0 ka	3.79




Plumb-Pro Quality Tools

TOOLS, TWINE & TAPES

PULLING

MAGNETIC TORPEDO LEVEL 9" Black, high impact plastic frame. Magnetic edge frees hands. Vials read plumb, level, 1/4" per 1 foot plumbing code slope and 45° top read window. V-grooved working edge fits on pipe or conduit.





#24	1/2" - 1.27 cm	Bagged & Boxed	100	1 lb 0.5 kg	0.59
#25	3/4" - 1.91 cm	Bagged & Boxed	100	1 lb 0.5 kg	0.59
#26	1" - 2.54 cm	Bagged & Boxed	100	1 lb 0.5 ka	0.59

SUPER STUD PUNCH Extended throat. Cuts 3-1/2" (8.89 cm) from edge. Cuts heavy 18 gauge steel. Lightweight high strength aluminum alloy. Hole size 1-11/32" (3.41 cm). Offset handle gets into tight places easier. Better leverage for easier punching. Non-slip rubber grips. **MADE IN THE U.S.A.**

#398	1-11/32" Hole Size	Boxed	1	7 lbs 3.2 kg	540.48
	3.41 cm Hole Size				

4 - WAY VALVE KEY For stop cocks, sill cocks and valves when handles have been removed. Fits 1/4" (.64 cm), 9/32" (.71 cm), 5/16" (.79 cm), 11/32" (.86 cm). Polished chrome finish.

#33	Universal	Bagged & Boxed	5	3 lbs 1.4 kg	15.60
-----	-----------	----------------	---	--------------	-------

MEASURING TAPE High Impact Yellow Case. Tough tip stainless steel blade protector with 3 rivets virtually eliminates tip breakage. Three color blade with bold, precise numbers for easier reading.

#301	1" x 25' - 2.54 cm x 7.62 m	Bagged & Boxed	6	6 lbs 2.7 kg	24.71

YELLOW MASON TWINE* No.18 - 275 ft. (84 m). Unaffected by cement. Rot proof. High strength for use as chalk line, plumb line, lead line. Rolls individually wrapped in clear plastic.

#46	No. 18 - 275' (84 m) Long	Boxed	12	5 lbs 2.3 kg	7.70
-----	---------------------------	-------	----	--------------	------


WIRE PULLING TWINE* Polypropylene twisted film. 1-Ply x 6500'; average break strength 200 lbs. (90.7 kg). Plastic bucket dispenser, made from high strength plastic.

#49	1-Ply x 6500' (200 lbs.)	Pail w/Handle	1	12 lbs 5.4 kg	114.36
	1-Ply x 1981 m (90.7 kg)				


PVC PIPE WRAP TAPE* High quality polyethylene pipe wrap tape. All weather, moisture proof black pipe wrap tape. UPC listed.

#143 10 mil x 2" x 100' Boxed 36 40 lbs. - 18.1 kg 14.62

YELLOW WARNING BARRIER "CAUTION" TAPE* Durable 3 Mil thick PVC Plastic Tape, 3" (7.62 cm) wide. Bright yellow with BOLD BLACK PRINT - "CAUTION CAUTION"



*NOTE: Mason Twine, Wire Pulling Twine, Pipe Wrap Tape and Caution Tape are considered expendable materials and therefore are not covered by the Warranty.







Stock Code DISPLAY2

Order \$1200.00 NET or more and receive a 2 Foot Point-of-Purchase Display Rack FREE!

This light beige display rack contains three shelves and one base shelf for displaying WHITLAM products with an eye-catching two color sign. It is available full freight prepaid and allowed, when ordered with \$1200 NET billing value.

- Limit 1 free display rack per location.

Display measures:

24" (61 cm) long 54" (137 cm) high 18" (46 cm) deep Extra shelves: \$100.00 each Extra display: \$175.00 each Display ships with:

10" adjustable shelves (2 each) 12" adjustable shelf (1 èach)

12" base shelf (1 each)

Receive a FREE Soil Probe Display Rack with orders of 24 or more Probes!

This Point-of-Purchase Probe Display will display up to 24 - 48" (1.2 m) and/or 60" (1.5 m) Soil Probes. Display must be ordered on same order as the probes to qualify.

- Limit 1 display per wholesaler location.
- Stock Code #272

Order \$500.00 NET or more of: Shovels, Spades, Pick Mattock, and/or Sledge Hammers and receive one FREE Display Barrel!



Stock Code #272

Stock Code **BARREL**

Order \$1500.00 NET or more and receive a 4 Foot Gondola Display Rack FREE!

This light beige display rack contains four shelves and one base shelf for displaying **WHITLAM** products with an eye-catching two color sign. It is available full freight prepaid and allowed, when ordered with \$1500 NET billing value.

- Limit 1 free display rack per location.

FREE FLOW-AIDE Point-of-**Purchase Display with** Purchase of 6 ea. FLOW-KITS and 16 ea. FLOW32

This free standing Point-of-Purchase display assists in promoting the FLOW-AIDE Descaler Kit and FLOW-AIDE Biodegradable Chemical Solution with its eye catching header and solid blue base. The self talking header highlights the multiple uses/advantages of this top quality chemical descaler.

Display measures:

28" (71 cm) long 50" (127 cm) high 14" (36 cm) deep

Stock Code FLOW-DISPLAY Contains: 6 each FLOW-KIT 16 each FLOW32 Stock Code FLOW-DISPLAYC Contains: 6 each FLOW-KITC* 16 each FLOW32C*





Stock Code DISPLAY4

Display measures: 48" (122 cm) long 54" (137 cm) high 18" (46 cm) deep Extra shelves: \$125.00 each Extra display: \$225.00 each

Display ships with:

10" adjustable shelves (3 each) 12" adjustable shelf (1 each)
12" base shelf (1 each)

PLUMBING CENTER

Order the Following Products:

1 case #393 - Soft Touch Pliers

1 case #394 - Soft Jaw Wonder Pliers

1 case CF5 - 1/2" Wire Handle Fitting Brush

1 case CF75 - 3/4" Wire Handle Fitting Brush

1 case TL1429 - "Talon" Professional High Density Gray PTFE Tape

1 case IG8 - 8 oz. "Blue Magic" Thread Compound

1 case IG16 - 16 oz. "Blue Magic" Thread Compound

1 case TAL8 - 8 oz. "Talon" PTFE Thread Compound

1 case TF8 - 8 oz. "Select-Unyte" PTFE Thread Compound

1 case TF16 - 16 oz. "Select-Unyte" PTFE Thread Compound

1 case MT1 - 14 oz. "Talon" Plumber's Putty

1 case MT5 - 5 lb. "Talon" Plumber's Putty

1 case PL8 - 8 oz. PVC Clear Medium Bodied Low VOC Cement

1 case PL16 - 16 oz. PVC Clear Medium Bodied Low VOC Cement

1 case PPL8 - 8 oz. Low VOC Purple Primer

1 case PPL16 - 16 oz. Low VOC Purple Primer

1 case TDC1 - 1 lb. "Talon" Drain Opener

1 case TFB80 - "Talon" Hand Cleaning Towels

1 case 18032 - 10.3 oz. DAP® White, Linen/Biscuit and/or Clear Caulk

1 case 08011 - 10.3 oz. DAP® Clear or White RTV Silicone Sealant

1 case S1WR - Regular Wax Ring

1 case S1WS - Flanged Wax Ring

1 case FOS1SJ - Jumbo Flanged Wax Ring

1 case TWF1 - 1 lb. "Talon" Water Soluble Paste Flux

1 case WP10 - 10 yd. Waterproof Blue Sand Cloth

And Receive Prepaid Freight, 2% 60 Day Billing, Free 2 Foot Point-of-Purchase Display Rack & Free Case of 16 oz. "Talon" Citrus Lotion Hand Cleaner with Lanolin and Walnut Scrubbers (THC16).



IRRIGATION CENTER

Order the Following Products: 25 case Mix of Solvent Weld Cements and Primers

1 case #166 - 1" "Snapper" Tubing Cutter

1 case #38 - 1-5/8" "Sabertooth" Plastic Pipe Ratchet Cutter

1 case #20 - 2" "Piraña" Plastic Pipe Ratchet Cutter

1 case #GLS - Cotton Swab Applicator

1 case GWP16 - 16 oz. "Glue-Wash" Pumice Hand Cleaner

1 case TAL8 - 8 oz. "Talon" PTFE Thread Compound

And Receive Prepaid Freight, 2% 60 Day Billing, Free 2 Foot Point-of-Purchase Display Rack, Free Case of 4 oz. "Glue-Wash" (GWP4) **Pumice Hand Cleaner.**





*See terms of Guaranteed Sale and Return Policy on Page 39 of this price catalog.



WATERWORKS CENTER



Order the Following Products:

1 case #20 - 2" "Piraña" Plastic Pipe Ratchet Cutter

4 case Mix of "Pro-Stripe" Inverted Marking Paint

1 case #GLS - Gasket Lube Swabs

1 case CU16 - 1 lb. "TALON" Thread Compound

2 cases TL1429 - "Talon" Professional High Density Gray PTFE Tape

1 case LTDB16 - 16 oz. Fast-Trac Blue Leak Tracer Dye

1 case LTDG16 - 16 oz. Fast-Trac Yellow/Green Leak Tracer Dye

1 case LTDR16 - 16 oz. Fast-Trac Red Leak Tracer Dye

1 case TAL16 - 16 oz. "Talon" PTFE Thread Compound

1 case PPL16 - 16 oz. Low VOC Purple Primer

1 case WET16 - 16 oz. "Weatherproof" Clear Medium Bodied Wet/Dry Low VOC PVC Cement

1 case HDP16 - 16 oz. PVC Clear Heavy Duty Low VOC Cement

1 case GLP32 - 32 oz. "Blue Lube" Pipe Gasket Lubricant

1 case GWP16 - 16 oz. "Glue-Wash" Pumice Hand Cleaner

1 case PPL32 - 32 oz. Low VOC Purple Primer

1 case WET32 - 32 oz. "Weatherproof" Clear Medium Bodied Wet/Dry Low VOC PVC Cement

1 case HDP32 - 32 oz. PVC Clear Heavy Duty Low VOC Cement

1 case BD1 - 1 Gallon Black Dragon Gilsonite Asphalt Paint

3 case Mix of "Talon" Direct to Metal Paint

And Receive Prepaid Freight, 2% 60 Day Billing, Free 2 Foot Point-of-Purchase Display Rack & Free Case of 16 oz. "Talon" Citrus Lotion Hand Cleaner with Lanolin and Walnut Scrubbers (THC16).

POOL/SPA CENTER

Order the Following Products:

25 case Mix of Solvent Weld Cements and Primers

1 case #17 - 2" "Viper" Plastic Pipe PRatchet Cutter

1 case #20 - 2" "Piraña" Plastic Pipe Ratchet Cutter

1 case #166 - 1" "Snapper" Tubing Cutter 1 csae #124 - 2" "Socket Reliever" Pipe Fitting Reamer

1 case IG2 - 2 oz. "Blue Magic" Industrial Grade Thread Sealant

1 case EPP4 - 4 oz. "Talon" Epoxy for Plastic

1 cases TL1429 - "Talon" Professional High Density Gray PTFE Tape

1 case GWP16 - 16 oz. "Glue-Wash" Pumice Hand Cleaner

1 case TFB80 - "Talon" 9" x 12" Hand Cleaning Towels

1 case #MP-HOT ORANGE - 17 oz. "Pro-Stripe" Inverted Marking Paint

And Receive Prepaid Freight, 2% 60 Day Billing, Free 2 Foot Point-of-Purchase Display Rack, Free Case of 4 oz. "Glue-Wash" (GWP4) **Pumice Hand Cleaner.**

^{*}See terms of Guaranteed Sale and Return Policy on Page 39 of this price catalog.





D.O.T. CLASSIFIED SHIPPING TERMS: North American shipments containing Plastic Pipe Cements and Cleaners through quart size will be shipped Consumer Commodity ORM-D; gallon size requires the proper UN Number on Bills of Lading and a Flammable Red Label on all cartons. All cartons on shipments to overseas countries are required to have the proper UN Number on Bills of Lading and a Flammable Red Label on all cartons. North American shipments containing Talon Drain Opener 1 lb. and 2 lb. sizes will be shipped Consumer Commodity ORM-D; All cartons on shipments to overseas countries are required to have the proper UN Number on Bills of Lading and a Corrosive Warning Label on all cartons. North American shipments containing NOW! and QUIK! 32 oz. size will be shipped Consumer Commodity ORM-D; sizes over 32 oz. are required to have the proper UN Number on Bills of Lading and a Corrosive Warning Label on all cartons. All cartons on shipments to overseas countries are required to have the proper UN Number on Bills of Lading and a Corrosive Warning Label on all cartons. North American shipments containing Sludge B Gone, 32 oz. size, will be shipped Consumer Commodity ORM-D; gallon size requires the proper UN Number on Bills of Lading and a Flammable Red Label on all cartons. All cartons on shipments to overseas countries are required to have the proper UN Number on Bills of Lading and a Flammable Red Label on all cartons.

CARRIERS: J.C. Whitlam Manufacturing Company reserves the right to choose freight carriers on all prepaid shipments.

PRIOR NOTIFICATION: Charges by a carrier for notification prior to delivery, will be the responsibility of the customer.

PALLETIZATION: J.C. Whitlam Manufacturing Company will palletize and stretch-wrap. Customer will be notified of any additional charges prior to shipment. When receiving shipment, count and sign for individual cartons. All pallets shipped as individual cartons.

SHORTAGES & DAMAGE CLAIMS: Examine shipments on receipt for shortages or damage and file claims immediately with carrier. All damages or shortages must be noted on the carrier's Bill of Lading when receiving shipment. We will assist you in filing claims. Bills of Lading covering shipments are an acknowledgment by the Carrier of receipt of product in apparent Good Condition. If shipment is not delivered to you in good condition, it is your responsibility to make a claim against the Carrier. Always have the shortage or damage noted by the delivery driver on both the drivers and your copy of the delivery receipt with the drivers signature. These notations should also appear on the freight bill. Make your claim promptly to the Carrier, for the Carrier will not consider a claim unless presented within ninety days from date of delivery. If the shipment is to be rejected, notify J.C. Whitlam Manufacturing Company. If you accept from a Carrier a shipment that is short or damaged, without having proper inspections and notations made, you do so at your own risk. If there is concealed damage, call the Carrier's representative or agent to view the damage and have him mark the freight bill. Also obtain a copy of his inspection report. Concealed loss or damage, discovered after delivery of shipment, must be reported to Carrier's agent or representative immediately upon discovery, but no later than 15 days after receipt. Claims for loss or damage can not be deducted from our invoice, nor payment of invoice withheld awaiting adjustment of such claims.

LIMITED GUARANTEED SALE AND RETURN POLICY: No returns accepted without prior authorization being RECEIVED from our CORPORATE OFFICES in Wadsworth, Ohio. When Authorization is given, an Authorization Number will be issued which must appear on Shipping Documents. A trucking company will be designated which must be used. Any deviation from these requirements may cause the shipment to be refused. Products may be returned within two years of purchase date except for plastic solvent cements and cleaners, which may be returned within twelve months of purchase date. Freight must be paid by purchaser and returned in resalable condition. A repacking charge may be applied.



"TALON" TOWER OF TOWELS Stock Code: TFB80D See Page 16 STANDARD PACKAGING: WHITLAM CHEMICAL AND PLUMB-PRO DIVISION PRODUCTS ARE SHIPPED IN FULL CASE QUANTITIES ONLY.

WARRANTY: J.C. WHITLAM MANUFACTURING CO. guarantees Whitlam and Plumb-Pro products to be in compliance with acceptable commercial standards for material and workmanship for a period of one (1) year from date of purchase, unless noted in price catalog. Complete products must be returned for credit or replacement.

This sheet supersedes all previous price catalogs. Prices and specifications subject to change without notice. Our liability on all products not to exceed amount of invoice value.



"GLUE-WASH"
PUMICE
HAND CLEANER
16 OZ. - 12 PACK
Stock Code: GWP16
See Page 16



"TALON"
HAND CLEANER
16 OZ. - 12 PACK
Stock Code: THC16
See Page 16



"BLUE MAGIC"
THREAD SEALANT
1/2 PINT - 12 PACK
Stock Code: IG8A
See Page 8



"SELECT-UNYTE"
THREAD SEALANT
1/2 PINT - 12 PACK
Stock Code: TF8A
See Page 8



"T-U TYPE 555" THREAD SEALANT 1/2 PINT - 12 PACK Stock Code: TU8A See Page 8



"TALON"
THREAD SEALANT
1/2 PINT - 12 PACK
Stock Code: TAL8A
See Page 9



"TALON"
PROFESSIONAL HIGH
DENSITY PTFE TAPE
Stock Code: TL1429,
TLW1429 and TLX1429
See Page 10



"TAPE-UNYTE"
PTFE TAPE
12 PACK
See Page 10



"BLUE MAGIC"
THREAD SEALANT
2 oz. TUBES
12 TUBES PER DISPLAY
6 DISPLAYS PER CASE
Stock Code: IG2
See Page 8



"SELECT-UNYTE"
THREAD SEALANT
2 oz. TUBES
12 TUBES PER DISPLAY
6 DISPLAYS PER CASE
Stock Code: TF2
See Page 8



"TYTE-UNYTE"
THREAD SEALANT
2 oz. TUBES
12 TUBES PER DISPLAY
6 DISPLAYS PER CASE
Stock Code: T2
See Page 8

THE WHITLAM STORY

First, a little nostalgia. It can be hard to grasp how different life was in the year 1900. The light bulb, telephone and automobile were still new; and airplanes, moving pictures, and even paper clips were still only inventors' dreams.

But the world wasn't perfect. As shocking as it sounds, plumbers of that time used poisonous lead pastes to seal pipes.

A solution was at hand. In 1900, J.C. Whitlam II solved the problem with an invention he called "Tyte-Unyte®," the world's first non-poisonous thread compound. This formula was so enduring that today, it is still the standard of the plumbing industry.

One thing led to another. Tyte-Unyte® led to Select-Unyte, Blue Magic, Pack-Unyte, and many other products, including our new TALON Pipe Thread Compound. Today, J.C. Whitlam and its divisions,

Whitlam Chemical and Plumb-Pro tools, provide hundreds of sealing compounds, lubricants, tape, packing, tools and other products for professionals in plumbing, heating, refrigeration and irrigation.

Whitlam today. Our companies are stronger than ever, with consistent quality production, innovation in chemical engineering and reliable customer service. Together, these make Whitlam a source you can trust for a long time to come.



When you consider the long history of Whitlam Manufacturing, you can be sure we will be here for you, just as we have been for more than 100 years.

Reliable service. We have always provided reliable service, but today we are dedicated, more than ever, to providing these services:

- convenient, friendly customer relationships
- fast, cost-conscious delivery options
- complete product information
- precise test data

Engineering expertise. You should also know that the product quality you depend on is based on chemical engineering expertise. We maintain quality control by testing products during manufacture, assure that packaging and shipping conditions are correct for the product, and explore new ways to bring you the next generation of products.

Innovative solutions and private labels.

We continue to develop custom solutions and to offer private labeling to meet your specific needs. After all, we were founded on innovation, and its spirit has never left us.

Sincerely, Jack C. Whitlam IV President



INDEX BY PRODUCT

INDEX BY PRODUCT		
PRODUCT PAGE	PRODUCT PAGE	
ABRASIVES	HEATING PRODUCTS 20 - 21	
ABS SOLVENT CEMENTS5	HIGHSIDE CHEMICALS	
ACID BRUSHES34	HOSES15	
ALL PURPOSE CEMENT5	INSULATORS, METAL STUD 35	
ANTI-FREEZE	INTERNAL PIPE CUTTERS	
ANTI-SEIZE COMPOUNDS9	LEAK DETECTOR	
BOILER PRODUCTS	LEAK TRACER DYES	
BOTTLES 34	LEVELS35	
BREAK-A-WAY BOLTS17	LONG NOSE PLIERS27	
BRUSHES 13 & 34	MARKING GUN 33	
CABLE SAWS	MARKING MACHINE33	
CANS 34	MARKING WAND	
CAULKING GUNS12	MASON TWINE	
CAULKS 12	MEASURING TAPE	
CAUTION TAPE35	METAL STUD PUNCH	
CEMENT CHARTS 6 - 7	METER KEYS	
CHANNELOCK	NO HUB TORQUE WRENCH28	
CLEAR CLEANER 6	OILS11	
CPVC SOLVENT CEMENTS5	OPEN MESH CLOTH	
CUTTING OILS11 DAP®12	PAINT STYLE BRUSHES	
DAUBERS	PICK MATTOCK	
DESCALER	PIPE CUTTERS	
DISPENSERS/HAND CLEANERS 16	PIPE FITTING REAMERS	
DISPLAYS	PIPE GASKET LUBE14	
DRAIN CLEANERS 16	PIPE JOINT COMPOUNDS 8 - 9	
DRAIN OPENERS 16	PIPE JOINT LUBRICANT14	
EPOXY PUTTY	PIPE PLIERS 27 - 28	
FITTING BRUSHES13	PIPE WRAP TAPE	
FLANGE BOLTS17	PLASTIC PIPE CUTTERS 30 - 31	
FLASHING CEMENT 11	PLIERS 27 - 28	
FLOW DISPLAY15	PLUMBER'S PUTTY10	
FLUX	PRIMERS 6	
FLUX BRUSHES34	PTFE TAPES10	
FUEL OIL ADDITIVE21	PUMPS15	
FURNACE CEMENT	PUTTY10	
GAS LINE TAPE	PVC CEMENTS	
GASKET LUBE CHART14	PVC SAW	
GASKET LUBE PASTE14	SAND CLOTH13	
GASKETS	SAW BLADES	
HACKSAWS AND BLADES 29	SAWS	
HAND CLEANERS	SCREWDRIVER BIIS	
HEAT PROOF GREASE	SILICONE GREASE14	
ILAI FROOF GREAGE	SILICOITE GREAGE	

PRODUCT	PAGE
SHOVELS	25
SEALANT	
SLEDGE HAMMERS	
SOFT JAW WONDER PLIERS	28
SOFT TOUCH PLIERS	
SOIL PROBE TIPS	
SOIL PROBES	
SOLDER FLUX	14
SOLVENT CEMENT CHART	
SPRAYERS	
STRAPS	
STUD PUNCH	
SWABS	34
"T-HANDLE" CABLE SAW	29
TALON TOWER OF TOWELS16	
TANK TO BOWL BOLT SETS	17
TAPE, PTFE	10
TELEŚCOPIC BASIN WRENCH	
THREAD SEALANTS	. 8 - 9
TOILET FLANGE BOLTS	17
TRAP PRIMER	
URINAL CLEANER	16
VALVE KEY, 4-WAY	35
VALVE WRENCHES, TELESCOPIC	26
VENT SCREENS	
WATER HEATER ELEMENT	
WRENCH	28
WATER SOLUBLE FLUX	14
WATERLESS URINAL ODOR BLOCKER	₹ . 15
WAX RINGS 1	
WIRE PULLING TWINE	35
WRENCHES	28

INDEX BY STOCK CODE

J.C. WHITLAM MFG. CO. MANUFACTURING
QUALITY CHEMICAL PRODUCTS SINCE 1900
STOCK CODE BACE
STOCK CODE PAGE ABS - ABS YELLOW CEMENT
AF - ANTI-FREEZE, SOLUTION 20
AL - ABS CEMENT5
AP - ALL PURPOSE CEMENT5
APR - ALL PURPOSE CEMENT
BA - BREAK-A-WAY TOILET BOLTS 17
BD - ASPHALT PAINT11
BF - FLASHING CEMENT11
BFC - FLASHING CEMENT11
BT - BOILER TREATMENT
C - CLEAR CLEANER
CF - COPPER FITTING,
WIRE HANDLE BRUSHES13
CP - COPPER FITTING,
SOLID HANDLE BRUSHES
CPG - CPVC CEMENT, GRAY5
CPL - CPVC CEMENT, YELLOW 5
CPV - CPVC CEMENT, ORANGE 5
CU - ANTI-SEIZE LUBRICANT9
DTM - DIRECT TO METAL PAINT 11
EPP - EPOXY PUTTY
EPS - EPOXY PUTTY
F520 - PTFE TAPE
FB - FLANGE BOLTS
FF - ANTI-FREEZE, CONCENTRATE 20
,

STOCK CODE	PAG	E
STOCK CODE FLOW - DESCALER	15	,
FLOW-COM		
FLOW-DISPLAY		
FLOW-KIT		
FOS1RB - WAX RING, REGULAR		
WITH BOLTS	18	
FOS1RB-D - WAX RING, REGULAR		
WITH BOLTS	18	
FOS1RJ - WAX RING, REGULAR JUMBO		
FOS1RP-D - WAX RING REGULAR		
WITH BOLT KIT	18	,
FOSTRU - WAX RING, REGULAR		
WITH URETHANE	19	,
FOSISB - WAX RING, FLANGED		
WITH BOLTS	18	,
FOSTSB-D - WAX RING, FLANGED		
WITH BOLTS	18	,
FOS1SJ - WAX RING, FLANGED		
JUMBO	18	
FOSTSJB-D - WAX RING, FLANGED		
JUMBO WITH BOLTS	18	
FOSTSP-D - WAX RING, FLANGED		
WITH BOLT KIT	19	,
FOSTSU - WAX RING, FLANGED		
WITH URETHANE	19	,
FOS2U - URINAL GASKET		
WITH URETHANE	19	,

STOCK CODE PAGE
FP - FREEZE-POINT -100, ANTI-
FREEZE, CONCENTRATE
FPGL - 48% GLYCERINE ANTI-FREEZE 20
FPPG - 38% PROPYLENE GLYCOL
ANTI-FREEZE
FT - SOLDER FLUX14
GC - TURF COLORANT
GL - GRAY MEDIUM PVC CEMENT3
GLP - GASKET LUBE14
GT260 - GAS LINE PTFE TAPE10
GT520 - GAS LINE PTFE TAPE 10
GWP - HAND CLEANER 16
HDP - HEAVY DUTY PVC CEMENT3
HPG - GREASE14
HPL - CLEAR HEAVY BODIED PVC CEMENT 3
HS - HIGHSIDE CHEMICALS22
HT - FURNACE CEMENT
IG - THREAD SEALANT 8
IR - IRRIGATION PVC CEMENT4
JAO - SAND CLOTH
LTDB - LEAK TRACING DYE, BLUE 33
LTDG - LEAK TRACING DYE, GREEN 33
LTDR - LEAK TRACING DYE, RED 33
LD - LEAK DETECTOR
LDS - LEAK DETECTOR, SPRAY21
MT - PUTTY
NI - ANTI-SEIZE LUBRICANT9

INDEX BY STOCK CODE -CONT.

STOCK CODE PAGE	STOCK CODE PAGE	STOCK CODE PAGE
NW - DRAIN OPENER	#21 - CUTTER BLADE	#326 - SHOVEL, ROUND POINT 25
OM - OPEN MESH CLOTH 13	#22 - CUTTER SPRINGS 31	#334 - 8# SLEDGE HAMMER
PCL - CLEAR PRIMER 6	#24 - 1/2" PIPE INSULATOR	#336 - 12# SLEDGE HAMMER 24
PCW - WEATHERPROOF PVC CEMENT 4	#25 - 3/4" PIPE INSULATOR	#337 - 16# SLEDGE HAMMER 24
PGL - HEAVY BODIED PVC CEMENT, GRAY . 3	#26 - 1" PIPE INSULATOR	#367 - CAUTION TAPE, 1000'
PL - CLEAR MEDIUM BODIED PVC CEMENT 3	#33 - 4-WAY VALVE KEY35	#368 - CAUTION TAPE, 200'
POW - THREAD SEALANT	#37 - CUTTER PIN30	#389 - SOFT TOUCH JAWS
PPL - PURPLE PRIMER	#38 - 1-5/8" RATCHET CUTTER30	#391 - ROUND WONDER JAWS 28
PRL - CLEAR REGULAR PVC CEMENT 3	#39 - CUTTER BLADE30	#392 - SQUARE WONDER JAWS 28
PSA - ATHLETIC INVERTED MARKING	#40 - CUTTER SPRING 30	#393 - SOFT TOUCH PLIERS 28
PAINT	#41 - SCREWDRIVER BIT 23	#394 - SOFT JAW PLIERS 28
QK - DRAIN CLEANER16	#42 - SCREWDRIVER BIT	#395 - SOIL PROBE TIPS
QS - PIPE JOINT LUBE	#43 - SCREWDRIVER BIT 23	#397 - 6' METER KEY
S1WR - WAX RING, REGULAR	#44 - SCREWDRIVER BIT 23	#398 - METAL STUD PUNCH
S1WS - WAX RING, FLANGED	#46 - MASON TWINE	#399 - 6' VALVE WRENCH, TELESCOPIC26
S260 - PTFE TAPE10	#48 - CAULKING GUN	#400 - 7' METER KEY
S520 - PTFE TAPE10	#49 - WIRE PULLING TWINE	#401 - 8' METER KEY
\$1296 - PTFE TAPE10	#56 - CAULKING GUN11	#402 - 8' VALVE WRENCH, TELESCOPIC26
SB - POOL & SPA PVC CEMENT4	#58 - 2# SLEDGE HAMMER	#403 - 7' METER KEY, 1-1/4" WRENCH 26
SBG - FUEL OIL ADDITIVE	#64 - 20" METER KEY	#404 - 3 IN 1 SERVIVCE WRENCH
SG - MULTI-PURTPOSE SILICONE GREASE .14	#65 - 42" METER KEY	#500 - RUBBER HOSES15
SH - HI-TEMP ANTI-FREEZE SOLUTION 20	#67 - HACKSAW	#501 - RUBBER HOSES
SLIME - GASKET LUBE14	#91 - CUTTER SPRINGS 30	#704 - MARKING GUN
		#705 - MARKING WAND
SST260 - STAINLESS STEEL PTFE TAPE 10	#92 - CUTTER SPRINGS 31	
SSTW520 - STAINLESS STEEL PTFE TAPE 10	#118 - 1/2" FITTING REAMER 32	#B16 - PINT BOTTLES
ST - THREAD SEALANT 8	#119 - 3/4" FITTING REAMER	#B32 - QUART BOTTLE
STS - BOILER SEALER	#120 - 1" FITTING REAMER	#BR - BRUSHES34
SW260 - PTFE TAPE10	#123 - 1-1/2" FITTING REAMER 32	#CGW - GALLON CANS
SW520 - PTFE TAPE10	#124 - 2" FITTING REAMER	#CGWR - GALLON ROLLER
SW1296 - PTFE TAPE 10	#125 - 3" FITTING REAMER	#CGWS - GALLON SWAB

SX520 - PTFE TAPE10	#126 - 4" FITTING REAMER	#CHP - 1/2 PINT CANS
T260 - PTFE TAPE	#127 - 1-1/4" RATCHET PIPE CUTTER 30	#CPP - PINT CANS34
T520 - PTFE TAPE	#128 - CUTTER BLADE	#CQ - QUART CANS
T1296 - PTFE TAPE	#129 - CUTTER SPRINGS30	#CQ100 - QUART CANS
T - THREAD SEALANT 8	#130 - 1-1/2" RATCHET PIPE CUTTER 31	#DHP - 1/2 PINT CPVC DAUBERS 34
TAL - THREAD SEALANT	#131 - CUTTER BLADE	#DP - PINT DAUBERS
The state of the s		
TBG - GASKET & BOLT KITS	#132 - CUTTER SPRINGS31	#DPA - PINT DAUBERS34
TC - TRANSITION CEMENT	#143 - 10 mil PIPE WRAP TAPE 35	#DPS - PINT CPVC DAUBERS
TDC - DRAIN OPENER	#145 - WATER HEATER ELEMENT WRENCH .28	#DQ - QUART DAUBERS
TDTP - LIQUID DRAIN TRAP PRIMER 15	#147 - SAW BLADE	#DQA - QUART DAUBERS34
TF - THREAD SEALANT 8	#150 - INTERNAL PIPE CUTTER	#EZ-725 - SUBMERSIBLE PUMP 15
TFB - HAND WIPES16	#151 - CUTTER BLADE	#EZ-1150 - SUBMERSIBLE PUMP15
THC - HAND CLEANER16	#152 - 7-1/2" INTERNAL PIPE CUTTER32	#GLS - APPLICATOR SWABS
TL - PTFE TAPE	#154 - CUTTER BLADE	#GLSA - APPLICATOR SWABS 34
TLW - PTFE TAPE	#156 - 42" METER KEY	#MP - BLACK - AEROSOL PAINT 33
TLX - PTFE TAPE10	#159 - 6-1/2" PIPE PLIER27	#MP - BLUE - AEROSOL PAINT
	* * * *	
TP - POOL & REPAIR PVC CEMENT 4	#160 - TELESCOPIC BASIN WRENCH 28	#MP - CLOUD WHITE - AEROSOL PAINT 33
TU - THREAD SEALANT8	#161 - 9-1/2" PIPE PLIERS 27	#MP - GREEN - AEROSOL PAINT 33
TUBC - URINAL CLEANER16	#162 - 10" PIPE PLIERS	#MP - HOT ORANGE - AEROSOL PAINT 33
TUTS - WATERLESS URINAL TRAP SEALANT .15	#163 - 12" PIPE PLIERS	#MP - PINK - AEROSOL PAINT 33
TWF - WATER SOLUBLE FLUX14	#164 - 12" PIPE PLIERS	#MP - RED - AEROSOL PAINT
W260 - PTFE TAPE10	#165 - 16" PIPE PLIERS	#MP - YELLOW - AEROSOL PAINT 33
	#166 - SNAPPER CUTTER	#PB - BRUSHES, PAINT STYLE
W520 - PTFE TAPE 10		#PB - BRUSHES, PAINT STYLE
WD - CUTTING OIL, DARK11	#167 - CUTTER BLADE/PIN	PRO-STRIPER - MARKING MACHINE 33
WET - WEATHERPROOF PVC CEMENT, BLUE .4	#168 - 9-1/2" UTILITY PLIERS 27	#SPR - TRIGGER SPRAYER
WL - CUTTING OIL, LIGHT11	#175 - LONG NOSE PLIERS 27	#SPRL - TRIGGER SPRAYER
WP - SAND CLOTH	#178 - LONG NOSE PLIERS27	#US9 - 9" RUBBER STRAP24
X260 - PTFE TAPE10	#180 - PVC SAW W/18" BLADE 29	#US15 - 15" RUBBER STRAP 24
XHG - HEAVY BODIED PVC CEMENT, GRAY 4	#181 - PVC SAW BLADE	#US20 - 20" RUBBER STRAP
XHW - HEAVY BODIED PVC CEMENT, WHITE 3	#182 - PVC SAW W/13" BLADE 29	#US31 - 31" RUBBER STRAP
ARW - REAV I BODIED PVC CEMENI, WHILE 3		
DI IIIAD DDA	#183 - PVC SAW BLADE	#US41 - 41" RUBBER STRAP
PLUMB-PRO	#192 - INTERNAL PIPE CUTTERS 32	#VS1 - 1" VENT SCREEN
"QUALITY TOOLS FOR THE TRADE"		#VS15 - 1-1/2" VENT SCREEN32
-	#196 - 20-1/4" PIPE PLIERS 27	
STOCK CODE PAGE	#205 - 2" PIPE RATCHET CUTTER31	#VS2 - 2" VENT SCREEN
00005 - VINYL ADHESIVE CAULK 12	#206 - CUTTER BLADE	#VS3 - 3" VENT SCREEN
00057 - POLYURETHANE FOAM	#207 - CUTTER SPRINGS31	#VS4 - 4" VENT SCREEN
00751 - SILICONE RUBBER SEALANT 12	#240 - "T-HANDLE" CABLE SAW 29	#VS6 - 6" VENT SCREEN32
08010 - RTV SILICONE - WHITE 12	#243 - NO HUB TORQUE WRENCH 28	#WS10 - 10' CAM BUCKLE STRAP 24
08011 - RTV SILICONE - CLEAR	#247 - SAW BLADE	#WS16 - 16' RATCHET STRAP
08013 - RTV SILICONE - HIGH TEMP RED . 12	#274 - DRAIN SPADE	#WS25 - 25' RATCHET STRAP 24
10012 - TOUCH 'N FOAM12	#275 - DRAIN SPADE	
18001 - KWIK SEAL - WHITE 12	#278 - 10# SLEDGE HAMMER 24	
18008 - KWIK SEAL - CLEAR	#279 - PICK MATTOCK 24	
18013 - KWIK SEAL - ALMOND 12	#280 - SOIL PROBE-FIBERGLASS 26	
18032 - KWIK SEAL - WHITE (10 oz.) 12	#282 - DRAIN SPADE	
#4 - "6 IN 1" SCREWDRIVER	#283 - ROUND POINT SHOVEL 25	
#5 - "6 IN 1" SCREWDRIVER 23	#284 - SQUARE POINT SHOVEL 25	
#12 - TORPEDO LEVEL	#285 - SOIL PROBE-FIBERGLASS 26	
#15 - 1" PIPE RATCHET CUTTER30	#301 - MEASURING TAPE35	
#16 - CUTTER BLADE 30	#318 - TRENCH SHOVEL	
#17 - 2" PIPE RATCHET CUTTER31	#319 - TRENCH SHOVEL	
#18 - CUTTER BLADE	#324 - WRENCH HANDLE	
#20 - 2" PIPE RATCHET CUTTER 31	#325 - WRENCH SOCKET	
•		İ

J.C. Whitlam Manufacturing Company began manufacturing quality chemical products in 1900 with the introduction of TYTE-UNYTE® (pronounced Tight-Unite) Thread Sealing Compound for threaded pipe connections. It was the first non-poisonous thread compound manufactured and still remains the standard of the plumbing, heating and refrigeration industry today.

Since 1900, WHITLAM has continued to be the leader in producing quality products for plumbing, heating, refrigeration, oil field and industrial applications.

The Sales Force of Whitlam and Plumb-Pro Divisions consists of over 80 Manufacturer's Representative Organizations in the U.S.A. and in 18 Foreign Countries.

This Map shows the locations of the Whitlam/Plumb-Pro sales offices in the U.S.A.

★ Warehouse locations

Phoenix, AZ; Livermore, CA; Rancho Cucamonga, CA; Longwood, FL; Orlando, FL; Kansas City, KS; Salt Lake City, UT; Wadsworth, OH; Carp, ON; Regina, SK; Vancouver, BC

- World Headquarters and Manufacturing in Wadsworth, OH
- Conveniently located, wherever you are.

Whitlam and Plumb-Pro sales are coordinated through more than 80 teams of manufacturer representatives in the Americas and overseas.



DIVISION OF J.C. WHITLAM MANUFACTURING CO. 200 WEST WALNUT ST., P.O. BOX 380 WADSWORTH, OH 44282-0380

U.S. & Canada Phone: 1-800-321-8358 1-800-537-0588

Phone: 1-330-334-2524 FAX: 1-330-334-3005 www.jcwhitlam.com • email: sales@jcwhitlam.com